KT INDUSTRIES INC.



Gold Select Weld® Gold Select Tools®

AIR ACCESSORIES • ABRASIVE PRODUCTS • WELDING SUPPLIES • HAND TOOLS • PRESSURE WASHER PARTS • CABLE TIES • HOSE CLAMPS



Dear K-T Customer,

The team at K-T Industries would like to thank you for your interest in our program. We work hard to bring you quality products at affordable prices! We offer a great selection of staple categories that your store needs to take care of your customer's needs. Whether it's a small mix of hand tools or a 28 foot planogram, we have something to fit your needs!

K-T Industries has built a reputation on service after the sale. Our dedicated sales team can visit you on a regular basis to write a refill order, service the display and show you the latest deals on new products.

Work with a team that knows you by name and cares about the success of your program. Our goal is to build a solid partnership that will stand the test of time!

From us to you,

Thank you!

WARRANTY

Each K-T tool is covered by a limited warranty against material or workmanship defect for the specified warranty period from the date purchased by the original consumer purchaser.

The Warranty Periods are as follows:

- Lifetime Warranty - Tools: Socket sets, sockets and accessories, adjustable wrenches, and combination wrenches.
- 90 Day Warranty - Tools: Hex bit sockets, screwdrivers and screwdriver tips, impact drivers, pliers, torque wrenches, hammers, threading and cutting tools, crimping tools, pipe wrenches, gear pullers, porta pullers and clip holders.
- 1 Year Warranty - Torch Kits
- 90 Day Warranty - Welders & Plasma Cutters and Auto Darkening Helmets

K-T Industries will repair or replace, without charge, any K-T tool which may fail to function properly within the warranty period by reason of defective workmanship or material. K-T Industries reserves the right to repair, replace or credit accounts for defective tools. To obtain repair or replacement of K-T Industries product return to the nearest K-T authorized distributor. Or where the product was purchased from originally.



TABLE OF CONTENTS

Hand Tools

Tool Boxes, Bags, and Display Boxes 7-8
Mechanics Tool Set, 1/4" Drive Sockets, Accessories, & Sets 9-10
3/8" Drive Sockets, Accessories, & Sets 11-15
1/2" Drive Sockets, Accessories, & Sets 16-19
3/4" Drive Sockets, Accessories, & Sets 19-20
1" Drive Sockets, Accessories, & Sets 21
Bit Sets, Impact Sockets, Accessories, & Sets 22-26
Wrenches 27-31
Hammers 32
Punch & Chisel Set & Clamps 33
Pliers 34-35
Leather Punch, Tin Snips, Wire Strippers 36
Screwdrivers, Nutdrivers, Tap & Die Set 37-38
Gear Pullers, Porta Puller, & Bolt Cutters 39
Files 40
Drill Bits 41-42

Arc/Mig/Tig

Gold Select Weld Welders & Plasma Cutters 45
Gold Select Weld MIG, TIG, & Plasma Accessories 46
USA Electrodes 47
Electrodes 48-51
Mig Wire, Nozzle Gel, Anti-Spatter Spray, Cold Galvanizing Spray, & Drilling & Tapping fluid 52-53
Mig Consumables 54
Mig Tools, Electrode Holders, & Ground Clamps 55
Cable Lugs, Butt Connectors, & Cable Splicers 56
Cable Connectors, Machine Plugs, Welding Cable, & Cable Cutter 57
Receptacles, Plugs, Extension Cords, & Booster Handles 58
Booster Cables, Booster Handles, & Test Clips 59
Paint Markers 60
Marking Tools, Pipe Layout Templates, Magnetic Holders 61-62
Locking Clamps, Chipping Hammers and Brushes 63-64

Oxy-Acetylene

Oxy-Acetylene, TIG Rod, Brazing Alloy Rod, & Flux 65-67
Solder 68
Butane Torches & Fuel and Solder Irons 69
Tube & Chip Brushes 70
Victor® & Harris® Style Oxy-Acetylene Torch Kits 71-72
Air Propane Torches 72-73
Regulators, Pressure Gauges 73
Torch Handles, Cutting Attachments, & Mixers 74
K-T Victor® Style, Harris® Style, & Smith® Style Tips 75-76
Regulator Parts & Hoses 77
Brass Fittings 78
Oxy-Acetylene Tools 79-80

Safety

Welding Helmets & Auto Darkening Helmets 83-85
Headgear & Complete Face Shields 86-87
Cover Lens, Magnifier Lens & Filter Plates 87-88
Goggles, Hard Hats, & Dust Masks 89-90
Safety Glasses & Safety Glasses Display 91-92
Hearing Protection 93
Head Protection 94
Welding Gloves, Leathers, & Flame Retardant Clothing 95-97
Gold Select Work Gloves 98-102

TABLE OF CONTENTS



Abrasive/Brushes

Industrial Power Brushes 105
Power Brushes 106-107
End Brushes 108
Angle Grinder & Grinding Wheels 109
Cut Off Wheels, Mandrels, & Kits 110-112
Diamond Cutting Wheels 112
Flap Discs & Surface Prep Discs 113
Polishing Pad, Buffing Pads, Scouring Pads, & Backing Pads 114
Sanding Discs, Spanner Wrench, Shop Rolls, Flap Wheels, & Mini Abrasives 115-117
Bench Grinder Wheels & Accessories 117
Precision Drill Accessories 118-121
Rotary Rasps & Files 121
Carbide Burs, Mounted Wheels & Points 122

Air/Tire Accessories

Tru-Flate® Style Kits, Couplers, & Nipples 125-126
Universal Couplers & Nipples 126
ARO® Style Couplers & Nipples 126
Lincoln® Style Couplers & Nipples 127
I/M Style Accessories, Kits, Couplers, & Nipples 127-128
Hose Ends, Couplers & Adaptors 129
Crosses, Manifolds 130
Air Hoses & Air Hose Reels 131-132
Blow Guns & Accessories 133-134
Tire Gauges & Air Chucks 135
Pressure Gauges, Tank Valves, & Drain Cocks 136
Manifold, Tank & Check Valves 137
4 Port Air Compressor Switches 138
Filters, Regulators, & Lubricators 139
Tire Accessories 140-142

Pressure Washer

Spray Guns, Lances, & Wands 145
Pressure Washer Hoses, Foam Cannons, Soap Injector Kit 146
Nozzles 147-149
Quick Connect Couplers & Plugs 149
Screw Couplings, Nipples, & Sewer Nozzles 150-151
O-Ring Kits & Teflon Tape 152

Cable Ties

Bungee Cords, Storage Straps, Hook & Loop Ties, & Nylon Tensioners 155-157
Cable Ties 157-162

Hose Clamps

Hose Clamp Kits 165
Individual Hose Clamp Boxes 166-169

Springs


Springs 170-171


HAND
TOOLS




PROFESSIONAL QUALITY TOOLS
HAND TOOL CENTER




HSS TITANIUM COATED DRILL BITS



Gold Select® Tool Box and Bags

19” TOOL BOX

Model No. 4-1819

Lightweight molded polypropylene includes removable tray with six dividers. 9” x 19”



14” MULTI POCKET TOOL BAG

Model No. 4-1850

Reinforced 14” tool bag made of oxford cloth. Zipper close bag features 8 inner pockets and 6 outer pockets to keep tools organized while on the go.



14” PROFESSIONAL TOOL TOTE

Model No. 4-1855

Reinforced 14” tool tote made of oxford cloth. Open top tool tote features 12 inner pockets, 11 outer pockets, padded carrying handle and shoulder strap, and hard plastic bottom to keep tools organized while on the go.



WELDER’S GEAR BAG

Model No. 4-1859

Made of oxford cloth. Open top bag features 2 outer mesh pockets, drawstring cinch top, and shoulder strap, to keep welding gear organized while on the go.





Display Boxes



RETRACTABLE UTILITY KNIFE DISPLAY

Model No. 21-3175

Knife features retractable blade with 3 different positions, all metal body for heavy duty cutting, and storage in the handle for extra blades. Each knife includes 1 blade. Display includes 12 knives.



100PC UTILITY KNIFE REPLACEMENT BLADES

Model No. 21-3185

Medium duty blades for general purpose use. Blades are dispensed from plastic hanger.



16' TAPE MEASURE DISPLAY

Model No. 21-3216

Tape measures feature double sided markings on the tape, double magnetic hook end, automatic hold when tape is pulled and double release buttons on top and bottom. Display includes 12 tape measures.



26' TAPE MEASURE DISPLAY

Model No. 21-3225

Tape measures feature double sided markings on the tape, double magnetic hook end, automatic hold when tape is pulled and double release buttons on top and bottom. Display includes 12 tape measures.

Mechanics Tool Set, 1/4” Drive Sockets and Accessories

132 PC MECHANICS TOOL SET
Model No. 1-5300
Equipped with a full selection of the most commonly used 3/8” & 1/4” drive 6pt. sockets, 12pt. wrenches, bits, and hex keys. Sockets and wrenches feature chamfered edges to ensure strong turning grip which eliminates slippage and prevents damage.



1/4” DR RATCHET
Model No. 0-2101
Ratchet is fully polished and nickel chrome plated. Ratchet mechanism has 72 teeth. Overall length is 5-1/4”.

1/4” DR HINGED HANDLE
Model No. 0-2106
For operation in hard to reach areas. Knurled grip. Overall length is 5-3/4”.



1/4” DR EXTENSIONS

Model No.	Length	Model No.	Length
0-2108	2”	0-2111	6”
0-2110	4”	0-2112	10”

1/4” DR SLIDING “T” HANDLE
Model No. 0-2115

1/4” DR UNIVERSAL JOINT
Model No. 0-2116
Turn nuts and bolts in hard to reach areas. Allows sockets and handles to be operated at various angles from the ratchet.

1/4” DR ADAPTOR
Model No. 0-2119
1/4” F x 3/8” M.

1/4” DR SPINNER HANDLE
Model No. 0-2121
Large comfortable handle. Ideal for appliance and dashboard jobs. 6” length.



1/4” DR. SPEEDER HANDLE
Model No. 0-2117
Used for fast turning of nuts and bolts. Overall length is 14-3/4”.

1/4” DR. 6 PT. SHALLOW SOCKETS

Model No.	Size	Model No.	Size	Model No.	Size
0-2004	1/8”	0-2010	5/16”	0-2210	6mm
0-2005	5/32”	0-2012	3/8”	0-2211	7mm
0-2006	3/16”	0-2014	7/16”	0-2212	8mm
0-2008	1/4”	0-2016	1/2”	0-2213	9mm
0-2009	9/32”	0-2018	9/16”	0-2214	10mm



1/4" Drive Sockets, Accessories, and Sets

























1/4" DR. 6 PT. DEEP WALL SOCKETS

Model No.	Size	Model No.	Size	Model No.	Size
0-2308	1/4"	**0-2314**	7/16"	**0-2412**	8 mm
0-2309	9/32"	**0-2316**	1/2"	**0-2413**	9 mm
0-2310	5/16"	**0-2410**	6 mm	**0-2415**	11 mm
0-2312	3/8"	**0-2411**	7 mm		

1/4" DR 8 PT SHALLOW WALL SOCKETS

Model No.	Size
0-2808	1/4"

1/4" DR SCREWDRIVER BITS

Model No.	Size	Model No.	Size
0-2855	3/16" Flat	**0-2852**	No. 2
0-2856	7/32" Flat	**0-2853**	No. 3

1/4" DR SOCKET CLIP HOLDER

Model No. 31-2213

Handy for organizing sockets in tool drawers.

1/4" DR x 22 PC METRIC SOCKET SET

Model No. 1-5223

Set in metal case includes:
(9) Nine 6 pt. shallow sockets 4, 5, 6, 7, 8, 9, 10, 11, and 12 mm.
(7) Seven 6 pt. deep sockets 6, 7, 8, 9, 10, 11, and 12 mm.
(1) One reversible ratchet
(2) Extensions: 3" and 6"
(1) Universal Joint
(1) Spinner Handle

1/4" DR x 30 PC SAE & METRIC SOCKET SET

Model No. 1-5227

Set in plastic case includes:
SAE: 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"
Metric: 4mm, 4.5mm, 5mm, 5.5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm
2" Extension
4" Extension
Universal Joint
Ratchet
Spinner Handle
Hex Shank to Socket Adaptor

1/4" DR x 10 PC SAE DEEP SOCKET SET

Model No. 1-7209

Set includes:
(9) Nine 1/4" Dr, 6 pt sockets: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"
(1) Metal clip organizer.

3/8” Drive Socket Accessories

3/8” DR RATCHET
Model No. 0-3100
45 teeth, fully polished, chrome vanadium steel ratchet. Overall length is 8”.

3/8” DR HEAVY DUTY RATCHET
Model No. 0-3101
72 teeth, Chrome vanadium steel ratchet with professional smooth handle. Overall length is 8”. On/off switch and quick release.

3/8” DR STUBBY RATCHET
Model No. 0-3103
72 teeth, For easy operation in limited access areas. Chrome Vanadium steel. Overall length is 4”.

3/8” DR FLEX HEAD RATCHET
Model No. 0-3104
Head pivots up to 90 degrees in either direction for work in tight areas around engine parts. Knurled handle for better grip. Overall length is 10-1/2”.



3/8” DR HINGED HANDLE
Model No. 0-3106
For operation in hard-to-reach areas. Knurled grip. Overall length is 8-1/2”.

3/8” DR EXTENSION BARS

Model No.	Length	Model No.	Length
0-3109	3”	0-3114	12”
0-3112	6”	0-3118	18”



3/8” DR WOBBLE EXTENSION
Knurled ring for easy operation. Allows 15° angle without the need of a universal joint.

Model No.	Length	Model No.	Length
0-3183	3”	0-3181	10”
0-3186	6”		



3/8” DR x 3 PC EXTENSION SET
Model No. 1-7303
Ideal for getting into tight areas. Set includes: (3) Three extensions, 3”, 6” & 10”.



3/8” DR UNIVERSAL JOINT
Model No. 0-3116
Turn nuts and bolts in hard to reach areas. Allows sockets and handles to be operated at various angles from the ratchet.



3/8” DR ADAPTORS

Model No.	Size
0-3119	3/8” F x 1/4” M Reducing
0-3120	3/8” F x 1/2” M Increasing





3/8” Drive Sockets





3/8” DR 6 PT SHALLOW SOCKETS

Model No.	Size	Model No.	Size
0-3912	3/8”	0-3922	11/16”
0-3914	7/16”	0-3924	3/4”
0-3916	1/2”	0-3926	13/16”
0-3918	9/16”	0-3930	15/16”
0-3920	5/8”	0-3932	1”





3/8” DR. 12 PT. SHALLOW SOCKETS

Model No.	Size	Model No.	Size	Model No.	Size
0-3012	3/8”	0-3028	7/8”	0-3219	15 mm
0-3014	7/16”	0-3211	7 mm	0-3220	16 mm
0-3016	1/2”	0-3213	9 mm	0-3221	17 mm
0-3018	9/16”	0-3214	10 mm	0-3222	18 mm
0-3020	5/8”	0-3215	11 mm	0-3225	21 mm
0-3022	11/16”	0-3216	12 mm	0-3226	22 mm
0-3024	3/4”	0-3217	13 mm		
0-3026	13/16”	0-3218	14 mm		





3/8” DR 6 PT DEEP WALL SAE SOCKETS

Model No.	Size	Model No.	Size
0-3814	7/16”	0-3824	3/4”
0-3816	1/2”	0-3826	13/16”
0-3818	9/16”	0-3828	7/8”
0-3820	5/8”		





3/8” DR. 12 PT. DEEP WALL SOCKETS

Model No.	Size	Model No.	Size	Model No.	Size
0-3314	7/16”	0-3328	7/8”	0-3420	16 mm
0-3316	1/2”	0-3414	10 mm	0-3421	17 mm
0-3318	9/16”	0-3415	11 mm	0-3422	18 mm
0-3320	5/8”	0-3416	12 mm	0-3423	19 mm
0-3322	11/16”	0-3417	13 mm	0-3425	21 mm
0-3324	3/4”	0-3418	14 mm		
0-3326	13/16”	0-3419	15 mm		





3/8” DR OIL SENDING UNIT SOCKET

Model No. 0-3755

Size 1 x 1-1/16”.

3/8” Drive Sockets and Bits

1/4” DR & 3/8” DR TORX BIT SOCKETS

Made of drop forge chrome vanadium steel.

Model No.	Drive	Size	Model No.	Drive	Size
0-3778	1/4”	10	0-3784	3/8”	40
0-3779	1/4”	15	0-3785	3/8”	45
0-3780	1/4”	20	0-3788	3/8”	47
0-3781	1/4”	25	0-3786	3/8”	50
0-3782	1/4”	27	0-3787	3/8”	55
0-3783	1/4”	30	0-3789	1/2”	60





3/8” DR 12 PT. SPARK PLUG SOCKETS

For installing and removing spark plugs. Oil resistant rubber insert protects porcelain and grips plugs securely.

Model No.	Size	Model No.	Size
0-3720	5/8”	0-3726	13/16”
0-3722	18 mm	0-3740	5/8” UNV
0-3724	3/4”	0-3752	13/16” UNV







3/8” DR HEX BIT SOCKETS

Hardened bits for long life. Provides extra torque not offered by conventional hex keys.

Model No.	Size	Model No.	Size
0-3701	1/8”	0-3764	4 mm
0-3702	3/32”	0-3765	5 mm
0-3703	3/16”	0-3766	6 mm
0-3704	7/32”	0-3767	7 mm
0-3705	1/4”	0-3768	8 mm
0-3706	5/16”	0-3770	10 mm
0-3707	3/8”	0-3771	12 mm



3/8” DR SOCKET CLIP HOLDER

Model No. 31-2313

Handy for organizing sockets in tool drawers.








3/8" Drive Socket Sets







3/8" DR x 11 PC HEX BIT SOCKET SETS

Made of drop forged chrome vanadium steel.

Model No.	Desc.	Size
31-5111	11 Pc. SAE	**Sockets:** 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8" **Hex Keys:** 3/32, 5/64, and 1/16 "
31-5211	11 Pc. Metric	**Sockets:** 3, 4, 5, 6, 7, 8, 10 mm **Hex Keys:** 1.5, 2 and 2.5 mm

3 PC FOLDING HEX KEY SET

Model No. 31-5225

Convient folding set made of CR-V steel includes the most common SAE, metric and security torx sizes. Each key is stamped for easy identification of size.





TORX BIT SOCKET SET

Made of drop forged chrome vanadium steel. Includes a handy metal clip holder.

Model No.	Desc.	Size
31-5116	13 Pc. Internal Tamper Torx	**1/4" Dr. Sizes:** 10, 15, 20, 25, 27, 30 **3/8" Dr. Sizes:** 40, 45, 47, 50, 55 **1/2" Dr. Sizes:** 60
31-5119	8 PC. External Torx	**1/4" Dr. Sizes:** 6 and 7 **3/8" Dr. Sizes:** 8, 10, 12, 14, 16







3/8" DR x 13 PC SAE SOCKET SET

Model No. 1-5313

A great general purpose 3/8" drive starter set.
Set in metal case includes:
(9) Nine 12 pt sockets: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, and 7/8".
(1) 8" reversible ratchet.
(2) Extensions, 1-3/4" & 3".



3/8" DR x 21 PC SAE SOCKET SET

Model No. 1-5322

Set includes 21 sockets in metal case. All pieces fit 3/8" drive ratchet.
Set includes:
(9) Nine, 12 pt. shallow sockets:
3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, and 7/8".
(8) Eight, 6 pt. deep sockets:
3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, and 13/16".
(1) One, 8" reversible ratchet.
(2) Two extensions: 1-3/4" & 3".

3/8” Drive Socket Sets

3/8” DR x 11 PC SOCKET SETS

Cr-V steel. Hang on Peg Board or lay flat in any 2” deep drawer.

Model No.	Description	Includes
1-5311	11 Pc SAE	(1) 8” Reversible Ratchet Handle (10) Ten, 12 pt. shallow sockets: 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4,13/16 & 7/8”
1-5312	11 Pc Metric	(1) 8” Reversible Ratchet Handle (10) Ten, 12 pt. shallow sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm.
1-5320	21 Pc SAE and Metric	(1) 8” Reversible Ratchet Handle (10) Ten, 12 pt SAE shallow sockets: 5/16”, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4,13/16 & 7/8” (10) Ten, 12 pt mm shallow sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm.



3/8” DR x 12 PC SAE SOCKET SET

Model No. 1-7312

Chrome vanadium steel. Packed on a handy metal clip holder.
Set includes:
(4) Four 6 pt. sockets: 1/4, 5/16, 3/8, and 7/16”
(7) Seven 12 pt. sockets: 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, and 7/8”
(1) Metal clip holder



3/8” DR x 14 PC METRIC SOCKET SET

Model No. 1-7313

Chrome vanadium steel. Packed on a handy metal clip holder.
Set includes:
(8) Eight 6 pt. sockets: 7, 8, 9, 10, 11, 12, 13, and 14mm.
(5) Five 12 pt. sockets: 15, 16, 17, 18, and 19mm.
(1) Metal clip holder





3/8” DR x 9 PC METRIC DEEP SOCKET SETS

Model No. 1-7358

Most popular metric deep well sockets packed on a handy metal clip holder.
Set includes:
(8) Eight 12 pt. sockets: 10, 11, 12, 13, 14, 15, 18, and 19 mm
(1) Metal clip holder







1/2" Drive Accessories









1/2" DR RATCHET

Model No. 0-4100

Professional smooth grip reversible ratchet made of high quality chrome vanadium steel. 45 tooth operation. Overall length is 9-3/4".

1/2" DR HEAVY DUTY RATCHET

Model No. 0-4101

Chrome vanadium steel ratchet with professional smooth handle. Overall length is 10". On/off switch and quick release. 72 tooth operation.

1/2" DR FLEXIBLE HANDLE RATCHET

Model No. 0-4104

Head pivots 90 degrees either direction. For work in tight areas around engine parts. Knurled handle for better grip. Overall length is 13".

1/2" DR HINGED HANDLE

Model No. 0-4106

For operation in hard to reach areas. The 15" handle makes loosening bolts easy. Knurled handle for better grip.

1/2" DR TORQUE WRENCHES

Click type micrometer torque wrench. Knurled handle for better grip.

Model No.	Torque	Model No.	Torque
31-4415	10-150 ft. lbs.	**31-4425**	10-250 ft. lbs.

1/2" DR EXTENSION BARS

Model No.	Length	Model No.	Length
0-4108	2"	**0-4114**	10"
0-4111	5"		

1/2" DR SLIDING "T" HANDLE

Model No. 0-4115

Overall length is 9-3/4".

1/2" DR UNIVERSAL JOINT

Model No. 0-4116

Turn nuts and bolts in hard to reach areas. Allows sockets and handles to be operated at various angles from the ratchet.

1/2" DR ADAPTORS

Model No.	Description
0-4119	1/2" F x 3/8" M (reducing)
0-4120	1/2" F x 3/4" M (increasing)

1/2” Drive Sockets and Accessories

1/2” DR. 6 PT. SHALLOW SOCKETS

Model No.	Size	Model No.	Size	Model No.	Size
0-4912	3/8”	0-4922	11/16”	0-4932	1”
0-4914	7/16”	0-4924	3/4”	0-4934	1-1/16”
0-4916	1/2”	0-4926	13/16”	0-4936	1-1/8”
0-4918	9/16”	0-4928	7/8”	0-4940	1-1/4”
0-4920	5/8”	0-4930	15/16”		



1/2” DR. 12 PT. SHALLOW SOCKETS

Model No.	Size	Model No.	Size	Model No.	Size
0-4014	7/16”	0-4038	1-3/16”	0-4220	20 mm
0-4016	1/2”	0-4040	1-1/4”	0-4221	21 mm
0-4018	9/16”	0-4210	10 mm	0-4222	22 mm
0-4020	5/8”	0-4211	11 mm	0-4223	23 mm
0-4022	11/16”	0-4212	12 mm	0-4224	24 mm
0-4024	3/4”	0-4213	13 mm	0-4225	25 mm
0-4026	13/16”	0-4214	14 mm	0-4226	26 mm
0-4028	7/8”	0-4215	15 mm	0-4227	27 mm
0-4030	15/16”	0-4216	16 mm	0-4228	28 mm
0-4032	1”	0-4217	17 mm	0-4230	30 mm
0-4034	1-1/16”	0-4218	18 mm	0-4232	32 mm
0-4036	1-1/8”	0-4219	19 mm		



1/2” DR. 6 PT. DEEP WALL SOCKETS

Model No.	Size	Model No.	Size	Model No.	Size
0-4814	7/16”	0-4824	3/4”	0-4832	1”
0-4816	1/2”	0-4826	13/16”	0-4834	1-1/16”
0-4818	9/16”	0-4828	7/8”	0-4836	1-1/8”
0-4820	5/8”	0-4830	15/16”		



1/2” DR. 12 PT. DEEP WALL SOCKETS

Model No.	Size	Model No.	Size	Model No.	Size
0-4314	7/16”	0-4334	1-1/16”	0-4421	21 mm
0-4316	1/2”	0-4336	1-1/8”	0-4422	22 mm
0-4318	9/16”	0-4411	11 mm	0-4423	23 mm
0-4320	5/8”	0-4414	14 mm	0-4424	24 mm
0-4322	11/16”	0-4415	15 mm	0-4425	25 mm
0-4324	3/4”	0-4416	16 mm	0-4426	26 mm
0-4326	13/16”	0-4417	17 mm	0-4427	27 mm
0-4328	7/8”	0-4418	18 mm	0-4428	28 mm
0-4330	15/16”	0-4419	19 mm	0-4430	30 mm
0-4332	1”	0-4420	20 mm	0-4432	32 mm





1/2” Drive Sockets Accessories & Sets







1/2” DR SOCKET CLIP HOLDER

Model No. 31-2413

Handy for organizing sockets in tool drawers.

1/2” DR x 11 PC HANGING SOCKET SETS

Model No.	Description	Size
1-5411	11 Pc. SAE	1-10” Reversible Ratchet Handle (10) Ten 12 pt. sockets: 3/8, 7/16,1/2, 9/16, 5/8, 11/16, 3/4, 13/16,7/8 and 15/16.
1-5412	11 Pc. METRIC	1-10” Reversible Ratchet Handle (10) Ten 12 pt. sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18 and 20mm.



1/2” DR x 17 PC SAE SOCKET SET

Model No. 1-5417

Master 1/2” drive socket set including a complete range of sockets.
Set includes: (13) Thirteen 12 pt. sockets:
7/16,1/2, 9/16, 5/8, 11/16, 3/4, 13/16,7/8, 15/16,1, 1-1/16, 1-1/8, 1-1/4”.
(1) 10” reversible ratchet
(1) 15” flex handle
(1) 5” extension bar
(1) Metal case



1/2” DR x 18 PC METRIC SOCKET SET

Model No. 1-5418

Master 1/2” drive socket set including a complete range of sockets.
Set includes: (14) Fourteen 12 pt. sockets:
10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21,22, 23, and 24 mm.
(1) 10” reversible ratchet
(1) 15” flex handle
(1) 5” extension bar
(1) Metal case



1/2” DR x 24 PC SAE MASTER SOCKET SET

Model No. 1-5424

Set includes: (13) Thirteen, 6 pt. shallow sockets:
7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, and 1-1/4”.
(6) 12 pt. deep sockets: 7/16, 1/2, 9/16, 5/8, 11/16, and 3/4”.
(1) 10” reversible ratchet handle.
(2) Extensions: 5 & 10”
(1) One spark plug socket: 13/16”
(1) Metal case





1/2” DR x 12 PC SAE SOCKET SET

Model No. 1-7412

Set includes 13 popular SAE sizes from 3/8” through 1-1/4”. All sockets fit a regular 1/2” drive ratchet. Packed on a handy, easy to use socket clip holder.
Set includes:
(12) Twelve 12 point sockets: 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/8, and 1-1/4”. Clip holder.

1/2” Drive Socket Sets

1/2” DR x 14 PC METRIC SOCKET SET

Model No. 1-7413

Set includes 13 popular metric sizes from 10 through 22 mm. All sockets fit a regular 1/2” drive ratchet. Packed on a handy, easy to use socket clip holder. Set includes:
(13) Thirteen 12 point sockets: 10,11, 12, 13, 14,15, 16,17, 18,19, 20, 21, and 22 mm. Clip holder.





1/2” DR x 8 PC SAE DEEP SOCKET SET

Model No. 1-7408

Made of chrome vanadium steel. Features a handy carrying clip.
(8) Eight 12 point deep sockets:1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, and 15/16”



3/4” Drive Accessories

3/4” DR REVERSIBLE RATCHET HANDLE

Model No. 0-6100

Knurled handle for better grip. Overall length 20”.

3/4” DR HEAVY DUTY REVERSIBLE RATCHET

Model No. 0-6101

Knurled handle for better grip. Overall length 20”. On/off switch and quick release.

3/4” DR HINGED HANDLE

Model No. 0-6106

Knurled handle for better grip. Overall length 20”.

3/4” DR SLIDING “T” HANDLE


Model No. 0-6115

Overall length 20”.



3/4” DR EXTENSIONS

Model No.	Length	Model No.	Length
0-6110	4”	0-6114	16”
0-6113	8”		



3/4” DR UNIVERSAL JOINT

Model No. 0-6116

Allows operator to turn nuts and bolts in hard to reach areas.



3/4" Drive Sockets, Accessories, & Sets





3/4" DR ADAPTORS

Model No.	Size	Model No.	Size
0-6119	3/4" F x 1/2" M Reducing	0-6120	3/4" F x 1" Increasing





3/4" DR 12 PT STANDARD SAE SOCKETS

Model No.	Size	Model No.	Size
0-6028	7/8"	0-6046	1-7/16"
0-6030	15/16"	0-6048	1-1/2"
0-6032	1"	0-6050	1-9/16"
0-6034	1-1/16"	0-6052	1-5/8"
0-6036	1-1/8"	0-6054	1-11/16"
0-6038	1-3/16"	0-6056	1-3/4"
0-6040	1-1/4"	0-6058	1-13/16"
0-6042	1-5/16"	0-6060	1-7/8"
0-6044	1-3/8"	0-6064	2"



3/4" DR SAE 21 PC HEAVY DUTY SOCKET SET

Model No. 1-5621

Made of chrome vanadium steel, fully tempered and heat treated.
Set includes:
(16) Sixteen 12 pt. sockets: 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4, 1-5/16, 1-3/8, 1-7/16, 1-1/2, 1-5/8, 1-3/4,1-7/8, 1-13/16, 2".
(1) One 20" reversible ratchet.
(1) One 18" Sliding "T" handle
(1) One 3-1/2" extension
(1) One 8" extension
(1) Carrying case with handle.



3/4" DR METRIC 22 PC HEAVY DUTY SOCKET SET

Model No. 1-5624

Made of chrome vanadium steel, fully tempered and heat treated.
Set includes:
(17) Seventeen 12 pt. mm sockets: 19, 22, 24 26, 27, 28, 30, 32, 34, 36, 38, 41, 42, 45, 46, 48, 50mm.
(1) One 20" reversible ratchet.
(1) One 18" Sliding "T" handle
(1) One 3-1/2" extension
(1) One 8" extension
(1) Carrying case with handle

1” Drive Sockets, Accessories and Socket Sets

1” DR REVERSIBLE RATCHET HANDLE

Model No. 0-8101
26” long.



1” DR SLIDING “T” HANDLE

Model No. 0-8115
22” long.



1” DR EXTENSIONS

Model No.	Length	Model No.	Length
0-8112	6”	**0-8114**	16”



1” DR 12 PT STANDARD SAE SOCKETS

Model No.	Size	Model No.	Size
0-8052	1-5/8”	**0-8072**	2-1/4”
0-8054	1-11/16”	**0-8076**	2-3/8”
0-8056	1-3/4”	**0-8080**	2-1/2”
0-8058	1-13/16”	**0-8084**	2-5/8”
0-8060	1-7/8”	**0-8088**	2-3/4”
0-8064	2”	**0-8090**	2-15/16”
0-8068	2-1/8”	**0-8092**	3”
0-8070	2-3/16”	**0-8096**	3-1/8”



1” DR X 21 PC SAE HEAVY DUTY SOCKET SET

Model No. 1-5821
Made of chrome vanadium steel, fully tempered and heat treated.
Set includes:
(16) Sixteen 12 pt. sockets: 1-5/8, 1-11/16, 1-3/4, 1-13/16, 1-7/8, 2, 2-1/8, 2-3/16, 2-1/4, 2-3/8, 2-1/2, 2-5/8, 2-3/4, 2- 15/16, 3, and 3-1/8”.
(1) One reversible ratchet.
(1) One Sliding “T” handle.
(1) One 3-1/2”
(1) One 8” extension
(1) Carrying case with handle.





Bit Sets, Impact Drivers, 3/8" Drive Impact Sockets





32 PIECE BIT SET
Model No. 32-0032

This bit box includes all the hard to find bits for working on trailers, RV's, cars, trucks, construction, etc. Includes: (2) PH1, (6) PH2, (2) PH3, (1) SL5.5, (1) SL6.5, (1) TT10, (1) TT15, (1) TT20, (4) TT25, (2) TT30, (1) TT40, (2) P2R, (1) DS1, (2) DS2, (1) DS3, (1) SQ1, (1) SQ2, (1) 1/4" Hex Adaptor, (1) QC Adaptor





REVERSIBLE IMPACT DRIVERS
The perfect hand tool for loosening or tightening frozen nuts, bolts, and screws. Just strike the blunt end with a hammer and it turns automatically. Bit adaptor is removable to work with compatible impact sockets. Comes with 4 bits #2 & #3 phillips, 5/16" & 3/8" flat, and a sturdy metal case.

Model No.	Drive	Model No.	Drive
32-2500	3/8"	**32-3500**	1/2"





4 PIECE IMPACT BIT SET
Model No. 32-0040

4 piece bit set for Model No. 32-2500, and 32-3500. Set includes: #2 & #3 Phillips and 5/16" & 3/8" flat.





3 PC SOCKET ADAPTOR SETS
Model No. 32-0043

Adapts drive sockets with quick change or standard drill chuck. Feature a spring loaded friction ball retainer for positive socket retention. Sizes 1/4", 3/8", & 1/2".

3 PC NUTDRIVER BIT SET
Model No. 32-0044

Nutdriver sockets with quick change or standard drill chuck. Feature a spring loaded friction ball retainer for positive socket retention. Sizes 1/4", 5/16", & 3/8".



3/8" DR. 6 PT SHALLOW SAE IMPACT SOCKETS
Made of chrome vanadium steel.

Model No.	Size	Model No.	Size
0-3956	6 mm	**0-3518**	9/16"
0-3510	5/16"	**0-3520**	5/8"
0-3512	3/8"	**0-3522**	11/16"
0-3514	7/16"	**0-3524**	3/4"
0-3516	1/2"		





3/8" DR. 6 PT DEEP SAE IMPACT SOCKETS
Made of chrome vanadium steel.

Model No.	Size	Model No.	Size
0-3610	5/16"	**0-3618**	9/16"
0-3612	3/8"	**0-3620**	5/8"
0-3614	7/16"	**0-3622**	11/16"
0-3616	1/2"	**0-3624**	3/4"



3/8” Drive Impact Socket Sets, 1/2” Drive Impact Sockets

3/8” DR. IMPACT ADAPTOR
Model No. 0-3590
3/8” F x 1/2” M.





3/8” DR. IMPACT UNIVERSAL JOINT
Model No. 0-3591
Allows operator to turn nuts and bolts in hard to reach areas.





3/8” DR. x 9 PC. IMPACT SOCKET SETS

Model No.	Description	Size
1-9318	9 Pc. SAE	(8) Eight 6 pt. sockets: 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16 and 3/4”. Handy metal clip.
1-9328	9 Pc. Metric	(8) Eight impact sockets: 8,10,11,13,14,16,17 and 19mm. Handy metal clip.



3/8” DR. x 9 PC. SAE DEEP IMPACT SOCKET SET
Model No. 1-9348
Set includes: (8) Eight deep impact sockets: 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16 and 3/4”. (1) Metal storage box.



1/2” DR. IMPACT EXTENSION BARS

Model No.	Drive	Model No.	Drive
0-4509	3”	0-4511	5”



1/2” DR. IMPACT ADAPTORS

Model No.	Size	Model No.	Size
0-4589	1/2” F x 3/8” M	0-4590	1/2” F x 3/4” M







1/2” DR. IMPACT UNIVERSAL JOINT
Model No. 0-4591
Allows operator to turn nuts and bolts in hard to reach areas.





1/2” DR. 6 PT. SHALLOW IMPACT SOCKETS

Model No.	Size	Model No.	Size	Model No.	Size
0-4514	7/16”	0-4532	1”	0-4555	15 mm
0-4516	1/2”	0-4534	1-1/16”	0-4556	16 mm
0-4518	9/16”	0-4536	1-1/8”	0-4557	17 mm
0-4520	5/8”	0-4540	1-1/4”	0-4558	18 mm
0-4522	11/16”	0-4550	10 mm	0-4559	19 mm
0-4524	3/4”	0-4551	11 mm	0-4561	21 mm
0-4526	13/16”	0-4552	12 mm	0-4562	22 mm
0-4528	7/8”	0-4553	13 mm	0-4564	24 mm
0-4530	15/16”	0-4554	14 mm		







1/2" Drive Impact Sockets & Sets













1/2" DR. 6 PT. DEEP IMPACT SOCKETS

Model No.	Size	Model No.	Size	Model No.	Size
0-4614	7/16"	**0-4634**	1-1/16"	**0-4667**	17 mm
0-4616	1/2"	**0-4636**	1-1/8"	**0-4668**	18 mm
0-4618	9/16"	**0-4640**	1-1/4"	**0-4669**	19 mm
0-4620	5/8"	**0-4660**	10 mm	**0-4671**	21 mm
0-4622	11/16"	**0-4661**	11 mm	**0-4672**	22 mm
0-4624	3/4"	**0-4662**	12 mm	**0-4674**	24 mm
0-4626	13/16"	**0-4663**	13 mm	**0-4677**	27 mm
0-4628	7/8"	**0-4664**	14 mm	**0-4680**	30 mm
0-4630	15/16"	**0-4665**	15 mm	**0-4682**	32 mm
0-4632	1"	**0-4666**	16 mm	**0-4683**	33 mm

1/2" DR. IMPACT SOCKET SETS

Model No.	Description	Size
1-9411	11 Pc. SAE	(10) Ten 6 pt. shallow impact sockets: 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16 & 1".
1-9414	14 Pc. SAE	(13) Thirteen 6 pt. shallow impact sockets: 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16,1, 1-1/16, 1-1/8, & 1-1/4".
1-9421	11 Pc. Metric	(10) Ten 6 pt. shallow impact sockets: 10, 11, 12, 13, 14, 15, 16,17, 18, & 19.

1/2" DR. x 14 PC. DEEP WALL IMPACT SOCKET SETS

Features a heavy duty plastic carrying case.

Model No.	Description	Size
1-9444	14 Pc. SAE	(13) Thirteen 6 pt. deep wall Impact sockets: 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16,1, 1-1/16, 1-1/8, 1-1/4" & Storage Case
1-9454	14 Pc. Metric	(13) Thirteen 6 pt. deep wall Impact sockets: 10, 13, 14, 15, 17, 18, 19, 21, 22, 24, 27, 30, 32 mm & Storage Case

1/2" DR. x 11 PC. DEEP WALL IMPACT SOCKET SETS

Model No.	Description	Size
1-9442	11 Pc. SAE	(10) Ten 6 pt. deep wall impact sockets: 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16 & 1".
1-9452	11 Pc. Metric	(10) Ten 6 pt. deep wall Impact sockets: 10, 11, 12, 13, 14, 15, 16,17, 18, & 19.

3/4” Drive Impact Sockets and Accessories

3/4” DR. 6 PT. SAE REGULAR IMPACT SOCKETS

Model No.	Size	Model No.	Size
0-6524	3/4”	0-6536	1-1/8”
0-6526	13/16”	0-6540	1-1/4”
0-6528	7/8”	0-6542	1-5/16”
0-6530	15/16”	0-6544	1-3/8”
0-6532	1”	0-6546	1-7/16”
0-6534	1-1/16”	0-6548	1-1/2”





3/4” DR. 6 PT. SAE DEEP IMPACT SOCKETS

Model No.	Size	Model No.	Size
0-6624	3/4”	0-6638	1-3/16”
0-6626	13/16”	0-6640	1-1/4”
0-6628	7/8”	0-6642	1-5/16”
0-6630	15/16”	0-6644	1-3/8”
0-6632	1”	0-6646	1-7/16”
0-6634	1-1/16”	0-6648	1-1/2”
0-6636	1-1/8”		



3/4” DR. 6 PT. METRIC DEEP IMPACT SOCKETS

Model No.	Size	Model No.	Size
0-6676	26 mm	0-6685	35 mm
0-6677	27 mm	0-6686	36 mm
0-6680	30 mm	0-6688	38 mm
0-6682	32 mm		



3/4” DR. IMPACT EXTENSION BAR

Model No. 0-6510

4” in length.





3/4” DR. IMPACT ADAPTORS

Model No.	Size	Model No.	Size
0-6589	3/4” F x 1/2” M	0-6590	3/4” F x 1” M







3/4" Drive Impact Socket Sets, 1" Drive Impact Socket Sets



3/4" DR. x 9 PC CHROME VANADIUM SAE REGULAR IMPACT SOCKET SET

Model No. 1-9618

Set is stored in a heavy duty blow mold case.
Impact Socket Set Contains:
8 – 6 Pt. Impact sockets:

- 1"
- 1-1/16"
- 1-1/8"
- 1-1/4"
- 1-5/16"
- 1-3/8"
- 1-7/16"
- 1-1/2"



3/4" DR. x 9 PC. CHROME MOLYBDENUM SAE DEEP WALL IMPACT SOCKET SET

Model No. 1-9648

Set is stored in a heavy duty blow mold case.
Impact Socket Set Contains:
8 – 6 Pt. Deep Wall Impact Sockets:

- 1"
- 1-1/16"
- 1-1/8"
- 1-1/4"
- 1-5/16"
- 1-3/8"
- 1-7/16"
- 1-1/2"



3/4" DR. x 9 PC. CHROME MOLYBDENUM METRIC DEEP WALL IMPACT SOCKET SET

Model No. 1-9649

Set is stored in a heavy duty blow mold case.
Impact Socket Set Contains:
8 – 6 Pt. Deep Wall Impact Sockets:

- 26 mm
- 27 mm
- 29 mm
- 30 mm
- 32 mm
- 35 mm
- 36 mm
- 38 mm



1" DR. IMPACT ADAPTOR

Model No. 0-8589

1" Female x 3/4" Male. Made of professional grade chrome molybdenum.

1" DR. 6 PT. METRIC DEEP IMPACT SOCKETS

Model No.	Size	Model No.	Size
0-8633	33 mm		



1" DR. x 11 PC. CHROME MOLYBDENUM SAE IMPACT SOCKET SET

Model No. 1-9810

Set is stored in a heavy duty blow mold case.
Impact Socket Set Contains:
10 – 6 Pt. Impact Sockets:

- 1"
- 1-1/8"
- 1-1/4"
- 1-3/8"
- 1-1/2"
- 1-5/8"
- 1-3/4"
- 1-7/8"
- 2"
- 1-1/2" x 13/16" Budd Wheel Socket



1" DR. x 11 PC. CHROME MOLYBDENUM METRIC IMPACT SOCKET SET

Model No. 1-9821

Set is stored in a heavy duty blow mold case.
Impact Socket Set Contains:
10 – 6 Pt. Impact Sockets:

- 21 mm
- 27 mm
- 30 mm
- 32 mm
- 35 mm
- 38 mm
- 41 mm
- 46 mm
- 50 mm
- 38 mm x 20 mm Budd Wheel Socket

Wrenches

INDIVIDUAL SAE FLEX SOCKET WRENCHES

Model No.	Size	Model No.	Size
3-2512	3/8”	3-2520	5/8”
3-2514	7/16”	3-2524	3/4”
3-2518	9/16”		



5 PC. SAE RATCHETING OFFSET WRENCH SET

Model No. 3-5105

Fully heat treated drop forged steel. Induction heat treated gears. Ideal for working in tight spots.

Set includes:

1/4 x 5/16, 3/8 x 7/16, 1/2 x 9/16, 3/4 x 7/8 and 5/8 x 11/16”.



INDIVIDUAL SAE RATCHETING WRENCHES

Model No.	Size	Model No.	Size
3-5201	1/4” x 5/16”	3-5202	3/8” x 7/16”
3-5205	3/4” x 7/8”	3-5204	5/8” x 11/16”



3 PC. SAE FLARE NUT WRENCH SET

Model No. 3-7103

A required set for work on gas lines, brake lines, refrigerator repair, and for any type of application with tubing nuts. Ideal for automotive, appliance repair and diesel mechanics.

Set includes:

3/8 x 7/16, 1/2 x 9/16, 5/8 x 11/16”.



INDIVIDUAL SAE FLARE NUT WRENCHES

Model No.	Size	Model No.	Size
3-7106	1/2” x 9/16”	3-7107	5/8” x 11/16”





Adjustable Wrenches, Pipe Wrenches





ADJUSTABLE WRENCHES

Made of special heat treated CR-V with rust resistant black finish. Head features laser etched scale with SAE & metric measurements.

Model No.	Size	Max Jaw Opening	Model No.	Size	Max Jaw Opening
3-8100	4”	9/16”	**3-8300**	12”	1-5/16”
3-8150	6”	13/16”	**3-8375**	15”	1-3/4”
3-8200	8”	15/16”	**3-8450**	18”	2-1/16”
3-8250	10”	1-1/8”	**3-8600**	24”	2-1/2”

3 PC ADJUSTABLE WRENCH SET

Model No. 3-8730

Made of special heat treated CR-V with rust resistant black finish. Head features laser etched scale with SAE & metric measurements. Set includes 8”, 10”, and 12” wrenches.



PIPE WRENCHES

Heavy duty pipe wrenches are made from special drop forged alloy steel with induction heat-treated jaws and deeply milled teeth. Full floating hooked jaws with spring suspension gives easier ratcheting performance.

Model No.	Size	Max Jaw Opening	Model No.	Size	Max Jaw Opening
22-2308	8”	3/4”	**22-2318**	18”	2-1/2”
22-2310	10”	1-1/2”	**22-2324**	24”	3”
22-2314	14”	2”	**22-2326**	36”	4”



4 PC. PIPE WRENCH SET

Model No. 22-2336

All of the same features as the open stock pipe wrenches.
Set includes: 8”, 10”, 14” and 18”.



ALUMINUM PIPE WRENCH

Same features as the heavy duty pipe wrenches, but the handle is made from light weight titanium aluminum alloy which reduces operator fatigue.

Model No.	Size	Max Jaw Opening	Model No.	Size	Max Jaw Opening
22-3310	10”	1-1/2”	**22-3324**	24”	3”
22-3314	14”	2”	**22-3336**	36”	4”
22-3318	18”	2-1/2”	**22-3348**	48”	5”

Combination Wrenches

4 PC. JUMBO COMBINATION WRENCH SET
Model No. 4-1704
For intermediate service applications that require up to size 1-1/2" combination wrench. Packed in heavy duty canvas roll with eye hooks. Fully Polished.
Set includes:1-5/16, 1-3/8, 1-7/16 and 1-1/2".



10 PC. JUMBO COMBINATION WRENCH SET
Model No. 4-1710
Ideal for heavy machinery, industrial, agricultural and automotive markets. Set contains all required sizes from 1-5/16" through 2". Fully Polished.
Set includes: 1-5/16, 1-3/8, 1-7/16, 1-1/2, 1-5/8, 1-11/16, 1-3/4, 1-13/16, 1-7/8 and 2".



COMBINATION WRENCH SETS
Packed in heavy duty canvas roll with eye hooks. Made of fully polished Drop Forged Steel. Features a non-slip box end design that drives the fasteners from the sides of the hex instead of the corners.

Model No.	Description	Size
4-1706	6 Pc. SAE	3/8, 7/16, 1/2, 9/16, 5/8 and 3/4"
4-1711	11 Pc. SAE	3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16 and 1"
4-1806	6 Pc. Metric	10, 12, 13, 14, 15 and 17 mm
4-1811	11 Pc. Metric	9, 10, 11, 12, 13, 14, 15, 16, 17, 18 and 19 mm









14 PC. SAE COMBINATION WRENCH SET
Model No. 4-1714
Set ranges in size from 3/8" through 1-1/4". Packed in heavy duty canvas roll with eye hooks. Fully Polished.
Set includes:
3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16 7/8, 15/16, 1, 1-1/16, 1-1/8 and 1-1/4".

12 PC. COMBINATION WRENCH SET EXTENDED LENGTH
Model No. 4-1722
These combination wrenches are fully polished and made out of chrome vanadium steel with 12 pt non-slip box ends. This set includes 5/16", 3/8", 7/16", 1/2", 9/16", & 5/8" SAE wrenches and 8mm, 10mm, 12mm, 13mm, 14mm, & 17mm Metric wrenches.





WRENCH SET POUCHES
Durable canvas pouch helps organize wrenches.

Model No.	Size
4-1707	6 Pc. SAE
4-1712	11 Pc. SAE
4-1715	14 Pc. SAE
4-1807	6 Pc. Metric
4-1813	11 Pc. Metric
4-1816	15 Pc. Metric





Combination Wrenches



1/2" X 9/16" DOUBLE BOX END WRENCH

Model No. 4-2701

Double box end wrench capable of loosening fasteners with ease.

1/2" X 9/16" DOUBLE OPEN END WRENCH

Model No. 4-2703

Double open end wrench that fits around fasteners in tight spaces.





1-1/2" X 1-1/4" DOUBLE BOX END WRENCH

Model No. 4-2795

Designed for use on trailer balls/hitches. Hot drop forged and heat treated. Ideal for hard to reach or loosen nuts and bolts. Does the work of sockets, open end wrenches, and nut starters. 1-1/2" x 1-1/4".



15 PC. METRIC COMBINATION WRENCH SET

Model No. 4-1815

Set ranges in size from 8 through 22mm. Packed in heavy duty canvas roll with eye hooks. Fully Polished.
Set includes: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 and 22 mm.



INDIVIDUAL COMBINATION WRENCHES SAE & METRIC

Model No.	Size	Model No.	Size	Model No.	Size
4-2708	1/4"	4-2726	13/16"	4-2746	1-7/16"
4-2710	5/16"	4-2728	7/8"	4-2748	1-1/2"
4-2712	3/8"	4-2730	15/16"	4-2752	1-5/8"
4-2714	7/16"	4-2732	1"	4-2754	1-11/16"
4-2716	1/2"	4-2734	1-1/16"	4-2756	1-3/4"
4-2718	9/16"	4-2736	1-1/8"	4-2758	1-13/16"
4-2720	5/8"	4-2740	1-1/4"	4-2760	1-7/8"
4-2722	11/16"	4-2742	1-5/16"	4-2764	2"
4-2724	3/4"	4-2744	1-3/8"		

Model No.	Size	Model No.	Size	Model No.	Size
4-2806	6 mm	4-2814	14 mm	4-2822	22 mm
4-2807	7 mm	4-2815	15 mm	4-2824	24 mm
4-2808	8 mm	4-2816	16 mm	4-2827	27 mm
4-2809	9 mm	4-2817	17 mm	4-2830	30 mm
4-2810	10 mm	4-2818	18 mm	4-2832	32 mm
4-2811	11 mm	4-2819	19 mm	4-2834	34 mm
4-2812	12 mm	4-2820	20 mm	4-2836	36 mm
4-2813	13 mm	4-2821	21 mm		

Ratcheting Wrenches

SAE RATCHETING WRENCHES

K-T's fully polished ratcheting wrenches are made of strong chrome-vanadium steel for strength and durability. They feature a 12 pt. box-end with 72 teeth to provide greater torque.

Model No.	Size	Model No.	Size
4-2512	3/8"	**4-2520**	5/8"
4-2514	7/16"	**4-2522**	11/16"
4-2516	1/2"	**4-2524**	3/4"
4-2518	9/16"		



METRIC RATCHETING WRENCHES

K-T's fully polished ratcheting wrenches are made of strong chrome-vanadium steel for strength and durability. They feature a 12 pt. box-end with 72 teeth to provide greater torque.

Model No.	Size	Model No.	Size
4-2608	8 mm	**4-2614**	14 mm
4-2610	10 mm	**4-2615**	15 mm
4-2611	11 mm	**4-2616**	16 mm
4-2612	12 mm	**4-2618**	18 mm
4-2613	13 mm		



6 PC SAE RATCHETING WRENCH SET

Model No. 4-2506

K-T's fully polished ratcheting wrenches are made of strong chrome-vanadium steel for strength and durability. They feature a 12 pt. box-end with 72 teeth to provide greater torque.
SAE Set Includes: 3/8, 7/16, 1/2, 9/16, 5/8, and 3/4"

6 PC METRIC RATCHETING WRENCH SET

Model No. 4-2606

K-T's fully polished ratcheting wrenches are made of strong chrome-vanadium steel for strength and durability. They feature a 12 pt. box-end with 72 teeth to provide greater torque.
Metric Set Includes: 10, 11, 12, 13, 15, and 18 mm





Hammers



TPR HANDLE CLAW HAMMERS

K-T's best hammers feature a poly jacket handle with a fiberglass core; hot drop forged, fully hardened and polished heads. Perfectly balanced with shock absorbing cushion grip.

Model No.	Description	Model No.	Description
23-1107	7 oz.	**23-1120**	20 oz.
23-1116	16 oz.		



TPR HANDLE RIP HAMMERS

K-T's best hammers feature a poly jacket handle with a fiberglass core; hot drop forged, fully hardened and polished heads. Perfectly balanced with shock absorbing cushion grip.

Model No.	Description	Model No.	Description
23-1216	16 oz.	**23-1220**	20 oz.



TPR HANDLE FRAMING HAMMER

Model No. 23-1324

K-T's best hammers feature a poly jacket handle with a fiberglass core; hot drop forged, fully hardened and polished heads. Perfectly balanced with shock absorbing cushion grip. 24 oz.



TPR HANDLE BALL PEIN HAMMERS

K-T's best hammers feature a poly jacket handle with a fiberglass core; drop forged, fully hardened and polished heads.

Model No.	Description	Model No.	Description
23-1508	8 oz.	**23-1524**	24 oz.
23-1516	16 oz.	**23-1532**	32 oz.



TPR HANDLE RUBBER MALLET

Model No. 23-1616

This 16 oz. rubber mallet has a high strength fiberglass handle core with an exterior poly coating and non-slip rubber grip. Features a double-sided non-marring rubber head.



DEAD BLOW HAMMER

Model No. 23-1624

This 1-1/2 pound hammer has a diamond grooved non-slip grip handle. It is constructed from soft yet durable rubber, which allows you to transmit the force of a blow to an object without marring delicate finished surfaces. This hammer is perfect for fitting metal parts without damaging them.

Punch & Chisel Set, "C" Clamps, Locking Clamps

6 PC PUNCH & CHISEL SET

Model No. 23-1606

Packed in heavy duty canvas roll with eye hooks. Made of CR-V coated steel. Set includes 3 flat chisels, 1 center punch chisel, 1 cylindrical punch chisel, and 1 cone punch chisel.



HEAVY DUTY "C" CLAMPS

An extremely handy locking tool that holds metal in place while welding. Easy adjustment for different thicknesses.

Model No.	Size
5-1561	1"
5-1562	2"
5-1563	3"
5-1564	4"
5-1565	5"
5-1566	6"
5-1568	8"
5-1570	10"
5-1571	12"



LOCKING "C" CLAMPS

Large "C" locking jaws work around large work pieces and hold them firmly. Swivel pads hold work pieces more securely during welding. Easy adjustment for different thicknesses.

Model No.	Size
21-6212	11"
21-6215	18"



8" WELDING LOCKING CLAMP

Model No. 21-6213

An extremely handy locking tool that holds metal in place while welding. Easy adjustment for different thicknesses.

9" STRAIGHT NOSE LOCKING CLAMP

Model No. 21-6214

Use in tight places or to hold sheet metal. Easy adjustment for different thicknesses.



Pliers



SLIP JOINT PLIERS WITH VINYL GRIP

Model No.	Length	Model No.	Length
21-1006*	6”	21-1009*	8”
21-1008	8”	21-1010	10”

*With Belt Loop Pouch

SLIP JOINT PLIERS

Chrome plated and polished surface. Drop forged steel.

Model No.	Length	Model No.	Length
21-1206	6”	21-1208	8”



6.5” LONG NOSE LOCKING PLIERS TPR HANDLE

Model No. 21-6106

Hardened alloy steel with drop forged jaws. Functions as a wrench, plier or clamp. Instant release lever and built-in cutter. TPR grips.

LOCKING PLIERS TPR HANDLE

Hardened alloy steel with drop forged jaws. Functions as a wrench, pliers or clamp. Instant release lever and built-in cutter. TPR grips.

Model No.	Length	Model No.	Length
21-6205	5”	21-6210	10”



LONG NOSE PLIERS

Cutting edges are induction heat treated for stronger cutting ability. Ideal for telephone and electronic work. Cushioned safe grip handle for greater comfort.

Model No.	Size	Model No.	Size
21-2005	5”	21-2008	8”
21-2006	6”		



DIAGONAL CUTTING PLIERS

Fully hardened and induction heat treated cutting edges for longer life. Cushioned safe grip handle.

Model No.	Length	Model No.	Length
21-3005	5”	21-3007	7”
21-3006	6”		

Pliers, Fencing Tool, Snap Ring Plier

LINEMAN PLIERS

Perfectly matched side cutters and rugged build make this plier ideal for communication, construction, and electrical uses. Cushioned safe grip handle.

Model No.	Length	Model No.	Length
21-4007	7”	21-4009	9”
21-4008	8”		



BOX JOINT PLIERS

A wide range of jaw openings to fit most applications. Hardened nuts and bolts for added strength. Machined grooves for smooth adjustment. Chrome finish to prevent rust. Cushioned safe grip handle.

Model No.	Length	Model No.	Length
21-5008	8”	21-5012	12”
21-5010	10”	21-5016	16”



FENCING TOOL

Model No. 21-1230

This 10-1/2” fencing tool is made with a special alloy steel. It is a Multi-Purpose Tool for Installing, Maintaining, and Repairing Wire Fences. It can be used as a starter or puller for nails and staples, a wire splicer, and has a striking face to help get under staples easier. Carded



FENCING TOOL

Model No. 21-7010

For use on metal or wood posts with no other tools needed. Can be used as a wire splicer, starter or puller, lug lifter, and staple puller. Highly polished head with cushioned safe grip handle. Overall length is 10-1/2”. Includes belt loop pouch.



FENCING TOOL WITH HAMMER HEAD

Model No. 21-7030

Fencing Pliers with Hammerhead is made from Forged Hardened Steel. Multi-purpose tool for installing, maintaining, and repairing wire fences. For use on metal or wood posts with no other tools needed. Can be used as a wire splicer, starter or puller, lug lifter, and staple puller. It has an enlarged, highly polished head for accurate striking with a cushioned safe grip handle. Includes belt loop pouch.



5 PC. SNAP RING PLIER SET

Model No. 21-1350

Combination internal and external snap ring plier set. Replaceable jaws makes one tool all that is needed. Set comes with 180°, 90° and 45° 3 piece convertible tips. Jaws can be exchanged easily for 6 internal-external different purposes.







Leather Punch, Aviation Tin Snips, & Wire Cutters



9” REVOLVING LEATHER PUNCH PLIERS

Model No. 21-3100

Drop forged carbon steel & rubber gripped handles. Cylinders are hollow steel with a sharp circular edge for cutting throught denim, cloth, canvas, leather, or carboard. Head rotates for six interchangeable sizes of 2.5mm, 3mm, 3.5mm, 4mm, 4.5mm, & 5mm.



RIGHT CUT AVIATION TIN SNIPS

Model No. 21-3150

10” right cut pair of K-T aviation tin snips includes serrated blades for clean cuts and is capable of cutting up to 18-gauge material. It is well-constructed and manufactured by incorporating high-quality features into its design.



STRAIGHT CUT AVIATION TIN SNIPS

Model No. 21-3155

10” straight cut pair of K-T aviation tin snips includes serrated blades for clean cuts and is capable of cutting up to 18-gauge material. It is well-constructed and manufactured by incorporating high-quality features into its design.



LEFT CUT AVIATION TIN SNIPS

Model No. 21-3160

10” left cut pair of K-T aviation tin snips includes serrated blades for clean cuts and is capable of cutting up to 18-gauge material. It is well-constructed and manufactured by incorporating high-quality features into its design.



LONG STRAIGHT CUT AVIATION TIN SNIPS

Model No. 21-3165

12” XL straight cut pair of K-T aviation tin snips includes serrated blades for clean cuts and is capable of cutting up to 18-gauge material. It is well-constructed and manufactured by incorporating high-quality features into its design.



10” TIN SNIPS

Model No. 21-3170

10” straight cut pair of K-T aviation tin snips includes serrated blades for clean cuts and is capable of cutting up to 22-gauge material. It is well-constructed and manufactured by incorporating high-quality features into its design.



AUTOMATIC WIRE STRIPPER & CRIMPER

Model No. 5-9605

8” self-adjusting wire stripper that also crimps and cuts! It features an auto stripper, adjusting knob (10-24 AWG), wire cutter, terminal crimpers, and Comfort Grip™. This tool has been designed for easy use: To strip wire, insert wire through auto stripper and squeeze handle to remove wire insulation; for smaller gauge, use the adjustment knob.



8” WIRE STRIPPER

Model No. 5-9607

8” combination wire stripper that also crimps and cuts! It features pliers, a wire stripper, a wire cutter, screw shears, terminal crimpers, and Comfort Grip™. This tool has been designed for easy use: To strip wire, insert wire through proper notch and squeeze handle while removing wire insulation; it features convenient crimp notches.

Screwdrivers

6-IN-1 SCREWDRIVER DISPLAY

Model No. 32-8008

K-T's 12 pcs with retail display carton. Individual Screwdrivers Include Phillips #1 & #2 bits, Slotted 5mm & 6mm bits, and 5/16" & 1/4" Nutdrivers. Screwdrivers are Chrome Plated Carbon Steel and Feature 4 Magnetic CR-V Bits and a Comfort-First Rubber Grip.







2 PC. OFFSET SCREWDRIVER SET

Model No. 32-8002

K-T's offset screwdrivers set is perfect for reaching around obstructions to access screws in hidden and tough spots. Tips are bent to a 90-degree angle for better clearance. Fully knurled handle area provides a gripped surface. One-piece heat-treated steel construction is strong and simple. Corrosion- resistant chrome plated finish resists rust and easily wipes clean. Set includes: SLOTTED: 3/16" & 1/4", PHILLIPS: PH1 & PH2



PRECISION 6 PC. JEWELERS KIT

Model No. 32-8003

K-T's jewelers kit is heat-treated, hardened and tempered steel blades are designed for longevity and durability. Swivel-head handles provide precision and reach. Bright, plated shafts are fluted for a steady, solid grip. Black-oxide shafts resist corrosion. Plastic storage case included. Set includes: SLOTTED: 3/64", 5/64", 3/32" & 1/8", PHILLIPS: PH0 & PH1.



4 PC SCREWDRIVER SET

Model No. 32-8004

K-T's 4 pc screwdriver set features chromium molybdenum steel shafts with magnetic black oxide tips and Comfort-First rubber grips. Set includes two PHILLIPS screwdrivers: #1 x 3" and #2 x 4", and two SLOTTED screwdrivers: 3/16" x 4" and 1/4" x 4".





PROFESSIONAL SCREWDRIVERS

K-T's screwdriver set features cushioned non-slip large rubber grips that allow for better grip, more control and maximum turning power. Screwdriver blades are made of strong chrome-vanadium steel with black oxide tips for strength and durability. Set includes: SLOTTED: 1/4 x 1.5", 3/16 x 4", 1/4 x 4", PHILLIPS: #2 x 1.5", #1 x 4", #2 x 4"





Model No.	Description	Model No.	Description
32-8006	6 Pc. Screwdriver Set	32-8014	Slotted 3/8 x 12"
32-8009	Slotted 5/16 x 8"	32-8015	Phillips #2 x 1.5"
32-8010	Slotted 1/4 x 1.5"	32-8016	Phillips #1 x 4"
32-8011	Slotted 3/16 x 4"	32-8017	Phillips #2 x 4"
32-8012	Slotted 1/4 x 4"	32-8018	Phillips #3 x 6"
32-8013	Slotted 3/8 x 10"	32-8019	Phillips #4 x 8"



Torx Drivers, Nutdrivers, Tap and Die Set



PROFESSIONAL TORX DRIVERS

Features cushioned non-slip large rubber grips, more control and maximum turning power. Torx driver blades are made of strong chrome-vanadium steel with black oxide tips for strength and durability. Set includes: #10, #15, #20, #25, #27, #30.

Model No.	Description
32-8005	6-in-1 Torx Driver Set
32-8030	#10 Torx driver
32-8031	#15 Torx driver
32-8032	#20 Torx driver
32-8033	#25 Torx driver
32-8034	#27 Torx driver
32-8035	#30 Torx driver



PROFESSIONAL NUTDRIVER SAE

Features cushioned non-slip large rubber grips, more control and maximum turning power. Set includes: 1/4", 5/16", 3/8", 7/16", and 1/2".

Model No.	Description
32-8036	5 Pc. Professional Nutdriver Set
32-8020	3/16" Professional Nutdriver
32-8021	1/4" Professional Nutdriver
32-8022	5/16" Professional Nutdriver
32-8023	3/8" Professional Nutdriver
32-8024	7/16" Professional Nutdriver
32-8025	1/2" Professional Nutdriver



PROFESSIONAL NUTDRIVER METRIC

Feature cushioned non-slip large rubber grips, more control and maximum turning power. The handles are color coded for easy size identification. Each nutdriver also features a hollow shaft extending from the socket to the handle, allowing for maximum stud clearance.

Model No.	Description
32-8040	8 mm Hollow Shaft Nutdriver Metric
32-8042	10 mm Hollow Shaft Nutdriver Metric
32-8043	11 mm Hollow Shaft Nutdriver Metric
32-8044	12 mm Hollow Shaft Nutdriver Metric
32-8045	13 mm Hollow Shaft Nutdriver Metric



41 PC. TAP AND DIE SET

Model No. 33-1341

Set features national coarse and fine sizes in a full range from 4" through 1/2". Set includes:Long Handle Adjustable Tap Wrench, Long Handle Adjustable, Die Wrench, T Handle Tap Wrench, Screwdriver, Screw Pitch Gauge
Tap and Dies included:

4-40 UNC	6-32 UNC	8-32 UNC
10-24 UNC	10-32 UNF	12-24 UNC
1/4-20 UNC	1/4"-28 UNF	5/16"-18 UNC
5/16"-24 UNF	3/8"-16 UNC	3/8"-24 UNF
7/16"-14 UNC	7/16"-20 UNF	1/2"-13 UNC
1/2"-20 UNF	1/8" Pipe Thread	

Gear Pullers, Porta Pullers, Bolt Cutters

TWO AND THREE JAW GEAR PULLERS

Features include heat treated buttress and heat treated center screws, floating screw counter points, reversible jaws, and drop forged jaws and yoke. Made of maximum strength alloy steel for years of service.



TWO JAW GEAR PULLERS

Model No.	Spread	Reach
24-2003	3”	2”
24-2004	4”	2-1/2”
24-2006	6”	3-3/4”

THREE JAW GEAR PULLERS



Model No.	Spread	Reach
24-3003	3”	2”
24-3004	4”	2-1/2”
24-3006	6”	3-3/4”
24-3008	8”	5”

FOUR TON HEAVY DUTY HAND PORTA-PULLER

Model No. 34-2315

One of the most useful tools available. Lifts, lowers, pulls, and stretches with one hand ease of operation. Use the puller on a multitude of jobs in the factory, workshop, home, farm, and on boats and other recreational vehicles. Features three drop forged steel heavy duty hooks, high strength steel frame, nickel-chrome plated for rust protection and 12’ of preformed galvanized aircraft cable. Pivot points are heat treated for extra strength. Cable spool resists locking mechanism from slipping under a maximum load.



HEAVY DUTY BOLT CUTTERS

Lock plate eliminates bolts from turning, adjustment screws, and toggle joints create up to 400 lbs. of compounded cutting pressure for 50 lbs. of hand pressure. Lightweight tubular handles provide extra strength and ease in handling. Insulated rubber grips.



Model No.	Length	Capacity
34-1108	8”	3/32”
34-1114	14”	1/4”
34-1118	18”	5/16”
34-1124	24”	3/8”
34-1130	30”	1/2”
34-1136	36”	9/16”



Hand Files



All files are Type T12A Steel with anti-rust coating & comfort grip.

FLAT DOUBLE-CUT FILES

This type of file is excellent for general purposes such as sharpening, smoothing and polishing steel or other iron based metals.

Model No.	Description
33-1444	8”
33-1446	10”
33-1448	12”

FLAT SINGLE-CUT FILES

This type of file is excellent for general purposes such as sharpening, smoothing and polishing steel or other iron based metals.

Model No.	Description
33-1450	8”
33-1452	10”
33-1454	12”

HALF ROUND DOUBLE-CUT FILES

This type of file is excellent for use on concave, convex, and flat surfaces to sharpen, smooth and polish steel or iron based metals.

Model No.	Description
33-1458	8”
33-1460	10”

ROUND SINGLE-CUT FILES

This type of file is excellent for hard to reach concave surfaces to sharpen, smooth and polish steel or iron based metals.

Model No.	Description
33-1462	6”
33-1464	8”
33-1466	10”

SLIM TAPER SINGLE-CUT FILES

This type of file is excellent for flat hard to reach areas to sharpen, smooth and polish steel or other iron based metals.

Model No.	Description
33-1468	6”
33-1470	7”

CHAIN SAW FILES

This type of file is excellent for filing and finishing of chainsaw teeth. Tighten chain and file from inside to outside of cutter.

Model No.	Description
33-1472	1/8” x 6”
33-1474	3/32” x 6”
33-1476	3/16” x 8”
33-1478	7/32” x 8”

Titanium Drill Bits, Hex Drill Bits, & Drill Bit Sets

TITANIUM COATED DRILL BITS

K-T's titanium coated drill bits are made of high speed steel for quick drilling. They feature a 135° split point, which has four cutting edges, requiring less force. Applications include drilling iron, steel, aluminum, magnesium, PVC, wood, etc.

Model No.	Size	Model No.	Size	Model No.	Size
5-1610	1/16"	5-1620	7/32"	5-1630	3/8"
5-1611	5/64"	5-1621	15/64"	5-1631	25/64"
5-1612	3/32"	5-1622	1/4"	5-1632	13/32"
5-1613	7/64"	5-1623	17/64"	5-1633	27/64"
5-1614	1/8"	5-1624	9/32"	5-1634	7/16"
5-1615	9/64"	5-1625	19/64"	5-1635	29/64"
5-1616	5/32"	5-1626	5/16"	5-1636	15/32"
5-1617	11/64"	5-1627	21/64"	5-1637	31/64"
5-1618	3/16"	5-1628	11/32"	5-1638	1/2"
5-1619	13/64"	5-1629	23/64"		







TITANIUM COATED DRILL BIT SETS

Model No.	Bit Sizes	No. Pieces	Steps
5-1602	1/16" - 1/2"	15	32nds
5-1604	1/16" - 1/2"	29	64ths
5-1608	3/64" - 25/64"	99	64ths





TITANIUM COATED HEX DRILL BITS

K-T's titanium coated drill bits are made of high speed steel for quick drilling, and fit into most impact tools. They feature a 135° split point, which has four cutting edges, requiring less force. Applications include drilling iron, steel, aluminum, magnesium, PVC, wood, etc. Impact Rated.

Model No.	Size	Model No.	Size	Model No.	Size
5-1810	1/16"	5-1814	1/8"	5-1822	1/4"
5-1811	5/64"	5-1816	5/32"	5-1826	5/16"
5-1812	3/32"	5-1818	3/16"	5-1830	3/8"





TITANIUM COATED HEX DRILL BIT SETS

Model No.	Bit Sizes	No. Pieces	Steps
5-1801	3/32" - 1/4"	5	32nds
5-1804	1/16" - 3/8"	14	64ths







Cobalt Drill Bits & Screw Extractors





COBALT DRILL BITS

K-T's cobalt drill bits are made of 8% heat resistant cobalt, lasting longer than titanium drill bits. They feature are 135° split point, which has four cutting edges, requiring less force. Applications include tough applications such as drilling thick metals, stainless steel, black pipe, wood, etc.

Model No.	Size	Model No.	Size	Model No.	Size
5-1660	1/16"	**5-1670**	7/32"	**5-1680**	3/8"
5-1661	5/64"	**5-1671**	15/64"	**5-1681**	25/64"
5-1662	3/32"	**5-1672**	1/4"	**5-1682**	13/32"
5-1663	7/64"	**5-1673**	17/64"	**5-1683**	27/64"
5-1664	1/8"	**5-1674**	9/32"	**5-1684**	7/16"
5-1665	9/64"	**5-1675**	19/64"	**5-1685**	29/64"
5-1666	5/32"	**5-1676**	5/16"	**5-1686**	15/32"
5-1667	11/64"	**5-1677**	21/64"	**5-1687**	31/64"
5-1668	3/16"	**5-1678**	11/32"	**5-1688**	1/2"
5-1669	13/64"	**5-1679**	23/64"		





COBALT DRILL BIT SETS

Model No.	Bit Sizes	No. Pieces	Steps
5-1652	1/16" - 1/2"	15	**32nds**
5-1654	1/16" - 1/2"	29	**64ths**







SCREW EXTRACTOR SETS


K-T's screw extractor sets include one screw extractor and one left handed drill bit. Applications include removing broken or seized studs, bolts, screws, and fittings. Drill bits feature a 135° split point, which has four cutting edges, requiring less force.

Model No.	Extractor Size	Bit Size	Model No.	Extractor Size	Bit Size
5-1751	1	5/64"	**5-1754**	4	1/4"
5-1752	2	7/64"	**5-1755**	5	19/64"
5-1753	3	5/32"	**5-1760**	1-5	5/64"-19/64"






WELDING
MACHINES &
ACCESSORIES


TOOLS & WELDING SUPPLIES FOR THE PROFESSIONAL
ARC & MIG WELDING CENTER
SelectWeld




SelectWeld


SelectWeld
PLASMA 20
PLASMA 45
MIG 135 FC
MP 140

ARC, MIG, TIG WELDERS & PLASMA CUTTERS

ST100 STICK/TIG WELDER

Model No. 1-0100

Perfect for DIY use, lightweight and portable combined with a friendly user-interface and simple setup. 10-80 amps stick (MMA) and 10-85 amps TIG. Welds up to 1/4" steel on a single pass. Accessories include: electrode holder, ground clamp, plug adaptor, and user's manual.



ST180 STICK/TIG WELDER

Model No. 1-0180

Perfect for shop and farm use, lightweight and portable combined with a friendly user-interface and simple setup. 10-180 amps stick (MMA) and 10-180 amps TIG. Welds up to 3/8" steel on a single pass. Accessories include: electrode holder, ground clamp, plug adaptor, and user's manual.



MIG 135FC WELDER

Model No. 1-0135

Equipped with everything you need for your Gasless MIG welding needs. Lightweight and portable combined with a friendly user-interface and simple setup. 30-125 amps. Accessories include: MIG torch, ground clamp, plug adaptor, contact tips, and user's manual.



140MP MULTI PURPOSE WELDER

Model No. 1-0140

Perfect for all your MIG (gas & gasless), ARC, and TIG welding needs. Features a digital, friendly user-interface and simple setup. 30-140 amps MIG, 30-75 amps stick (MMA), 20-110 amps TIG. Accessories include: MIG torch, electrode holder, ground clamp, gas hose, gas regulator, gas nozzle, contact tips, plug adaptor, and user's manual.



PLASMA 20P

Model No. 1-0120

Equipped with everything you need for your plasma cutting needs. Light-weight and portable combined with a friendly user-interface and simple setup. 15-20 amps, cuts up to 1/4" plate steel, severs 3/8" single pass. Accessories include: plasma torch, ground clamp, airline filter, and user's manual.



PLASMA 45P

Model No. 1-0145

Equipped with everything you need for your plasma cutting needs. Light-weight and portable combined with a friendly user-interface and simple setup. 10-45 amps, cuts up to 1" steel single pass. Accessories include: plasma torch, ground clamp, plug adaptor, airline filter, and user's manual.



4-1/2" ANGLE GRINDER

Model No. 1-0025

Angle grinder features a paddle switch for control in tight spaces, a high-performance 10 amp motor for up to 11,000 RPM for fast material removal. The adjustable 2-position side handle, tool-free guard, and spindle lock enable fast on-the-job wheel changes, minimizing downtime. Works well for grinding, cutting, and shaping.





GOLD SELECT WELD ARC, MIG, & TIG WELDING ACCESSORIES





17V TIG TORCH ASSEMBLY

Model No. 1-0844


Air cooled TIG Welding Torch is great for welding on thin to medium gauge materials, with lift tig lift arc function. Includes 12.5' gas hose and machine plug, ceramic cups, collets, collet body, short back cap, & long back cap. 60% duty cycle. Compatible with K-T Welding Machines: 1-0100, 1-0140, & 1-0180.

200A/160A MIG SPOOL GUN

Model No. 1-0845

Compatible with K-T Welding Machines: 1-0140.





Contact Tips
See Page 54

MIG WELDER REPLACEMENT PARTS

Model No.	Description	Welder
2-1460	Drive Roller .030K/.035K	135FC
2-1462	Swan Neck Gas Diffuser	135FC
2-1468	Drive Roller .030V/.035V	140MP
2-1469	Drive Roller .030V/.035K	140MP
2-1470	Drive Roller .023K/.030V	140MP
2-1471	Drive Roller .030K/.035V	140MP
2-1473	Drive Roller Threaded Knob	140MP
2-1481	Gas Diffuser	140MP
2-1482	Swan Neck Gas Diffuser	140MP
2-1490	Spool Adaptor Kit	135FC & 140MP
2-1491	120V Power Cord Adaptor	135FC & 140MP
2-1522	Flux Core Nozzel	135FC & 140MP





PLASMA REPLACEMENT PARTS

Model No.	Description	Qty	Plasma
2-1570	Electrodes	2	20P
2-1571	Air Diffuser Ring	2	20P & 45P
2-1572	Cutting Tips & Electrodes	2 Each	20P
2-1573	Cutting Tips	2	20P
2-1574	Shield Cap	1	20P & 45P
2-1576	Electrodes	2	45P
2-1578	Cutting Tips & Electrodes	2 Each	45P
2-1579	Cutting Tips	2	45P
2-1580	Double Pointed Spacer	1	45P

USA ELECTRODES

Made In the U.S.A.

AWS E6010 PIPEWELD

A high cellulose electrode designed for pipeline welding in all positions. Easy to control deep penetrating arc with very low spatter & easy slag removal. Easily welds galvanized, painted, rusted, or other contaminated steels. Can weld through 1/2" of surface contamination, can bridge gaps of 3/8", bend without flux chipping, & weld over slag without removal. 80,000 PSI tensile strength. Made in the USA.

40 Lb. Model No.	10 Lb. Model No.	5 Lb. Model No.	1 Lb. Model No.	Dia.	Amps
		1-2001		3/32"	25-75
1-2052	1-2012			1/8"	35-125
1-2053	1-2013			5/32"	50-160



AWS E6011

An all position cellulose coated electrode with the ultimate in operator appeal. Made for AC power sources, but can be used on DC+ or DC-. Applications include light sheet metal fabrication, galvanized steel maintenance & repair, in shipyards or for general construction. Can weld through paint, dirt, mill scale or rust. 74,400 PSI tensile strength. Has a strong arc force & rapid solidification of weld metal allowing for vertical or overhead welding. Good for jobs that have poor fit up in the joints, rusty or oily metals. Made in the USA.

40 Lb. Model No.	10 Lb. Model No.	5 Lb. Model No.	Dia.	Amps
	1-2111	1-2101	3/32"	40-60
1-2152	1-2112	1-2102	1/8"	70-100
1-2153	1-2113	1-2103	5/32"	90-140



AWS E7018

A general purpose, low moisture absorption, low hydrogen electrode. Features easy start & restart performance, easy slag removal lending itself for easy tacking before finish welding. Low spatter & flat beads, makes good looking welds & less clean up. Superior weld appeal. Use for a variety of steels including low, medium & high carbon steels, low alloy structures & high carbon castings. Use in AC or DC+. Applications include pressure vessels, cold rolled steels & structural steels. 89,900 PSI tensile strength. Not recommended for low voltage AC welders. Made in the USA.

40 Lb. Model No.	10 Lb. Model No.	5 Lb. Model No.	Dia.	Amps
		1-2501	3/32	70-110
1-2552	1-2512	1-2502	1/8"	100-140
	1-2513		5/32"	140-180



AWS E7018AC

An electrode designed to yield excellent welds on 220 volt AC welders. Used for welding normal low alloy steels, carbon steels and free machining steels. Has a good deposition rate with low spatter and medium penetration. Typical applications: pressure vessels, cold rolled steels and structural steels. Made in the USA.

40 Lb. Model No.	10 Lb. Model No.	5 Lb. Model No.	Dia.	Amps
	1-2612		1/8"	100-140
	1-2613		5/32"	125-220



Mild Steel Electrodes



AWS E6010

A cellulose-Na welding electrode special for DC welding in all positions. Has a deep penetrating arc, little welding slag, easy deslagging and beautiful performance properties. It forms on both sides welding by one side. Used for welding carbon steel pipe and other materials of the same type, back welding of structure bottom, filler and cosmetic welding. 60,000 PSI tensile strength.

40 Lb. Model No.	10 Lb. Model No.	5 Lb. Model No.	1 Lb. Model No.	Dia.	Amps
1-1052	1-1012			1/8"	70-100



AWS E6011

An all position cellulose coated electrode with the ultimate in operator appeal. Designed for AC power, but can be used on DC+ or DC-. Typical applications: light sheet metal fabrication, maintenance and repair welding on galvanized steels, in shipyards or for general construction. Welds through paint, dirt, mill scale or rust. 74,400 PSI tensile strength. Has a strong arc force and rapid solidification of weld metal, allowing for vertical or overhead welding. 6011 is good for jobs that have poor fit up in the joints, rusty or oily metals.

40 Lb. Model No.	10 Lb. Model No.	5 Lb. Model No.	1 Lb. Model No.	Dia.	Amps
1-1151	1-1111	1-1101	1-1121	3/32"	40-60
1-1152	1-1112	1-1102	1-1122	1/8"	70-100
1-1153	1-1113	1-1103	1-1123	5/32"	90-140



AWS E6013

An all position electrode. Has fast freeze characteristics giving it operator appeal where poor conditions may exist. Typical applications: shaft build up, general purpose fabrication, machine parts, metal buildings and structures. Has a very stable arc and good bead appearance when used with either AC or DC power. 71,300 PSI tensile strength. Smaller diameter rods may be used on thin metal such as auto bodies, ornamental iron, metal furniture, or any mild steel where appearance is important.

40 Lb. Model No.	10 Lb. Model No.	5 Lb. Model No.	1 Lb. Model No.	1/2 Lb. Model No.	Dia.	Amps
				1-1341	1/16"	25-50
				1-1342	5/64"	35-60
1-1351	1-1311	1-1301	1-1321		3/32"	60-90
1-1352	1-1312	1-1302	1-1322		1/8"	90-120
1-1353	1-1313	1-1303	1-1323		5/32"	100-160



K-T's 5 lb. and 10 lb. electrode boxes feature a vac pack foil inside each container, this prevents the electrodes from taking on moisture, keeping them fresher for longer!

Mild Steel Electrodes, Rod Holder

AWS E7014

An all position electrode with a rutile base and iron powder addition to increase deposition rates and welder appeal. Easy slag removal and outstanding bead appearance. Designed for AC, DC+, or DC - power. Recommended for applications where higher deposition and speed of travel is important. Use when 6013's welding efficiency is not acceptable. Typical applications: machine bases, frames and heavy sheet metal. Use for a variety of steels including low, medium and high carbon steels, free machining steels, low alloy structures and high carbon castings. 77,500 PSI tensile strength. Frequently used for short, irregular, poorly fit or downhill joints with medium to low penetration.

40 Lb. Model No.	10 Lb. Model No.	5 Lb. Model No.	1 Lb. Model No.	Dia.	Amps
		1-1401	1-1421	3/32"	60-90
1-1452	1-1412	1-1402	1-1422	1/8"	80-130
	1-1413	1-1403		5/32"	150-190



AWS E7018

A general purpose, low moisture absorption, low hydrogen electrode. Features easy start and restart performance, easy slag removal which lends itself for easy tacking before finish welding. Low spatter and flat beads, make good looking welds and less clean up. Very easy to control, and a very stable arc. Superior weld appeal. Use for a variety of steels including low, medium and high carbon steels, low alloy structures and high carbon castings. Can be used in AC or DC+. Typical applications: pressure vessels, cold rolled steels and structural steels. 89,900 PSI tensile strength. Not recommended for low voltage AC welders.

40 Lb. Model No.	10 Lb. Model No.	5 Lb. Model No.	1 Lb. Model No.	Dia.	Amps
1-1551		1-1501	1-1521	3/32"	70-110
1-1552	1-1512	1-1502	1-1522	1/8"	100-140
1-1553	1-1513	1-1503		5/32"	140-180



AWS E7018AC

An electrode designed to yield excellent welds on 220 volt AC welders. Used for welding normal low alloy steels, carbon steels and free machining steels. Has a good deposition rate with low spatter and medium penetration. Typical applications: pressure vessels, cold rolled steels and structural steels.

40 Lb. Model No.	10 Lb. Model No.	5 Lb. Model No.	1 Lb. Model No.	Dia.	Amps
		1-1601	1-1621	3/32"	70-110
	1-1612	1-1602	1-1622	1/8"	90-165
1-1653	1-1613	1-1603		5/32"	125-220



14" ROD CANISTER WITH DIVIDERS

Model No. 1-3500

Rod canisters can withstand temperatures of 225° F. Their rugged construction protects electrodes from moisture and damage. Features include a belt clip for carrying and four separate dividers to keep electrodes organized on the job. K-T's rod canisters have a threaded cap that overlaps the lid and the threads making it air tight. There is no gasket to dry out keeping a very consistent seal on the rod canister over longer periods of time.



Leather Rod Holder, Specialty Electrodes





LEATHER ROD HOLDER
Model No. 4-5150

The reinforced leather bottom of this sturdy rod holder can handle up to 5 lbs of rod. 100% Cow Split Leather. Keeps rod right where you need it, at your finger tips!



NICKEL 55 ELECTRODE
NI 55 (AWS A5.15 Fee-e1)

Nickel-iron cored electrode recommended for welding, ductile & alloy cast irons to themselves & to other alloys such as mild steel, stainless steel and wrought alloys. Light bead deposits are generally harder than those deposited with nickel 99 electrodes; however, heavier beads & multiple layer welds with nickel 55 electrodes will exhibit good machinability. Applications include welding heavy sections such as motor blocks, housings, machine parts, frames, defective castings & building-up worn sections.

Value Pack	Diameter	Amps AC	Amps DC-
1-1707 (5)	3/32”	50-65	40-65
1-1708 (3)	1/8”	80-95	70-95



NICKEL 99 ELECTRODE
NI 99 (AWS A5.15 E Ni Cl)

Nickel cored electrode recommended for welding thin sections where high dilution can be expected. Used for single layer deposits requiring good machinability & color match. Nickel 99 weld deposits have lower strength & ductility than those of Nickel 55 allowing more shaping, milling, drilling & tapping. Only use where maximum machinability of highly diluted weld metal is required or where weld stress is not overly severe, found in light & medium-sized castings. Uses include thin plates, machinery parts, frames & housings.

Value Pack	Diameter	Amps AC	Amps DC-
1-1727 (5)	3/32”	50-65	40-80
1-1728 (3)	1/8”	80-95	80-120

CAST IRON ELECTRODE

A non-machinable low cost electrode to weld cast iron. This electrode uses medium amperage. A steel core provides 65,000 PSI of tensile strength almost twice that of cast iron. Used on gears, motor housings, machine parts, farm equipment, large frames or any other cast iron part where appearance of the weld deposit, machinability & color match are not important. May be used in AC or DC (reverse polarity). AWS number EST.

Value Pack	1 Lb.	Diameter	Amps
1-1718 (10)	**1-1712**	1/8”	90-130



STAINLESS STEEL ELECTRODE
SS-308-16 (AWS A5.4 E 308-16)

Used for welding 18-8 SS such as AISI 301, 302, 304, & 308. Has excellent fusion & striking characteristics, low spatter loss & easy slag removal. Applications include dairy distilleries, restaurant equipment, chemical tanks & chemical engineering applications, & as a build-up for sealing faces of valves & fittings for acid, gas, water & steam.

1 Lb.	Diameter	Amps
1-1751	3/32”	45-70
1-1752	1/8”	75-110

Specialty Electrodes

STAINLESS STEEL ELECTRODE

SS-312-16 (AWS A5.4 E312-16)

Produces very high tensile strength (120,000 PSI). One of the most widely used SS electrodes. Used for dissimilar steels, abrasion resistant steels, hardening steels, armour steels & spring steels. Can also be used as a wear resistant build-up & buffer for layer hardfacing. Can be used in all positions. Produces a crack resistant, porosity-free weld deposit. AC or DC (reverse polarity).

1 Lb.	Value Pack	Diameter	Amps
1-1761	**1-1767** (8)	3/32"	45-70
1-1762	**1-1768** (4)	1/8"	75-110



ALUMINUM ELECTRODE

Extruded aluminum electrode used for low temperature production & maintenance welding of cast & wrought aluminum sheets, plates, casting & extrusions with a thickness of 3/32" or more. Applications include tanks, pipes, some appliances, refrigeration equipment, automobile parts as well as parts found in the laundry, chemical & food processing industries. Large or heavy sections should be bevelled before welding. Use in DC+ at any position.

Value Pack	1/2 Lb.	Diameter	Amps
1-1808 (6)	**1-1805**	1/8"	85-140



HARDFACE BUILDUP

Commonly used to build up and overlay all ferrous metals subject to moderate abrasion, severe impact and corrosion. Typical applications include tractor rollers, sprockets, idlers, concrete mixer blades, bearing journals and other parts that require machinable weld deposits. May be used in AC or DC+.

5 Lb.	1 Lb.	Diameter	Amps
1-1846	**1-1843**	5/32"	120-180



HARDFACE (SEVERE ABRASION, CONSIDERABLE IMPACT)

K-T's most popular hard surfacing electrode is low cost, yet high quality. Provides a long wear life even in metal to metal conditions. Use in AC or DC+. Do not use more than 2 passes. Typical applications include plowshares, cultivator shoes, bucket teeth and lips, shovels & tracks, screw conveyors, wet drilling bits & cement mixer blades.

1 Lb.	Diameter	Amps
1-1852	1/8"	110-130
1-1853	5/32"	140-170



HARDFACE (SEVERE ABRASION, LIGHT IMPACT, LONG WEAR)

Unique electrode is used for severe abrasion, light impact & corrosion resistance. Produces an extremely hard martensite-structure weld deposit which is not machinable in the "as welded" condition. Typical applications include mill hammers, valve seats, mixers, crusher rolls, mild steel, carbon or alloy steel. AC- or DC+

1 Lb.	Diameter	Amps
1-1873	5/32"	140-170

HARDFACE (HEAVY IMPACT, SEVERE ABRASION)

Use for the fabrication and build up of high manganese and alloy steels which are subjected to heavy impact and severe abrasion. Use AC or DC+. Applications include railroad switching, bucket teeth & lips, frogs and tracks, rock crushers, mill hammers & bulldozer parts.

1 Lb.	Diameter	Amps
1-1883	5/32"	125-190



Mig Wire





MILD STEEL MIG WIRE ER70S-6 GAS SHIELDED-SOLID CORE

ER 70S-6 is a mild steel welding wire containing a higher level of manganese and silicon to produce quality welds when used on dirty or rusty steel. The high silicon content increases the fluidity of the weld pool, creating a smoother bead appearance and resulting in minimal post weld grinding. Note: shielding gas is required with this product. Typically used for construction work, tanks, truck bodies, farm implements, pipes, steel casting or forgings, shaft build-ups and general shop fabrication. Shielding gases range from straight CO2 to high argon blends.

33 Lb. Model No.	10 Lb. Model No.	2 Lb. Model No.	Diameter
	1-3131	1-3121	.023
1-3142	1-3133	1-3123	.030
1-3143	1-3135	1-3125	.035
1-3144			.045





GASLESS - FLUX CORE MIG WIRE (Inner shield)

The unique quality of this product is that you do not have to use a shielding gas. This flux cored wire can be used in mig welding that does not require the use of shielding gases. Type E71-T-GS. A flux core welding wire designed to weld carbon steel. The operator appeal, bead appearance and spatter is not equal to a gas shielded product, but the benefit of not having to use gas makes this product extremely popular. Excellent for use on lap and fillet welds on thin gauge galvanized and mild steel in all welding positions. Operates on DC straight polarity. Available in 2 and 10 Lb spools.

10 Lb. Model No.	2 Lb. Model No.	Diameter
1-3155	1-3153	.030
1-3156	1-3154	.035





STAINLESS MIG WIRE 308

308 is used to weld all stainless steel AISI 200 and 300 series and up to and including 308. This wire is used where resistance to corrosion, impact and abrasion is necessary. Weld deposits will be equal or superior to the base metal.

Model No.	Weight	Diameter
1-3422	2 Lb. Spool	.030
1-3423	2 Lb. Spool	.035



STAINLESS MIG WIRE 312

Model No. 1-3424

The perfect maintenance wire. Produces a very high tensile strength (120,000 PSI), as a result it is one of the most widely used stainless steel wires for mig welding. It can be used for dissimilar steels, abrasion resistant steels and spring steels. It produces a crack resistant and porosity-free weld deposit. .035 diameter. 2 Lb spool.

Mig Wire, Nozzle Gel, Anti-Spatter Spray, Cold Galvanizing Spray, & Drilling and Tapping Fluid

ALUMINUM 5356

K-T ER5356 wires and rods are recommended for welding 5050, 5052, 5083, 5154, 5356, 6061 and 6063 aluminum alloys. This wire is to be employed in all types of structural strength welded joints. The tensile properties are not as drastically affected by the heat of the welding arc as heat-treated high strength aluminum alloys. Excellent for color match application. Applications include: diesel engine bases, gun mount bases, truck frames, ship structures, architectural structures and cargo tanks armored vehicles.

Model No.	Weight	Diameter
1-3312	1 Lb. Spool	.030
1-3313	1 Lb. Spool	.035





ALUMINUM 4043

K-T ER4043 is recommended for welding 2014, 5052, 6061 aluminum alloys (in various conditions of heat treatment and 6063 sheets, plates and shapes). It is typically used on truck bodies, structural members, pressure vessels, electric bus bars and petroleum distribution equipment.

Model No.	Weight	Diameter
1-3316	1 Lb. Spool	.030
1-3317	1 Lb. Spool	.035





NOZZLE GEL

Model No. 2-2700

Provides excellent protection against weld spatter buildup on mig gun nozzles, tips, positioners, stud welding chucks and electrode holders on all semi and fully automatic welding apparatus. Silicone free formula will not cause porosity or contaminate the weld area. Safe, nonflammable and nontoxic.



ANTI-SPATTER SPRAY

Model No. 2-2710

Provides protection to mig gun nozzles, contact tips, accessories and all area that are affected by spatter during single and multi-pass welding. Provides weld preparation protection for parts to be stored. Silicone free. Requires little or no cleaning to surface when properly applied. 16 Oz.



COLD GALVANIZING SPRAY

Model No. 2-2715

Chemically bonds to any metal to provide a long lasting zinc coating that will stop rust creepage and corrosion. Will not flake away like paint. Make sure to keep one in the shop, service truck and tractor. 13 Oz



DRILLING AND TAPPING FLUID

Model No. 2-2720

Unique lubricant for every type of metal cutting, drilling, sanding, tapping and threading operation. Provides good oiliness, excellent boundary lubrication and good anti-slip behavior. Can be used in machining ferrous and non-ferrous metals. Clings to the exact work area, including curved surfaces, and will not break down or run off. Accurate aerosol dispenser reduces waste, eliminates spillage, dripping and evaporation. Contains no nitrates.





Mig Flow Meters & Mig Consumables



ARGON FLOWMETER REGULATOR

Model No. 3-7150

Gas flowmeter regulator monitor and control the flow of Argon or CO2 gases at adjustable pressure for MIG or TIG applications. Machined brass body and polycarbonate flow tube and outer cover are impact resistant for maximum durability.





MIG METER ARGON FLOW GAUGE

Model No. 3-7153

Designed for MIG and TIG applications and provide accurate regulation of gas flow. Features include large 2" gauges for easier reading, stem type seat assembly for more reliable seating and precision machined nozzles for optimum flow control. The regulators also feature a sintered bronze inlet filter that keeps out dirt and foreign particles. The bodies are made from extra strength class "A" brass bar stock. Blister packed for easy retail sale. U/L® listed.





TWECO® STYLE GAS DIFFUSERS

Model No. 2-1515

Designed to fit Tweco® tips. Will also fit some Lincoln® and Century® mig guns. Precision machined for smooth performance and consistent wire feed.





CONTACT TIPS

5 per package.

Model No.	Size	Style
2-1516	.023	Tweco®
2-1517	.030	Tweco®
2-1518	.035	Tweco®
2-1519	.045	Tweco®
2-1550	.023	Hobart®
2-1551	.030	Hobart®
2-1552	.035	Hobart®
2-1553	.045	Hobart®



NOZZLES

Model No.	Size	Style
2-1520	1/2"	Tweco®
2-1521	5/8"	Tweco®
2-1522	1/4"	K-T® Gasless FC
2-1531	1/2"	Binzel®
2-1565	1/2"	Hobart®
2-1568	5/8"	Hobart®

Mig Tools, Electrode Holders, Ground Clamps

NOZZLE CLEANING TOOL

Model No. 5-1140

Use to clean welding slag from any mig nozzle. Easily cleans areas that are otherwise very hard to reach.





MIG WELDING PLIERS

Model No. 5-1150

Spring loaded pliers are made to aid welders with mig machines. Multi-function tool cuts wire, cleans tips and nozzles.





MIG GUN HOLDER WITH MAGNETIC BASE

Model No. 5-1160

K-T's handy mig torch stand keeps the work area clear and expensive mig torch safe. Convenient magnetic base keeps the mig torch ready to use. A must have for all shops.





ELECTRODE HOLDERS

Made from a high copper alloy for maximum conductivity and strength. The top and bottom insulators are constructed of fiberglass to withstand intense heat and impact. Feature oval-point screw connections.

Model No.	Amp Capacity	Electrode Capacity
2-2120	200	1/8"
2-2130	300	1/4"
2-2140	400	1/4"





GROUND CLAMPS

Model No.	Material	Amps
2-2220	Copper	200
2-2221	Brass	200
2-2230	Copper	300
2-2231	Brass	300
2-2260	Steel	300
2-2290	Steel	500










500 AMP MAGNETIC GROUND CLAMP

Model No. 2-2255

Steel magnetic clamp makes grounding welding pieces easy. The spring loaded handle allows for quick release and repositioning of clamp. Pull capacity of 65 lbs. Cable capacity of 2/0 AWG.





Lug Crimping Tool, Cable Lugs, Butt Connectors, Cable Splicer





LUG CRIMPING TOOL

Model No. 2-2330

Hammer type crimping tool for cable lugs and butt connectors. Just place and hit to crimp. Used for sizes # 8 through # 4/0 awg.





CABLE LUGS

Cable lugs are made from pure copper material. Solid construction and long life. The ends are flared for easy installation.

2 Pk Model No.	Cable Capacity	Stud Hole	2 Pk Model No.	Cable Capacity	Stud Hole
2-2340	8 AWG	10mm	**2-2346**	1 AWG	3/8”
2-2341	6 AWG	1/4”	**2-2345**	1 AWG	1/2”
2-2338	6 AWG	3/8”	**2-2347**	1/0 AWG	1/2”
2-2353	4 AWG	5/16”	**2-2348**	1/0 AWG	3/8”
2-2342	4 AWG	3/8”	**2-2349**	2/0 AWG	1/2”
2-2354	2 AWG	5/16”	**2-2350**	2/0 AWG	3/8”
2-2344	2 AWG	3/8”	**2-2351**	3/0 AWG	1/2”
2-2343	2 AWG	1/2”	**2-2352**	4/0 AWG	1/2”





BUTT CONNECTORS

Butt Connectors can be used for many electrical cable applications. Each copper connector features a heavy wall to deliver greater corrosion resistance. Machined chamber yields greater ease of insertion. Dimension compatibility to industry standard ensures customer satisfaction.

Model No.	Size	Model No.	Size
2-2371	6	**2-2373**	2
2-2372	4	**2-2374**	1





CABLE SPLICER

Model No. 2-2459

Makes splicing cable easy. Splicers are reusable. Fits cable sizes 4 though 1/0.





CABLE CONNECTOR SETS

Cable connectors are precision machined to provide a very tight connection which greatly improves power flow. Cam action pulls the two halves tightly together. Covers are made from a special heat and cold resistant material which is not susceptible to rust or corrosion.

Model No.	Color	Capacity
2-2410	Black	4-1/0
2-2415	Red	4-1/0
2-2440	Black	1/0-4/0

Cable Connectors, Machine Plugs, Welding Cable, Cable Cutter

UNIVERSAL MACHINE PLUGS

Designed to fit most machines using the long tapered plug and receptacle. Oval point screw connection makes a fast and secure method of attaching cable to the plug. Fits cable size 4 to 1/0. Covers are made from a special heat and cold resistant material which is not susceptible to rust or corrosion.

Model No.	Color	End
2-2450	Black	Male
2-2451	Red	Male





WELDING CABLE

Has an oil, grease & fire resistant neoprene jacket that remains super flexible, even in extremely cold temperatures. Features include 30 gauge, 600 volt, rope-stranded conductor, outstanding electrical properties & abrasion resistance.

Black 10’	Black 25’	Black 50’ Box	Black 125’ Spool	Red 125’ Spool	Black 250’ Spool	Size	Strands
			2-2501			1/0	1,007
		2-2511	**2-2512**			1	2,170
2-2526	**2-2525**	**2-2521**	**2-2522**	**2-2523**	**2-2520**	2	644
2-2546	**2-2545**	**2-2541**	**2-2542**	**2-2543**	**2-2540**	4	420



Cable Size Selection Chart

Electrode Distance from Welding Equipment

Machine Amps	50’	75’	100’	125’	150’
100	4	4	2	2	1
150	2	2	1	1/0	2/0
200	2	1	1/0	2/0	3/0
250	1	1/0	2/0	3/0	4/0
300	1	2/0	3/0	4/0	

14” CABLE CUTTER

Model No. 2-2514

For use with copper & aluminum wire. 14” length with 5/8” cutting capacity. Not for use with steel wire.



Twin Cable, Receptacles, Plugs, & Extension Cords




2-2650

2-2655

WELDING POWER RECEPTACLES AND PLUGS

Will handle 50 amps, 250 volts.

Model No.	Type	Type
2-2650	Crowfoot	Receptacle
2-2655	Crowfoot	Male Plug
2-2656	Pin	Receptacle
2-2651	Pin	Male Plug



POWER SUPPLY CABLE

Model No. 2-2548

8/3 Neoprene jacketed power supply cable is U/L listed and oil resistant. Color-coded rubber insulation with great flexibility. Perfect for welders. Sold by the foot. Order in quantities of 50.



25’ 8/3 HEAVY DUTY EXTENSION CORD

Model No. 2-2570

K-T’s professional heavy duty extension cord allows the user to safely extend the reach with a cord that is both ETL, UL and CSA approved. Features include molded-on plugs and connectors that will resist breaking or pulling off. The NEMA 56 plug and connector (pin receptacle and plug) are rated for 50 amps-250 volts. Cord is water and flame resistant.



TWIN LEAD BOOSTER CABLE

K-T’s twin lead booster cable has an oil, grease and fire resistant neoprene jacket that remains super flexible, even in extremely cold temperatures. Twin cable is tangle free.

Model No.	Size No.	Length
2-2544	4	50’
2-2524	2	50’

K-T Booster Cables



Item No.	2-2479	2-2481	2-2483	2-2485	2-2487	2-2492	2-2493
Length (feet)	12′	16′	20′	12′	25′	20′	25′
Gauge	6	6	2	4	4	2	2
Conductor	CCA	CCA	CCA	100% Copper	100% Copper	100% Copper	100% Copper
Max Voltage	12/24V 160A	12/24V 200A	12/24V 420A	12/24V 420A	12/24V 580A	12/24V 400A	12/24V 320A
Clamp Type	Elongated for better connection	Elongated for better connection	Heavy Duty for added safety	Heavy Duty for added safety	Heavy Duty for added safety	Heavy Duty for added safety	Heavy Duty for added safety
Conductor Cover UL compliant	Yes	Yes	Yes	Yes	Yes	Yes	Yes
UPC: 083905	224795	224818	224832	224856	224870	224924	224931
Carrier	Poly Bag With Zippper for storage anywhere	Poly Bag With Zippper for storage anywhere	Poly Bag With Zippper for storage anywhere	Poly Bag With Zippper for storage anywhere	Carrying tote with room for emergency supplies	Carrying tote with room for emergency supplies	Carrying tote with room for emergency supplies
Case Pack QTY	8	6	4	6	2	2	2

BOOSTER HANDLES

Booster cable handles clamp safely and securely to both side mount and post battery terminals. An extra strong spring gives positive connection on side mount and standard batteries.

Model No.	Type	Amps
2-2474	Parrot Jaw	600
2-2475	Mechanics	400



TUNE UP CLAMPS

Model No. 2-2478

An extremely popular battery clamp set. Insulated handles. For equipment up to 50 amps. Each card contains one red and one black handle.



TEST CLIPS

Model No.	Type	Amp	Jaw Opening	Length
2-2460	Crocodile	5	1/2"	2-1/4"
2-2461	Pee Wee	5	5/16"	1-17/32"
2-2462	Economy	10	3/4"	2"
2-2463	High Grade	20	5/8"	2-3/8"
2-2464	Battery	25	13/16"	2-7/8"
2-2465	Alligator	10	5/16"	2"



Paint Markers & Displays






MIRROR CHROME DUAL TIP PAINT MARKER

Model No. 5-0003

Features special alcohol based ink that when dry is high gloss reflective chrome. Marks on ceramic, glass, paper, plastic, canvas, or any hard surface. Dual nibs (3mm & 0.7mm).





DUAL TIP ACRYLIC PAINT MARKERS

Permanently marks on ceramic, wood, fabric, porcelain, glass, stone, canvas, etc. Industrial grade. Dual nibs (3mm & 0.7mm). Non-toxic, fade resistant, smooth flowing ink.

Model No.	Color	Model No.	Color
5-0005	Yellow	5-0007	Black
5-0006	White	5-0008	Red





OIL BASED PAINT MARKERS

Permanently marks on metal, stone, glass, rubber, plastic, wood, leather and virtually any other hard to mark surface. Industrial grade. Fiber nib. Ideal for the machine shop, auto workshop, stone fabricators, tool room and home workshop.

Carded Model No.	Bulk Model No.	Color
5-0033	5-0021	Blue
5-0034	5-0022	Green
5-0035	5-0023	Metallic Silver
5-0036	5-0024	Orange
5-0045	5-0025	Yellow
5-0046	5-0026	White
5-0047	5-0027	Black
5-0048	5-0028	Red
5-0049		Pink





80 PC MINI PERMANENT MARKER DISPLAY

Model No. 5-0018

Quickly drying ink. Includes 40 black, 20 red, 10 blue, 10 green markers. Each marker has a clip on the cap to attach to keychains, lanyards, and golf bags. Marks on paper, plastic, metal, and most other surfaces.



36 PC PAINT MARKER DISPLAY

Model No. 5-0020

- Permanently mark metal, stone, glass, rubber, and other surfaces
- Industrial Grade Fiber nib
- 6 EA of oil based black, white, red, and yellow
- 3 EA of oil based orange and pink
- 2 EA of oil based blue, green, and silver
- Reorder bulk numbers for refilling display canister

Marking Tools

SOLID PAINT STICK MARKERS

Permanently marks on smooth or rough surfaces. Can be used in wet conditions and also withstands heat. Marks on metal, wood, plastic, glass and more. Will not fade.

Model No.	Description
5-0042	Yellow, 2 Pack
5-0043	White, 2 Pack





SOAP STONE

No. 1 white soap stone is the highest quality metal marking item available. It is dependable and break resistant. Available in flat or round sticks. Stainless steel body never rusts with convenient pocket clip. Flat holder has an adjustable trigger that moves soap stone back and forth with thumb pressure. Round holder is 3/8" diameter, aluminum collet will hold either metric or standard soapstone. Both include a No. 1 white soapstone.

Model No.	Description
5-0065	Flat Soap Stone Holder
5-0066	Round Soap Stone Holder
5-0080	Flat 5 Pack
5-0085	Round 5 Pack



WELDERS PENCIL & REFILLS

Pencil makes a fine line that won't rub off. Produces a high visibility line, superior to soapstone. Marks on any metal surfaces and it torch and flame resistant. Features a handy pocket clip, extended tip for tight areas, and a built in sharpener. Every pencil is blister carded with point-of-purchase information. Refills have a plastic keeper to help keep refills together.

Model No.	Description
5-0055	Welders Pencil
5-0056	Silver, Red, Yellow Refill (6pc)





MECHANICAL PENCILS

Round Silver Streak® mechanical pencil. Pencil makes a fine line that won't rub off. Similar to silver lead pencils in that it produces a high visibility line but no sharpening is necessary. Features a handy pocket clip. Silver refills have a plastic keeper to help keep refills together.

Model No.	Description
5-0057	Mechanical Pencil
5-0058	Silver Refill, 12 Pack





Marking Tools, Pick Sets, Pipe Layout Templates, Pipe Guides, Magnets




SILVER THIN LINE MARKING PENCIL 3 PACK

Model No. 5-0068

The same size as regular pencils. Can be sharpened in any pencil sharpener for very fine line marking applications.




PREMIUM SCRIBE

Model No. 5-0015

Replaceable steel shank with tungsten carbide tip, all-aluminum handle and handy pocket clip.




FOUR WAY PICK SET

Model No. 5-0060


4 tempered steel picks. Many applications including awl pick for etching metal, and deburring picks for taking off metal filings. Also good for removing “O” rings in spray equipment.




PIPE LAYOUT TEMPLATE

Model No. 5-1585


K-T’s magnetic wrap-around template is made from tough and flexible material. It includes 45 degree angle markings, a scale, and protractor. The perfect tool for welders and lay-out professionals.






PRECISION PIPE GUIDES

Five Different Cutting Options...Just One Tool! Cutting pipe has never been so simple or so accurate. Durable stainless steel guide offers five cutting options in one tool.

Model No.	Size
5-1577	2-3/8” Pipe
5-1578	2-7/8” Pipe



MAGNETIC HOLDERS

The perfect third or fourth hand you sometimes need! Magnetic holders come in handy for soldering, welding, supporting, jigging and many other uses. Strong anisotropic ferrite magnet holds ferrous metal securely.

Model No.	Description
5-1545	Mini
5-1550	Medium
5-1555	Large






MAGNETIC V-PADS KIT

Model No. 5-1530

V-type fixture clamp with strong earth magnets. Use for small, light duty, or intricate work. 2 piece kit, 12lb pull force.

Locking Clamps , Chipping Hammers, Brushes

LOCKING CLAMPS

Model No.	Description
21-6212	11" C Clamp
21-6215	18" C Clamp
21-6213	8" Long Welding Clamp
21-6214	9" Straight Nose Clamp



CHIPPING HAMMERS

Model No.	Description
5-1000	Steel Spring Handle
5-1125	Cross Steel Spring Handle
5-1020	Wood Handle
5-1090	Steel Spring Handle with Brush



CHIPPING HAMMER REPLACEMENT BRUSH

Model No. 5-1100

Replaces worn out brushes on most dual purpose chipping hammers. Fits K-T 5-1090. Carded for easy retail sale.





DELUXE PARTS CLEANING BRUSH

Model No. 5-2315

Bristles made of polypropylene designed to be used in parts cleaning solutions.





3 PC. STAINLESS STEEL CLEANING BRUSHES

Model No. 5-2201

3 pack of brushes. Compact design gets in tight places. Excellent for cleaning small parts. Plastic handle. 7" overall length.

3 PC. CLEANING BRUSHES

Model No. 5-2202

3 pack of brushes; stainless steel, brass, & nylon. Compact design gets in tight places. Excellent for cleaning small parts. Plastic handle. 7" overall length.





CLEANING BRUSHES

Compact design gets in tight places. Excellent for cleaning small parts.
5 Packs Only

Model No.	Handle	Bristles	Length	Brush
5-2203	Plastic	Stainless Steel	7-3/4"	1-7/16"
5-2204	Plastic	Brass	7-3/4"	1-7/16"
5-2205	Wood	Stainless Steel	7-3/4"	1-7/16"
5-2206	Wood	Brass	7-3/4"	1-7/16"



Brushes



ANGLED HEAD CLEANING BRUSHES

Angled head helps keep knuckles from being scraped. Excellent for cleaning small parts. Wood handle. 5 Packs Only

Model No.	Handle	Bristles	Length	Brush
5-2207	Wood	Stainless Steel	8-1/8”	2-1/16”
5-2208	Wood	Brass	8-1/8”	2-1/16”



SHOE HANDLE BRUSHES

Heavy duty brush for a variety of applications.

Model No.	Bristles	Length	Brush	Sold By
5-2210	Carbon Steel	10”	5-1/4”	Display (12)
5-2210S	Carbon Steel	10”	5-1/4”	EA
5-2215	Stainless Steel	10”	5-1/4”	Display (12)
5-2215S	Stainless Steel	10”	5-1/4”	EA
5-2216	Brass	10”	5-1/4”	EA



SHOE HANDLE BRUSH WITH SCRAPER

Heavy duty brush and scraper for a variety of applications. Metal scraper attached to brush.

Model No.	Bristles	Length	Brush	Sold By
5-2211	Carbon Steel	10”	5-1/4”	EA



BENT HANDLE BRUSHES

Long handle provides extra reach.

Model No.	Bristles	Length	Brush	Sold By
5-2220	Carbon Steel	13-11/16”	6”	Display (12)
5-2220S	Carbon Steel	13-11/16”	6”	EA
5-2225	Stainless Steel	13-11/16”	6”	Display (12)
5-2225S	Stainless Steel	13-11/16”	6”	EA
5-2226	Brass	13-11/16”	6”	EA



BENT HANDLE BRUSH WITH SCRAPER

Long handle provides extra reach. Metal scraper attached to brush.

Model No.	Bristles	Length	Brush	Sold By
5-2221	Carbon Steel	13-11/16”	6”	EA



V-GROOVE SCRATCH BRUSH

Perfect for hard to reach corners. Long handle provides extra reach.

Model No.	Bristles	Length	Brush	Sold By
5-2222	Carbon Steel	13-11/16”	6”	EA
5-2223	Stainless Steel	13-11/16”	6”	EA

Oxy-Acetylene, TIG Rod, Brazing Alloys Rod

RG-45 MILD STEEL

Recommended for oxy-acetylene welding on all ordinary steels. The low cost & high quality make it ideal for welding applications on open steel, plate, pipe, auto bodies & other steels where ductility & machinability are important. Produces 45,000 PSI tensile strength & 25% elongation.

Model No.	Diameter	Length	Size
1-5116	1/16”	20”	27 Pc.
1-5132	3/32”	20”	9 Pc.
1-5118	1/8”	20”	9 Pc.



BCuP-2 (0%) Phos-Copper-Silver Brazing Alloys 1/8” x .050” x 20” 14PC

Model No. 1-5370

Low cost alloy is suitable for most copper-to-copper or brass joints where good fit-up exists, & the assemblies are not subject to vibration or movement. Primarily for use on copper, this alloy may also be used on other nonferrous copper base alloys. Used extensively on refrigeration units, air conditioning apparatus, electrical conductors, copper & brass pipe fittings, as well as other copper & brass equipment. By virtue of its phosphorus content, this product is self-fluxing on copper only. A flux should be used when brazing brass or bronze.



TIG WELDING MILD STEEL ER70S-6 1/8” x 20” x 9PC

Model No. 1-5161

A mild steel TIG welding wire that contains higher levels of maganese & silicon than other standard grades of TIG wire. This is what produces high quality welds when used on undesirable steel surfaces. The high silicon content increases the fluidity of the weld pool, which creates a smoother bead appearance & results in minimal post weld grinding. This wire is engineered to provide porosity-free, x-ray quality welds at the highest tensile strength (as welded) of all the plain carbon steel wires.



TIG WELDING EWTH-2 THORIATED TUNGSTEN ELECTRODES 1/16” X 10PC

Model No. 1-5171

2% Thoriated tungsten electrodes are known for their reliable arc strike, low burn rate, and durability. Perfect for DC welding copper, nickel, and titanium alloys and stainless steel. Includes 10 ground finish electrodes.



TIG WELDING BARE STAINLESS STEEL 309 ER309 1/8” X 16PC

Model No. 1-5216

For dissimilar steels and severe corrosion.



Oxy-Acetylene, TIG Rod, Brazing Alloys Rod, Flux



BARE LOW FUMING BRONZE

Possesses characteristics & properties that simplify welding operation & ensure strong, lasting welds. Used extensively for brazing steel & cast iron. The fuming qualities and good mechanical properties make low fuming bronze a widely used general purpose rod. With a low melting point of 1620°C, tinning properties are excellent. Easily controlled by the welder. Penetrates deeply into cracks & seams, building a sound, nonporous deposit of weld metal. Used for strong, color matching joints in iron and steel, as well as for bearing surfaces. Requires flux.

Model No.	Diameter	Length	Size
1-5233	3/32"	18"	10 Pc.
1-5219	1/8"	18"	10 Pc.



FLUX COATED LOW FUMING BRONZE

Rod & flux are deposited at weld simultaneously in exactly the right amounts. No need to dip rod in flux, no wasteful residue of flux remains on face of weld. Flux coated low fuming bronze penetrates deeply into cracks & seams to build a sound, nonporous deposit of weld metal for making leak proof joints. Often used in water, oil & gas lines. Flux coating eliminates chipping & back burn. A relatively low melting point allows for excellent tinning properties & control by the welder.

Model No.	Diameter	Length	Size
1-5333	3/32"	18"	10 Pc.
1-5319	1/8"	18"	10 Pc.



ALUMINUM 4043

Has a lower melting point makes easier for welding.

Model No.	Diameter	Length	Size
1-5360	3/32"	36"	20pc
1-5361	1/8"	36"	11pc



ALUMNI PRO® BRAZING ROD & STAINLESS STEEL WIRE SCRATCH BRUSH

Model No. 1-1810

Welds aluminum, pot metal, galvanized & zinc based metals using a propane torch. Costs only pennies an inch, stronger than aluminum, no flux or fumes, strong corrosion resistance & low working temperatures. Use with 1/32" - 3/8" metals. Applications include lawn equipment, boat propellers, chainsaw repair, carburetor repairs & engine castings. Includes brush.



BRAZING FLUX

Model No. 2-2750

All purpose brazing flux to be used on bronze, steel, brass & malleable iron.

Flux & Solder Brushes

SOLDER BRUSHES

Model No. 1-2804

Select horse hair bristles are pressed securely together in tin handles. Used to apply liquid or paste flux. Carded, 3 per card





SOLDERING FLUX

Metal cleaner for paste flux is water soluble. Allows flux to be washed away after soldering. Most fluxes stay in the pipe and continue to corrode the inside of the pipe causing premature breakage or pipe wear out.

Model No.	Type	Size
1-2806	Liquid	4 Oz.
1-2810	Paste	2 Oz.





RUBY SOLDERING FLUX

Metal cleaner for paste flux is water soluble. Allows flux to be washed away after soldering. Most fluxes stay in the pipe & continue to corrode the inside of the pipe causing premature breakage or pipe wear out. Meets federal & millitary specs.

Model No.	Type	Size
1-2812	Liquid	2 Oz.
1-2814	Paste	2 Oz.
1-2816	Liquid	1 Pint





SILVER SOLDER KIT

Model No. 1-2800

Contains 98% tin and 2% silver. Includes a separate tube of special flux. Effective for joining silver, nickel alloys & copper. It should be used where a bright shiny finish or strength is important. Not recommended for plumbing repairs. Melts at 450°F with a diameter of .062". Applications include eyeglasses, jewelry, and is effective on most silver, copper and nickel alloys. 8,000 PSI joint strength. Nontoxic. .5 oz.





Solder



ROSIN CORE SOLDER

Used for electrical applications. For larger jobs use 1 Lb standard grade. 40/60 is suitable for smaller electronic projects. 3% flux.

Model No.	Size	Grade	Dia.
1-2860	1 Lb.	3.3/94.5/2.2	1/8”
1-2862	1/2 Lb.	40/60	3/32”
1-2864	1/4 Lb.	40/60	3/32”
1-2865	1/4 Lb.	40/60	1/16”



ACID CORE SOLDER

For use with sheet metal, brass and galvanized metal applications. Use for plumbing applications that do not require lead free solder. 2% flux.

Model No.	Size	Grade	Dia.
1-2870	1 Lb.	3.3/94.5/2.2	1/8”
1-2872	1/2 Lb.	40/60	1/8”
1-2874	1/4 Lb.	40/60	1/8”



SOLID WIRE SOLDER

Good all purpose solder when used with the proper flux. Radiator use 50/50

Model No.	Size	Grade	Dia.
1-2880	1 Lb.	3.3/94.5/2.2	1/8”
1-2884	1/4 Lb.	40/60	1/8”
1-2886	1/4 Lb.	50/50	1/8”



LEAD FREE SOLDER

Use for copper tubing, copper fittings, copper utensils, stainless steel and any applications where lead free solder must be used. Lead free solder must be used in plumbing drinking water systems. Flows like 50/50 grade solder.

Model No.	Size	Grade	Dia.
1-2890	1 Lb.	95/5	1/8”
1-2891	1/2 Lb.	95/5	1/8”
1-2892	1/4 Lb.	95/5	1/8”



ASTM - B32 ✓

LEAD FREE SOLDER (Safe Drinking Water)

Model No. 1-2894

Contains 97% tin and 3% copper. Complies with USA’s Safe Drinking Water Act of 1986, the Canadian Plumbing and Boiler Codes, & the Canadian Lead-Free Solder Standard. Size 1/4 lb., 1/8” diameter. Melting temperature of 440°F - 560°F. Tensile strength 71.5 MPa, 10,370 psi.

Solder Irons, Butane Torches, Butane Fuel

MINI PROPANE HAND TORCH

Model No. 31-5010

Adjustable pencil flame solid brass hand torch for use with propane gas. Needle valve controlled torch for use soldering copper pipes, removing paint and putty, thawing frozen metal pipes, and loosening rusted nuts.



31-5010

PREMIUM MAPP GAS HAND TORCH

Model No. 31-5012

Mapp™ or propane gas. Adjustable brazing and soldering torch features trigger ignition for instant flame. Quality material construction including brass connections, aluminum handle, and stainless steel burner tube.





31-5012

SWIVELING MAPP GAS HAND TORCH

Model No. 31-5013

For use with Mapp™ or propane gas. Quality material construction including brass connection and stainless steel tube. Self ignition for instant flame. Adjustable flame control. Tip rotates 360°.



31-5013

40 WATT SOLDERING IRON

Model No. 1-2770

Basic 40 watt soldering iron for small electronics and other repairs



1-2770

180 WATT SOLDERING GUN KIT

Model No. 1-2775

Complete with 3 soldering tips, coil of solder, flux, and convenient plastic carrying case. Can reach a max temperature of 1135°F in 3 seconds. Use with any of K-T's solder spools.



1-2775

MICRO TORCH WITH EMPTY FUEL CELL

Model No. 1-2780

Features built-in safety lock with improved self-ignition system. Flame temperature up to approximately 2500°F, 1300°C. Windproof flame and wear-resistant ignition. Built in level viewing window.

TRIGGER TORCH

Model No. 1-2782

Features instant off safety switch with improved ignition system. Adjustable flame temperature up to approximately 2500°F, 1300°C. Windproof flame and wear-resistant ignition. Refillable tank with 60 min. charge.



1-2780



1-2782

ULTRATANE® BUTANE FUEL

Triple-refined formula reduces clogging in filters. Contains no CFC's. Special vapor pressure promotes consistent ignition.

***Due to warning requirements imposed in California by Proposition 65, we cannot sell or ship this item to California.**



Model No.	Size	Qty.
1-2784	2 oz.	36 Pack

Tube Brushes






4-IN-1 PIPE CLEANING BRUSH

Model No. 5-2240

Use on copper & plastic tubes or fittings. Removes dirt and debris such as grease, grime, corrosion, and hand prints from connecting parts to prepare for soldering or brazing. Also can be used for cleaning battery posts and terminals. Cleans 1/2" and 3/4" (13mm & 19mm) copper and plastic tubes and fittings. Outer brushes are 5/8" and 7/8" (15mm & 22mm).



TUBE BRUSHES

Tube brush with wire handle. Firm bristles are excellent for cleaning cylindrical objects, bottles, carburetors, brake cylinders and more.

Model No.	Length	Dia.	Brush	Bristles
5-2247	15"	1-1/4"	5"	Nylon
5-2249	9"	1-1/4"	3"	Nylon
5-2250	9"	1/2"	3"	Nylon
5-2251	9"	3/4"	3"	Stainless Steel




PLUMBING FITTING BRUSHES

Great for cleaning copper pipe before soldering and for cleaning battery terminals. Features single spiral two-ply carbon steel wire construction.

Model No.	Size	Handle
5-2248	3/8"	Economy Wire
5-2252	1/2"	Economy Wire
5-2253	3/4"	Economy Wire
5-2254	3/8"	Plastic w/ Hanging Hole
5-2255	1/2"	Plastic w/ Hanging Hole
5-2256	3/4"	Plastic w/ Hanging Hole





STAINLESS STEEL POWER FITTING BRUSH

Fits into small drill for power cleaning pipe. Features 2-1/2" twisted stem.

Model No.	Size
5-2257	1/2"
5-2258	3/4"



TUBE CLEANING BRUSHES

Great for cleaning pipes before soldering and for cleaning battery posts. Features comfortable sure grip design and high carbon steel bristles.

Model No.	Size
5-2261	3/8"
5-2259	1/2"
5-2260	3/4"



WIRE HANDLE CHIP BRUSH

Model No. 5-2270

Wire handle chip brush is ideal for cleaning rust, corrosion, etc. In high heat situations. Overall length of 5-1/2" trim size 1-1/2".

Victor® Style Torch Kits

K-T's Victor® style torch kits are one of the highest quality torch lines sold. All torches and accessories are backed with a one-year, across the counter warranty; the best in the industry. K-T stocks all of the parts and accessories that you will ever need. Compatible with Victor®, Super Range® and Highlite®. Designed for all trades. All pieces are U/L® listed and manufactured in a ISO 9001 certified factory.

VICTOR® STYLE MEDIUM DUTY TORCH KIT

Model No. 31-5000

Welds up to 1/4" and cuts up to 1/2" with tips provided. Will weld up to 1-1/4" and cut up to 6" with larger tips. All pieces are U/L® listed. Instructions included.

Contents		
Torch Handle	12-1/2' Twin Hose	Cutting Attachment
Goggles	Acetylene Regulator	Cutting Tip size 0
Striker	Oxygen Regulator	Welding Tip size 0



VICTOR® STYLE HEAVY DUTY TORCH KIT

Model No. 31-5006

Kit comes stored in a heavy duty tool box for easy storage and organization, making each individual piece easy to locate when needed. Compatible with Victor® and Journeyman®. Ideal for the professional contractor or any other application that requires heavy cutting or heating. Welds up to 2" and cuts up to 1/2" with tips provided. Will weld up to 4" and cut up to 8" with larger tips.

Contents		
Torch Handle	12-1/2' Twin Hose	Cutting Attachment
Goggles	Acetylene Regulator	Cutting Tip size 1
Striker	Oxygen Regulator	Long Tip Cleaner
Welding Tip Size 1	Welding Tip size 2	Welding Tip Size 3
Heating Tip Size 8	HD Tool Box	Instruction Manual



PORTABLE TORCH KIT VICTOR® STYLE

Model No. 31-5009

Everything you need for portable cutting and brazing except gas. Includes MC style cylinders and plastic carrying tote. Comes in a white display box with colored picture. All pieces are U/L® listed. Instructions included. DOT Approved

Contents		
Torch Handle	Acetylene Regulator	Cutting Attachment
Goggles	Oxygen Regulator	Cutting Tip size 0
Striker	Plastic Carrying Tote	Welding Tip size 1 & 2
12' x 1/2' Twin Hose	MC Size Tanks	Tank Wrench
Tip Cleaner	User's Manual	





Torch Kits, Air Propane Torches



HARRIS® STYLE MEDIUM DUTY KIT

Model No. 31-5007

Features "in head" gas mixer in cutting attachment and two tubes on the torch handle. All torches and accessories are backed with a one-year, across the counter warranty; the best in the industry. K-T stocks all of the parts and accessories that you will ever need. Compatible with Harris®, Expert®, Bronze and Metal Worker®. Designed for all trades. All pieces are U/L listed. Welds up to 1/4" and cuts up to 1/2" with tips provided. Will weld up to 1-1/4" and cut up to 6" with larger tips. All pieces are U/L® listed. Instructions included.

Contents		
Torch Handle	12-1/2' Twin Hose	Cutting Attachment
Goggles	Acetylene Regulator	Cutting Tip Size 1
Striker	Oxygen Regulator	Welding Tip Size 3





3 PC. TORCH KITS

Includes torch handle with torch check valves, cutting attachment, and a size 0 cutting tip that will cut up to a ½". The kit will cut up to 6" with larger tips. Full 1 year warranty and has been manufactured in an ISO 9001 certified factory. U/L® listed.

Model No.	Type
3-7100	Medium Duty Victor®
3-7200	Medium Duty Harris®



EXCALIBER AIR PROPANE TORCH OUTFIT

Model No. 31-5015

Designed for heavy duty outdoor applications. High volume (up to 500,000 BTU) for weed burning, ice melting, asphalt removal and any other outdoor applications. For use with standard 2010 bar-b-que propane tanks. All steel torch handle and torch head. 10' hose and single flint striker included. Brass control knob will not freeze up in cold weather.
FOR USE WITH PROPANE ONLY.

EXCALIBER JR AIR PROPANE TORCH

Model No. 31-5014

- 22,500 BTU
- All steel torch handle and head
- Brass control knob won't freeze
- Great spring and summer Item
- Use for weed burning
- Use with disposable propane tanks
- Great for campfires

FOR USE WITH PROPANE ONLY.

Air Propane Torch, Regulators, Pressure Gauges

EXCALIBER MINI AIR PROPANE TORCH

Model No. 31-5018

Lightweight design is perfect for outdoor applications. Medium volume (up to 350,000 BTU) for weed burning, ice melting, asphalt removal and any other outdoor applications. For use with standard 2010 bar-b-que propane tanks. Precision cast brass body with heat shielding comfort grip handle. 10' hose, safety trigger, and adjustable control valve.
FOR USE WITH PROPANE ONLY.



WORKHORSE REGULATORS

Single stage regulators are designed for performance and reliability in medium to heavy duty gas welding, cutting and heating applications. Large 3-3/4" diaphragm and Victor® style seat mechanism, make this series of regulators true work horses. Self re-seating, external pressure relief valve on oxygen model. Features include large 2" gauges for easier reading, a brass adjusting screw with forged "T" handle and precision machined nozzles for optimum flow control. The regulators also feature a sintered bronze inlet filter that keeps out dirt and foreign particles. The bodies are made from extra strength die-forged brass. U/L® listed.

Model No.	Type
3-7137	Light Duty Oxygen
3-7138	Light Duty Acetylene
3-7130	Medium Duty Acetylene
3-7135	Medium Duty Oxygen
3-7260	Heavy Duty Acetylene
3-7265	Heavy Duty Oxygen



2" PRESSURE GAUGES

Gauges are U/L® listed and feature a watch-type precision movement. The one piece ring and crystal are shatter resistant and have a protective lip to reduce damage to the face. All models have rear safety blowout case design.

Model No.	Pressure	
3-7303	30 lbs.	Acetylene Low Pressure
3-7310	100 lbs.	Oxygen Low Pressure
3-7340	400 lbs.	Acetylene High Pressure
3-7380	4000 lbs.	Oxygen High Pressure



Torch Handles, Cutting Attachments, O-Rings, Mixers





3-7102


3-7252

TORCH HANDLES

Torch handle has "in head" gas mixer and two tubes within the torch handle. U/L® listed.

Model No.	Type
3-7102	Medium Duty Victor®
3-7252	Heavy Duty Victor®





HEAVY DUTY SCRAPPING TORCHES

Specially designed for use in demolition, scrap yards, and foundry work.

Model No.	Type	Max Cut
3-7270	Heavy Duty Victor®	12"
3-7275	Heavy Duty Harris®	8"




3-7105T


3-7255

CUTTING ATTACHMENTS

Designed with a smooth cutting valve for precise easy-on control. Tube mix design can be used with acetylene, propane and other fuel gases. Stainless steel tubes for strength and long life. Dense die forged brass head gives years of service. Double "O" ring design gives quick hand tight and leak free operation. U/L® listed.

Model No.	Type
3-7105T	Medium Duty Victor®
3-7255	Heavy Duty Victor®


3-7544


3-7545

FLASHBACK ARRESTOR TORCH TO HOSE COUPLERS

Model No. 3-7544

Internal check valves prevent flames & reverse flow of gas from between hose & torch handle to protect user & equipment from harm or explosion. For quick connect and release of torch to hose. Conforms to EN 561 & ISO 7289 standards.

TORCH TO HOSE COUPLERS

Model No. 3-7545

For quick connect and release of torch to hose. U/L® listed.




3-7110 3-7111 3-7210 3-7211

MIXERS

Spiral gas mixers ensure even gas mixtures and flame characteristics.


Model No.	Type
3-7110	Victor® Medium Duty
3-7111	Victor® Heavy Duty
3-7210	Harris® D-85 Medium Duty
3-7211	Harris® Medium Duty

K-T Victor® Style Tips

K-T's direct replacement tips are designed specifically for use with OEM apparatus. K-T's design, workmanship and quality control assure the user of products that will perform better and last longer. The following tips will fit Victor®, Super Range®, Jobber®, All Pro® ,and Journymen outfits.

VICTOR® STYLE MEDIUM DUTY CUTTING TIPS

Model No.	Gas Type	Size	Cuts	Style
31-1268	Oxy-Acetylene	000	1/8"	3-101
31-1269	Oxy-Acetylene	00	1/4"	3-101
31-1270	Oxy-Acetylene	0	1/2"	3-101
31-1270P	Propane	0	1/2"	3GPN
31-1271	Oxy-Acetylene	1	3/4"	3-101
31-1271P	Propane	1	3/4"	3GPN
31-1272	Oxy-Acetylene	2	1-1/2"	3-101
31-1272P	Propane	2	1-1/2"	3GPN
31-1273	Oxy-Acetylene	3	2-1/2"	3-101
31-1273P	Propane	3	2-1/2"	3GPN
31-1274	Oxy-Acetylene	4	3"	3-101


Oxy-Acetylene


Propane



VICTOR® STYLE HEAVY DUTY CUTTING TIPS

Model No.	Gas Type	Size	Cuts	Style
31-1279	Oxy-Acetylene	00	1/4"	1-101
31-1280	Oxy-Acetylene	0	1/2"	1-101
31-1280P	Propane	0	1/2"	1GPN
31-1281	Oxy-Acetylene	1	3/4"	1-101
31-1281P	Propane	1	3/4"	1GPN
31-1282	Oxy-Acetylene	2	1-1/2"	1-101
31-1282P	Propane	2	1-1/2"	1GPN
31-1283	Oxy-Acetylene	3	2-1/2"	1-101
31-1283P	Propane	3	2-1/2"	1GPN


Oxy-Acetylene


Propane



OXY-ACETYLENE WELDING TIP TYPE 13

Mixer not included. Use with K-T 3-7110 mixer. Fits Victor® style medium duty torches.

Model No.	Type	Size
31-2002	Medium Duty	2
31-2004	Medium Duty	4
31-2011	Heavy Duty	1
31-2013	Heavy Duty	3


Oxy-Acetylene



K-T/VICTOR HEATING TIP

Includes K-T 3-7110 mixer. Fits Victor® style medium duty torches.


Model No.	Type	Size
31-3004	Medium Duty	6


31-3004 Oxy-Acetylene

HEAVY DUTY OXY-ACETYLENE HEATING TIP

Model No. 31-3018

Includes K-T 3-7111 mixer. Fits Victor® Journeyman®. Size 8


Oxy-Acetylene



Harris® Style Tips

K-T's direct replacement tips are designed specifically for use with OEM apparatus.The following tips will fit K-T's medium duty torch kits and Harris® Expert®.






Oxy-Acetylene

Propane

HARRIS® STYLE CUTTING TIPS

Model No.	Gas Type	Size	Cuts	Style
32-1100	Oxy-Acetylene	00	3/8"	6290
32-1110	Oxy-Acetylene	0	5/8"	6290
32-1110P	Propane	0	5/8"	6290NX
32-1001	Oxy-Acetylene	1	1"	6290
32-1001P	Propane	1	1"	6290NX
32-1002	Oxy-Acetylene	2	2"	6290
32-1002P	Propane	2	2"	6290NX
32-1003	Oxy-Acetylene	3	3"	6290
32-1003P	Propane	3	3"	6290NX




Oxy-Acetylene

Oxy-Acetylene

WELDING TIPS TO FIT HARRIS® 23-A-90 OXY-ACETYLENE

Mixer not included. Use with K-T 3-7211 mixer.


Model No.	Size
32-2001	1
32-2003	3

HEATING TIP TO FIT HARRIS® OXY-ACETYLENE

Model No. 32-3004

Mixer not included. Use with K-T 3-7211 mixer. Size 2.

Smith® Style Tips



Oxy-Acetylene

SMITH® STYLE MEDIUM DUTY CUTTING TIPS

Model No.	Gas Type	Size	Cuts	Style
34-1260	Oxy-Acetylene	0	3/8"	MC-12
34-1261	Oxy-Acetylene	1	5/8"	MC-12
34-1261P	Propane	1	5/8"	MC-40
34-1262	Oxy-Acetylene	2	1"	MC-12
34-1263	Oxy-Acetylene	3	2"	MC-12
34-1264	Oxy-Acetylene	4	4"	MC-12



Propane

SMITH® STYLE HEAVY DUTY CUTTING TIPS


Model No.	Gas Type	Size	Cuts	Style
33-1001	Oxy-Acetylene	1		SC-12
33-1001P	Propane	1		SC-40
33-1002	Oxy-Acetylene	2		SC-12
33-1003	Oxy-Acetylene	3		SC-12


Regulator Parts, Hoses

REGULATOR INLET NUT AND NIPPLE SETS

Contains both nut and nipple for various gas regulators that use a 1/4" national pipe thread inlet. 3-7581 can also be used for other fuel gases, such as propane.

Model No.	Gas	Type
3-7580	Oxygen	CGA-540
3-7581	Acetylene	CGA-510
3-7582	Argon	CGA-580
3-7583	CO2	CGA-320





NO. 61 FUEL GAS TANK ADAPTOR

Model No. 3-7561

Adapts CGA 300 "COMM" cylinders to CGA-510 "POL" regulators.





AUTO-RETRACT TWIN WELDING HOSE REEL

Model No. 3-7400

Spring loaded professional grade auto retractable twin hose reel with 1/4" x 50' grade T twin hose. Specifically designed for use with propane fuel gas and acetylene gas. The twin hose exceeds RMA & CGA Type S Grade R. Non warping rigid steel reel. Includes 40" twin lead in hose.



TWIN WELDING HOSE

K-T hose is manufactured with intense quality control that far exceeds industry standards. The twin hose exceeds RMA & CGA specifications.

Model No.	Gas Type	Size	Type	Grade
3-7405	Propane	1/4" x 25'	S	T
3-7412	Oxy-Acetylene	3/16" x 25'	S	R
3-7418	Oxy-Acetylene	3/16" x 50'	S	R
3-7460	Oxy-Acetylene	1/4" x 25'	S	R
3-7490	Oxy-Acetylene	1/4" x 50'	S	R
3-7495	Oxy-Acetylene	1/4" x 100'	S	R



Brass Fittings






BRASS HOSE FERRULES

Designed to fit most brands of twin hose. Can be used with K-T 3-7605 crimping tools to provide a tight seal on twin hose. 4 Pack.

Model No.	Size	Model No.	Size
3-7501	1/4"	3-7502	3/16"

BRASS HOSE NIPPLES

Designed to fit most brands of twin hose. B size. 2 Pack.

Model No.	Size	Model No.	Size
3-7552	1/4"	3-7553	3/16"




BRASS HOSE SPLICERS

Designed to fit most brands of twin hose. B size. 2 Pack

Model No.	Size	Model No.	Size
3-7555	1/4"	3-7556	3/16"




BRASS HOSE COUPLER KIT

Model No. 3-7526


Contains both oxygen and acetylene couplers on one card. Fits both 3/16" and 1/4" hose.




FERRULE TYPE HOSE END REPAIR KITS

Each kit contains all parts necessary to repair hose ends including 2 brass hose ferrules that can be crimped with K-T 3-7605 crimping tool, two hose nipples, one oxygen nut and one acetylene nut.

Model No.	Size	Model No.	Size
3-7565	3/16"	3-7566	1/4"

FERRULE TYPE HOSE SPLICING KITS

Each kit includes 4 brass hose ferrules that can be crimped with K-T 3-7605 crimping tool and two hose splicers.

Model No.	Size	Model No.	Size
3-7568	1/4"	3-7567	3/16"




TORCH END CHECK VALVE SET

Model No. 3-7540

CGA "B" fittings (9/16" - 18), includes both RH and LH. Check valves prevent reverse flow of gases which can cause dangerous mixtures. K-T recommends the use of check valves between the torch and regulators at all times. Contains both oxygen and fuel gas check valves.

Note: Check valves are not flash back arrestors and should not be used as such!

Oxy-Acetylene Tools

LOCK GRIP CRIMPING TOOL

Model No. 3-7605

A very easy and convenient tool to use. Safely crimps ferrule on twin welding hose. Two holes can crimp both 3/16" and 1/4" hose.





TIP DRILL

Model No. 5-0040

Contains 12 high speed steel drill bits (Even No's 52-74). All aluminum collet.






TIP CLEANER KITS

Recommended for use with all brands of standard cutting and welding tips. These tip cleaner kits consist of top quality stainless steel wires. The tapered pilot ends will not damage tip ends. Cleaner numbers and drill sizes are stamped on each case.

Model No.	Length
5-0070	Standard
5-0075	Long





COMBINATION WRENCH

Model No. 5-0120

Combination wrench is 9" long and has a total of 10 openings from 7/16" to 1-1/8" including boxed opening for B and MC acetylene valves and a socket for commercial acetylene cylinders.





"T" WRENCH

Fits Linde®, P.O.L.® and Pyrofax® valve stems. Black oxide finish.

Model No.	Size	Length
5-0122	9/32" (.290" actual opening)	6"
5-0123	3/8" (.390" actual opening)	6"



BAR WRENCH

Model No. 5-0125

No. 5 double ended box wrench for 3/16" B and MC Acetylene valves.

Model No.	Size	Length
5-0125	3/16" (.194" actual opening)	3-1/8"





Oxy-Acetylene Tools





FLINT STRIKERS

Being light weight makes this striker K-T's most popular model. Economical and dependable. Made of high tinsel steel wire, with 3/8" diameter round file and large hood to trap gas for instant ignition. Equipped with 9/64" diameter flint which is set in an aluminum holder. Capable of producing 1500 ignitions before replacement.

Model No.	Type
5-1200	Single Flint Blister Pack
5-1201	Single Flint Bulk
5-1300	Three Flint Blister Packed
5-1301	Three Flint Bulk





FLINT STRIKER REPLACEMENTS

Give extra life to strikers. Fits most standard single and three way flint strikers. Single renewals carded 5 per card in handy plastic holder, three way renewals 4 per package.

Model No.	Type
5-1205	Single Flint Replacements
5-1305	Triple Flint Replacements





GAS SPARK IGNITER

Model No. 5-1250

For use with Acetylene, propane, natural gas, butane and mapp.


SAFETY




SAFETY EQUIPMENT CENTER


WELDING SAFETY CENTER


GOLD SELECT GLOVES


SAFETY GLASSES

Welding Helmets and Auto Darkening Helmets

K-T PROFESSIONAL WELDING HELMETS

Thinner, tougher and lighter than ordinary helmets. Streamline compact design. Ratcheting, floating headgear provides protection from jolts. Extra smooth shell deflects sparks and spatter. Flash barrier provides extra protection from "halo" light. Includes shade 10 welding plates and clear plastic cover lens. Helmets use standard size filter, cover and impact plates. Meets ANSI Z87.1.

Bulk Model No.	Description
4-1002	2 x 4-1/4" Flip Front Helmet - Black
4-1003	4-1/2 x 5-1/4" Fixed Front Helmet - Black
4-1004	4-1/2 x 5-1/4" Flip Front Helmet - Black



Model No. 4-1002



Model No. 4-1003



Model No. 4-1004

PRO SERIES AUTO DARKENING HELMETS



Model No. 4-1045
Pro "Matte Black"



Model No. 4-1049
Pro "La Bandera"



Model No. 4-1051
Pro "Spider"



Model No. 4-1052
Pro "American Steel"

FEATURES	PRO	DESCRIPTION
Shades 9-13	•	Adjust shade selection with knob on the outside of the helmet
1/90,000 Sec. Response	•	Upon striking arc, filter automatically changes from clear to dark
Magnifying Lens Holder	•	Includes magnifying lens holder as well as lens
Four Optical Arc Sensors	•	Each helmet has 4 sensors on the front
UV/IR Protection	•	Full protection for user's eyes and face, conforms with ANSI & CE safety standards
Adjustable Ratcheting Hdgr	•	Includes ratcheting headgear & moisture absorbing lining on the headband
Battery / Solar Power	•	Powered by high performance solar cells & has two built in batteries for backup
Delay Time Selection	•	Adjustable delay time for filter screen to change from dark to clear state
Lightweight Nylon Shell	•	Redesigned for comfort
Grinding Mode Switch	•	Set selection on outside of helmet for welding or grinding mode
Clear Optics (CE 1/2/1/1)	•	Increased field of vision makes it easier to see
Lens Size	3.86" x 1.69"	



SELECT SERIES AUTO DARKENING HELMETS



Model No. 4-1061
Select "Skull-Wrench"



Model No. 4-1063
Select "Carbon Racer"



Model No. 4-1065
Select "Prism"



Model No. 4-1071
Select "Flaming Skull"



Model No. 4-1072
Select "Cool Blue"



Model No. 4-1073
Select "Patriotic"


FEATURES	SELECT	DESCRIPTION
Shades 9-13	•	Adjust shade selection with knob on the outside of the helmet
1/90,000 Sec. Response	•	Upon striking arc, filter automatically changes from clear to dark
Magnifying Lens Holder	•	Includes magnifying lens holder as well as lens
Four Optical Arc Sensors	•	Each helmet has 4 sensors on the front
UV/IR Protection	•	Full protection for user's eyes and face, conforms with ANSI & CE safety standards
Adjustable Ratcheting Hdgr	•	Includes ratcheting headgear & moisture absorbing lining on the headband
Battery / Solar Power	•	Powered by high performance solar cells & has two built in batteries for backup
Delay Time Selection	•	Adjustable delay time for filter screen to change from dark to clear state
Lightweight Nylon Shell	•	Redesigned for comfort
Grinding Mode Switch	•	Set selection on outside of helmet for welding or grinding mode
Clear Optics (CE 1/2/1/1)	•	Increased field of vision makes it easier to see
Lens Size	3.86" x 2.17"	



Sensitivity Knob



Delay Time Switch



Shade Selection Knob



Weld/Grind Modes



Magnifying Lens Slot



ELITE SERIES AUTO DARKENING HELMETS



Model No. 4-1076
Elite "Red"



Model No. 4-1077
Elite "Justice"



Model No. 4-1078
Elite "Cool White"


FEATURES	ELITE	DESCRIPTION
Shades 4-13	•	Adjust shade selection with knob on the outside of the helmet
1/90,000 Sec. Response	•	Upon striking arc, filter automatically changes from clear to dark
Magnifying Lens Holder	•	Includes magnifying lens holder as well as lens
Four Optical Arc Sensors	•	Each helmet has 4 sensors on the front
UV/IR Protection	•	Full protection for user's eyes and face, conforms with ANSI & CE safety standards
Adjustable Ratcheting Hdgr	•	Includes ratcheting headgear & moisture absorbing lining on the headband
Battery / Solar Power	•	Powered by high performance solar cells & has two built in batteries for backup
Delay Time Selection	•	Adjustable delay time for filter screen to change from dark to clear state
Lightweight Nylon Shell	•	Redesigned for comfort
Grinding Mode Switch	•	Set selection on outside of helmet for welding or grinding mode
Clear Optics (CE 1/1/1/1)	•	Best available high definition optic lens in the industry, highest rating CE class
Lens Size	4.00" x 2.56"	




Sensitivity Knob



Delay Time Switch



Shade Selection Knob



Weld/Grind Modes



Magnifying Lens Slot

WELDER'S GEAR BAG

Model No. 4-1859

Made of oxford cloth. Open top bag features 2 outer mesh pockets, drawstring cinch top, and shoulder strap, to keep welding gear organized while on the go.







Helmet Headgear, Complete Face Shields













HELMET REPLACEMENT HEADGEAR

Ratcheting headgear can be easily tightened or loosened without removing the helmet. Headgear keeps helmet firmly in place during extreme activity.

Model No.	Style/Fit
4-1201	K-T Professional Welding Helmets
4-1202	K-T Gen 1 Welding Helments
4-1203	K-T Pro & Select Series Welding Helmets

HELMET REPLACEMENT KNOBS

Model No. 4-1207

Replacement knobs for K-T's Professional Welding Helmets. Knobs fit model numbers 4-1002, 4-1003, & 4-1004. Comes with 2 knobs and 2 screws.

HARD HAT ADAPTOR

Model No. 4-2553

Adapts K-T auto darkening helmets to K-T regular brim hard hats.





COMPLETE FACE SHIELDS

Sturdy, clear windows provide optimum protection from impact and dust. Tinted windows provide additional protection from glare. Ratchet headgear can be easily tightened or loosened without removing the visor. Headgear keeps the visor firmly in place during extreme activity. Meets ANSI Z87.1.

Model No.	Description
4-2470	Clear, Ratchet Headgear Complete
4-2471	Tinted, Ratchet Headgear Complete



REPLACEMENT FACE SHIELD WINDOW

Fits either snap lock headgear or ratchet headgear. Fits most other visors. Sturdy, clear windows provide optimum protection from impact and dust. Tinted windows provide additional protection from glare. Meets ANSI Z87.1.

Model No.	Description
4-2480	Clear Replacement Visor Unbound 9" X 15.5"
4-2481	Tinted Replacement Visor Unbound 9" X 15.5"
4-2482	Shade 5 Replacement Visor Unbound 9" X 15.5"
4-2487	Clear Replacement Visor Bound 9" X 15.5"
4-2488	Tinted Replacement Visor Bound 9" X 15.5"



RATCHET FACE SHIELD HEADGEAR

Model No. 4-2476

The ratchet headgear can be adjusted to 27 sizes. Easily tightened or loosened without removing the visor. Pivot tabs relieve pressure on temples. Soft vinyl sweatband. Adjustable headgear tension and crown strap adjust to four different height positions. Use K-T visors shown below. Exchangeable with Jackson Morsafe®, Huntsman®, Norton® and Bullard® visors. Meets ANSI Z87.1.

Pro Series Face Shield, Cover Lens

PRO SERIES GOGGLE WITH FACE SHIELD

Model No. 4-2475

Clear vented frame for heavy duty protection against dust, liquid, and foreign particles. Tough poly carbonate, lightweight, wide lens fits over prescription glasses. Soft TPR frame make the goggle comfortable for hours. Removable, rotatable face shield and adjustable elastic headband.



CLEAR COVER LENS

Protect more expensive filter plates from pitting and scratches. Replace pitted and scratched lens immediately. Use plastic when possible for safety.

Model No.	Size	Material
4-1100	2 x 4-1/4"	Glass
4-1101	2 x 4-1/4"	Plastic
4-1150	4-1/2 x 5-1/4"	Glass
4-1151	4-1/2 x 5-1/4"	Plastic
4-1193	50 MM	Glass
4-1194	50 MM	Plastic





CLEAR PLASTIC COVER LENS FOR AUTO DARKENING HELMETS

Protect more expensive filter plates from pitting and scratches. Replace pitted and scratched lens immediately. Use plastic when possible for safety.

Model No.	Type	Style/Fit
4-1177	Cover 2 Pack	Elite Series 4-1077 to 4-1079 4.91" x 4.19" x .040"
4-1178	Inside 2 Pack	Elite Series 4-1077 to 4-1079 2.70" x 4.21" x .040"
4-1185	Cover 2 Pack	Gen I 4-1050 to 4-1074 3.5" x 4.5"
4-1186	Inside 2 Pack	Select Series 4-1061 to 4-1073 2.28" x 4.21"
4-1187	Inside 2 Pack	Gen I 4-1050 1.8125" x 4.125"
4-1191	Cover 2 Pack	Pro & Select Series 4-1045 to 4-1073 3.88" x 4.85"
4-1192	Inside 2 Pack	Pro Series 4-1045 to 4-1052 1.8125" x 4.2"





Magnifier Lens, Filter Plates






2” x 4-1/4” MAGNIFIER LENS

Ideal for welders wearing bifocals. Almost unbreakable, resists scratching. Ideal optical performance provides welder with a better defined work area. Meets ANSI Z87.1.

Model No.	Description
4-1169	1.50 Magnifier Lens
4-1170	2.00 Magnifier Lens

* Also see new magnifier glasses in Safety glasses section.





FILTER PLATES

Available in different shades for different applications. Shade 4 and 5 are recommended for gas welding or cutting. Shade 9 through 12 are recommended for arc welding. The higher the number the darker the shade and more protection given. For more extreme exposure such as very heavy arc welding use shade 11 or 12. Meets ANSI Z87.1.

2” X 4-1/4” WELDING PLATES

Model No.	Size	Model No.	Shade
4-1105	No. 5	4-1110	No. 10
4-1108	No. 8	4-1111	No. 11
4-1109	No. 9	4-1112	No. 12

SHADE SELECTION CHART

SHADE SELECTION FOR GAS WELDING

Shade No.	Application
4	Welding and brazing up to 70 Ltr Acetylene/ hour, flame cutting up to 900 Ltr Oxygen/ hour, steel or grey cast iron welding, light alloy welding.
*5	General Welding and brazing with 70 to 200 Ltr Acetylene/hour, general flame cutting with 900 to 2,000 Ltr Oxygen/hour.
6	Heavy Welding and brazing with 200 to 800 Ltr Acetylene/hour, heavy flame cutting up to 2000 to 4000 Ltr Oxygen/hour.
7	Very heavy Welding and brazing with over 800 Ltr Acetylene/ hour, very heavy flame cutting from 4000 to 8000 Ltr Oxygen/ hour.
*8	Extremely heavy flame cutting over 4000 to 8000 Ltr Oxygen/ hour.

SHADE SELECTION FOR ELECTRIC WELDING

Shade No.	Plasma	Mig	Arc
*9			20-39A
*10		80-99A	40-79A
*11	50-149A	100-174A	80-174A
12	150-249A	175-249A	175-299A

*The most popular selling shades

4-1/2” x 5-1/4” WELDING PLATES

Model No.	Shade	Model No.	Shade
4-1158	No. 8	4-1160	No. 10
4-1159	No. 9	4-1161	No. 11

50 MM WELDING PLATES (Sold in Pairs)

For use with the 4-2360 goggles.

Model No.	Shade
4-1197	No. 5





GOLD FILTER PLATES

All of the shading properties plus the following big advantages. The gold lens reflects as much as 90% of radiated heat of welding arc which keeps the welding helmet much cooler. This allows the welder to work longer and more efficiently. The gold also reduces glare which reduces eye strain. Meets ANSI Z87.1.


Model No.	Size	Shade
4-1130	2” x 4-1/4”	No. 10 Gold Filter
4-1165	4-1/2” x 5-1/4”	No. 9 Gold Filter
4-1166	4-1/2” x 5-1/4”	No. 10 Gold Filter

Goggles

SOFT SIDE GOGGLES

Perfect for general oxy-acetylene welding and cutting. These goggles carry a shade 5 filter plate. The well-proportioned frame is made of the highest quality soft vinyl. Soft green opaque frame seals out light leaks. Light weight for longer comfort. Hooded vents are featured for air circulation and seals out all light. Fits over RX glasses. Meets ANSI Z87.1.

Model No.	Size	Type
4-2300	2 x 4-1/4"	Fixed Front
4-2305	2 x 4-1/4"	Flip Front
4-2362	50 mm	Fixed Front







CUP GOGGLES

Model No. 4-2360

The one piece molded plastic cups are flame resistant. Well vented hard plastic eye cups. Includes No. 5 filter plate. Clam shell packaged. Meets ANSI Z87.1.




WIDE VISION SAFETY GOGGLES

Model No. 4-2401

Professional quality. Clear vented frame for heavy duty protection against foreign particles. Tough poly carbonate lens. Soft TPR frame make the goggle comfortable for hours. Adjustable elastic headband. Meets ANSI Z87.1. and CE regulations for face and eye protection.




PERFORMATED SAFETY GOGGLES

Perforated frame for general industrial conditions. Can be worn with almost any prescription glasses. Soft vinyl frames make the goggle comfortable for hours. Clam shell packaged. Tinted not for oxy-acetylene welding. Meets ANSI Z87.1.

Model No.	Type
4-2400	Clear
4-2402	Tinted







CLEAR INDIRECT VENT CHEMICAL SAFETY GOGGLES

Model No. 4-2405

Frames have hooded and screened vents for acid and splash conditions. Can be worn with almost any prescription glasses. Soft vinyl frames make the goggle comfortable for hours. Clam shell packaged. Meets ANSI Z87.1.






Goggles, Hard Hats, Dust Masks





FOG FREE CLEAR INDIRECT VENT CHEMICAL SAFETY GOGGLES

Model No. 4-2409

Special fog free lens is excellent when fogging conditions exist. Frames have hooded and screened vents for acid and splash conditions. Professional quality. Tough poly carbonate lens. Can be worn with almost any prescription glasses. Soft vinyl frames make the goggle comfortable for hours. Adjustable elastic headband. Meets ANSI Z87.1. and complies with OSHA regulations for face and eye protection.





ELASTIC HEADBAND FOR GOGGLES

Model No. 4-2411

Elastic headbands are carded 4 to a card. Replace worn head band for safety. Works for just about all goggles sold.









HARD HATS

6-Point ratchet Nylon Suspension. Pinlock nylon suspension can be adjusted and locks for a secure, hassle free fit. Lightweight polyethylene with impact-absorbing ridges. Universal accessory slots fit most cap mounted ear muffs. Soft brow band is washable and reusable. Meets ANSI Z89.1-2003 Standard, Type 1, Class G & E

Model No.	Color
4-2500	White
4-2550	Yellow





FULL BRIM HARD HATS

Four point nylon strap suspension. Pinlock nylon suspension can be adjusted and locks for a secure, hassle free fit. Lightweight polyethylene with impact-absorbing ridges. Universal accessory slots fit most cap mounted ear muffs. Soft brow band is washable and reusable. Meets ANSI Z89.1-2009 Standard, Type 1, Class G & E. Manufactured in the USA.

Model No.	Color
4-2502	Full Brim White
4-2552	Full Brim Yellow

DISPOSABLE DUST MASKS

This featherweight dust mask needs only an elastic band to hold it. Adjustable nosepiece provides a comfortable and tight fit. It should be worn with glasses and face protection. The dust mask protects from nontoxic nuisance dust only. Suitable for home do-it-yourself projects.

Model No.	Pack
4-3300	5 Pack
4-3305	50 Pack

Safety Glasses, Safety Glasses Display

DIAMOND SERIES SAFETY GLASSES

K-T's Diamond Series safety glasses feature no frame lens and flexible rubber dual injected temple for pressure free fit. Meets ANSI Z87.1. Bulk

Model No.	Frame	Lens
4-2425	Yellow	Clear
4-2426	Blue	Clear
4-2427	Red	Clear
4-2428	Red	Tinted



VISITOR SAFETY GLASSES

These stylish plastic frame spectacles, which fit 95% of potential wearers, provides maximum eye protection and comfort at a great value. Meets ANSI Z87.1. Carded

Model No.	Lens
4-2460	Clear
4-2461	Tinted



WRAP AROUND SAFETY GLASSES

K-T's Wraparound Safety Glasses offer a winning combination of protection, style and comfort. The lightweight design temples assure superior fit. Optically correct, polycarbonate lens is distortion-free and impact resistant. Dual wraparound 9.75 base lens provides a nearly perfect orbital seal to enhance safety and performance. Meets ANSI Z87.1. Sold in packages of 12 only. Bulk

Model No.	Lens
4-2420	Clear
4-2421	Smoke
4-2422	Amber
4-2423	Silver Mirror



3 PACK SAFETY GLASSES

Model No. 4-2424

K-T's 3 Pack Safety Glasses features our popular wraparound safety glasses packaged with one each of clear, tinted, & mirrored. Optically correct, polycarbonate lens is distortion-free and impact resistant. Dual wraparound 9.75 base lens provides a nearly perfect orbital seal to enhance safety and performance. Meets ANSI Z87.1.



SAFETY GLASSES DISPLAY

Model No. 4-2419

This display case is designed to hold 18 pairs of K-T bulk wrap around glasses. Comes with 12 pairs each of 4-2420, 4-2421, 4-2422 and 4-2423.





Safety Glasses



ULTRA FASHION SAFETY GLASSES

Ultra Fashion Safety Glasses feature a 9.75 base lens curve for excellent optics and protection. Premium polycarbonate lens provides impact resistance. The telescoping temple length adjustment & gel nosepiece allows a precise fit & an all day comfort. Meets ANSI Z78.1 & Mil-PRF-31013 Ballistic. Carded

Model No.	Frame	Lens
4-3434	Camo	Clear
4-2436	Black	Clear
4-2437	Black	Tint
4-2438	Black	Mirror
4-2456	Black	Shade 5



WRAP AROUND SAFETY GLASSES

Wraparound safety glasses offer a combination of protection, style and comfort. The lightweight design and rubber-tipped temples assure superior comfort and fit. Optically correct, polycarbonate lens is distortion-free and impact resistant. Dual wraparound 9.75 base lens provides a nearly perfect orbital seal to enhance safety and performance. Meets ANSI Z87.1. Carded.

Model No.	Lens
4-2450	Clear Indoor/Outdoor
4-2455	Tinted



FASHION SAFETY GLASSES WITH NECKCORD

Clear lenses are coated to help provide scratch resistance for longer wear and sharp visibility. Soft rubber temples and nosepiece allow all day comfort for both men and women. All models include a neck cord. Meets ANSI Z87.1. (Not for Welding.) Carded.

Model No.	Color	Lens
4-2459	Black	Clear
4-2464	Black	Tinted
4-2465	Black	Mirrored



K-T POLARIZED LENS SAFETY GLASSES

Model No. 4-2457

Smoke-shade polarized lens blocks 99.9% of harmful UV rays and provides superior glare control in bright outdoor conditions. A built-in ventilation channel between the frame and lens gives extra fog control, while the polycarbonate lens provides impact resistance. The 4-Position temple length and 5-Position lens angle adjustments allow for a customized fit. Lightweight design and a non-slip, rubber nosepad give all day comfort. Meets ANSI Z87.1. Carded.



K-T RSx BIFOCAL 2.0 SAFETY GLASSES

Model No. 4-2458


Bifocal safety glasses offer all the protection of regular safety glasses, but eliminate the need to wear reading glasses under your safety glasses! Our clear, polycarbonate lens features a Diopter +2 magnification molded into the lower lens, giving you impact resistance and increased reading power all in one. Rubber-tipped temples and soft rubber nosepad allow all day comfort. Meets ANSI Z87.1. Carded.

Hearing Protection

COMFORT FIRST EAR PLUGS

Disposable one size fits all hearing protection. K-T ear plugs are easy to roll, which help them conform to a wide variety of different sized ear canals, providing excellent noise reduction. Made of PU-foam material. CE:EN352-2;SNR=37DB ANSI:S3.19; NRR=32DB

Model No.	Type
4-6100	Disposable 10 Pairs
4-6102	Disposable 20 Pairs
4-6104	Disposable Corded 5 Pairs




REUSABLE EAR PLUGS

Reusable medium ear plugs conform to each ear for excellent noise seal. Sold carded 1 per card.

Model No.	Type	NRR
4-6110	Single Flange	31 db
4-6111	Corded Triple Flange w/ case	25 db
4-6115	Triple Flange w/ Case	26 db



BANDED HEARING PROTECTION

Model No. 4-6120

Reusable ear plugs with Comfort First® Ear Pads. Excellent noise reduction. Sold display bagged 1 per display. 26 db NRR.




EAR MUFFS

Model No. 4-6150

Light weight comfortable fit. Soft foam lined ear cups equalize pressure. Ball and socket joining for adjustable fit. Dielectric, contains no metal parts that may conduct electricity. Can be worn over the head, under the chin or behind the head. Rotating ear cups limit chafing and irritation. The NRR is 27 decibels.




DELUXE EAR MUFFS

Model No. 4-6200

Light weight comfortable fit. Soft foam lined ear cups and headband equalize pressure. Ball and socket joining for adjustable fit. Dielectric, contains no metal parts that may conduct electricity. Can be worn over the head, under the chin or behind the head. Rotating ear cups limit chafing and irritation. The maximum NRR is 32 decibels.






Head Protection



BLACK QUILTED CAPS
Model No. 4-3150
Black quilted, flat crowned cap. Firm brimmed. Size medium.



WELDERS CAPS
High crowned cap. Soft brimmed.

Model No.	Size	Type	Print	Order Qty.
4-3122	Medium	Canvas	Various	1
4-3123	Large	Canvas	Various	1
4-3125	One-Size-Fits-All	Canvas	Various	1
4-3126	One-Size-Fits-All	Canvas	Partriotic	1
4-3127	One-Size-Fits-All	Cotton	Various	12 Pc. Clip
4-3128	One-Size-Fits-All	Canvas	Camo	1



BLACK FLAME RETARDANT BANDANA
Model No. 4-3133
Comfortably protects head and neck from flame and fire breakout. One size fits all.



PATRIOTIC PRINT WELDERS BEANIE
Model No. 4-3135
Stars and stripes various sizes.



BLACK FLAME RETARDANT WELDERS BEANIE
Model No. 4-3136
Comfortably protects head from flame and fire breakout. One size fits all.



DOO RAG BANDANAS
One size fits all.

Model No.	Type
4-3130	Various Prints
4-3131	Patriotic
4-3132	Camouflage



WINTER LINER
Model No. 4-3140
Makes caps and hats warm and comfortable to wear in the coldest weather. Flame-retardant material is preshrunk and washable. All dielectric design with no metal snaps. Universal size with adjustable velcro chin strap.



Welding Gloves

ECONOMY WELDING GLOVE

K-T's Economy welding glove features high quality split-back cowhide leather with Kevlar® stitching and full fleece lining. A great starter welding glove.

Model No.	Size
4-5004	Large
4-5005	Extra Large



FITTED WELDING GLOVE M/L

Model No. 4-5008

K-T's Fitted welding glove features high quality split-back cowhide leather with Kevlar® stitching, fitted cuff, and full fleece lining. Can be used for general work or welding.



INDUSTRIAL WELDING GLOVE XL

Model No. 4-5010

K-T's most popular glove in russet, featuring high quality shoulder leather with Kevlar® thread in all seams and reinforced palm patch. A very comfortable glove with popular styling, including full fleece lining. Thicker than the K-T Economy welding glove.



PROFESSIONAL WELDING GLOVE XL

Model No. 4-5020

Professional welders glove in blue. Top quality leather with Kevlar® threaded seams and reinforced palm patch gives this pair of gloves long life. This premium glove is thicker than the K-T Industrial Style welding glove.



16" BLACK WELDING GLOVE XL

Model No. 4-5025

Top quality shoulder split cow hide leather provides a tough and durable glove. The soft cotton lining keeps hands cool while welding. Kevlar® thread and reinforced palm patch gives this pair of gloves a long life. This premium glove will provide long lasting service and protection. Extra long 16" cuff gives added protection.



MIG WELDING GLOVE

K-T's MIG welding glove features top quality leather and Kevlar® threaded seams. A very comfortable glove with pliable leather where the MIG handle is held, and partially fleece lined. The glove will provide long lasting protection and wear.

Model No.	Size
4-5029	Large
4-5030	Extra Large





Gloves and Leathers



MIDNIGHT INK PREMIUM WELDING GLOVE XL

Model No. 4-5031

A premium choice for comfort, durability, dexterity, and protection. Features high grade split cowhide with reinforced palm, finger, and thumb patches, interior denim cuff and fleece lining for extra comfort, black leather piping around the fingers for extra durability, and special black Kevlar® threaded seams.



PREMIUM TIG WELDING GLOVE XL

Model No. 4-5032

A premium choice for comfort, durability, dexterity, and protection. Features a full fleece lining to provide extra comfort and protection. Ideal for almost any job. Quality lambskin leather makes this glove a great all around choice and superb value.



TIG WELDING GLOVE XL

Model No. 4-5033

Ideal for almost any job. Durable goatskin leather palm and fingers with excellent dexterity makes this glove a great all around choice.



PREMIUM MIG WELDING GLOVE

Premium MIG welding glove features top quality shoulder split cowhide leather, providing a tough and durable glove. Soft cotton lining keeps hands cool while welding. Kevlar thread and reinforced palm patch gives these gloves long life.

Model No.	Size
4-5035	Large
4-5036	Extra Large



FABRICATOR WORK/WELDING GLOVE

This fabricator work glove is Kevlar® stitched, made from cowhide, and is heat resistant. It is a multi-functional glove and perfect for MIG applications.

Model No.	Size
4-5038	Large
4-5039	Extra Large
4-5040	Extra Extra Large



LEATHER WELDING SLEEVES

Model No. 4-5105

Made of high quality split cowhide and Kevlar® stitched seams, 23" leather sleeves comfortably protect upper and lower arms from weld burns.

4' Gold Select Leathers Display

LEATHER WAIST APRON

Model No. 4-5110

This apron features heavy duty suede leather. The one piece design provides extra durability. Comfortable adjustable ties keep apron in place. 24" wide x 24" long.





LEATHER WELDING APRON

Model No. 4-5115

Made of heavy duty suede leather. The one piece design provides extra durability. Comfortable adjustable straps keep apron in place. Size 24" Wide X 36" Long

LEATHER WELDING JACKET

Made of high quality split-back cowhide and Kevlar stitched seams. Features double stitched pockets and collar, reinforced dielectric snaps, and riveted stress points.

Model No.	Size
4-5120	Extra Large
4-5121	Extra Extra Large





X-LARGE LEATHER CAPE AND SLEEVES

Model No. 4-5123

Made of heavy duty suede leather. The most versatile and popular welding garment. It provides protection where needed most, at the arms and upper body. 14" bib offers full coverage.

FLAME RETARDANT CLOTH JACKET

Features material that will retain flame retardancy for dozens of home washings. Dielectric and insulated snaps along with velcro to enhance fit and safety. EN 11612, 11611, A B1 C1, EN 470-1, EN 531, 532.

Model No.	Size
4-5220	Small
4-5221	Medium
4-5222	Large
4-5223	Extra Large
4-5224	Extra Extra Large
4-5225	Extra Extra Extra Large





WELDERS CLOTH SAFETY SLEEVES

Model No. 4-5205

K-T's welders safety flame retardant sleeve cloth features material that will retain flame retardancy for dozens of home washings. EN 11612, 11611, A B1 C1, EN 470-1, EN 531, 532.



Gold Select Work Gloves



LEATHER PALM WORK GLOVES

Tough, durable & comfortable glove. Our leather palm work glove features heavy, side split cowhide on the palm, thumb and index finger, finger tips & knuckle strap. Great hand protection at a great value.

Model No.	Size
4-5000	Large
4-5001	Extra Large



PREMIUM LEATHER PALM WORK GLOVES

Model No. 4-5002

Tough, durable & comfortable glove. Our leather palm work glove features heavy, side split leather on the palm, thumb & index finger, finger tips & knuckle strap. Great hand protection at a great value. Size Large/Extra Large.



FOAM LINED LEATHER WORK GLOVES

Model No. 4-5410

All purpose 100% cow split leather with foam lining. Great for agriculture, gardening, material handling, or yard work. Size Extra Large.



HI-VIS LEATHER PALM WORK GLOVES

Perfect for general purpose, steel & railroad, road construction & equipment operators. Premium full grain leather palm. High visibility orange & yellow fabric back.

Model No.	Size
4-5413	Large
4-5414	Extra Large



PREMIUM MECHANICS GLOVES

Oil and water resistant for automotive, carpentry, & material handling. Breathable for all day comfort. Features a velcro style cuff.

Model No.	Size
4-5501	Medium
4-5502	Large
4-5503	Extra Large



LINED MECHANICS GLOVES

Perfect for cold conditions. Oil & water resistant for automotive, carpentry, & material handling. Breathable for all day comfort. Features a slip-on style cuff.

Model No.	Size
4-5511	Medium
4-5512	Large
4-5513	Extra Large



THINSULATE® LINED LEATHER UTILITY GLOVES

Model No. 4-5520

An extremely soft glove with winged thumb for flexibility. Breathable for all day comfort and lined for warmth. Size Extra Large.

Gold Select Work Gloves

IMPACT UTILITY GLOVES

Model No. 4-5561

Thermoplastic rubber protects fingers & knuckles. Breathable fabric stretches & comforms to hands. Features a non-slip palm. Size Large.



PREMIUM IMPACT GLOVES

Designed with touch technology along with having water resistant and flexible material.

Model No.	Size
4-5565	Large
4-5566	Extra Large



PREMIUM LEATHER UTILITY GLOVES

Very durable, oil & water resistant perfect for farming & machinery work. Breathable for all day comfort.

Model No.	Size
4-5534	Medium
4-5535	Large
4-5536	Extra Large



LEATHER UTILITY GLOVES

Very durable, oil & water resistant perfect for farming & machinery work. Breathable for all day comfort.

Model No.	Size
4-5537	Medium
4-5538	Large
4-5539	Extra Large



GOATSKIN LEATHER DRIVERS GLOVES

Very flexible, oil and water resistant premium glove for maintenance, light carpentry, & home or shop work.

Model No.	Size
4-5602	Medium
4-5603	Large
4-5604	Extra Large



LINED GOATSKIN LEATHER DRIVER GLOVES

Lined for cold weather.

Model No.	Size
4-5607	Medium
4-5608	Large
4-5609	Extra Large





Gold Select Work Gloves



COWHIDE LEATHER DRIVER GLOVES

Very durable, flexible, oil & water resistant premium glove for construction, agriculture, shop, & equipment work.

Model No.	Size
4-5612	Medium
4-5613	Large
4-5614	Extra Large



THINSULATE® LINED COWHIDE DRIVER GLOVE

Model No. 4-5620

Very durable, flexible, oil & water resistant premium glove for construction, agriculture, shop, & equipment work. Lined for warmth in cold weather. Size XL



DEERSKIN LEATHER DRIVER GLOVES

Very soft, flexible, oil & water resistant premium glove for driving & maintenance work.

Model No.	Size
4-5626	Medium
4-5627	Large
4-5628	Extra Large



COWHIDE LEATHER DRIVER GLOVES

Oil resistant, water resistant, flexible glove is made from 50% cow split leather and 50% cow grain leather. It is designed with a durable split back and full grain palm glove suited for landscaping, carpentry, and construction work.

Model No.	Size
4-5629	Extra Small
4-5630	Small
4-5631	Medium
4-5632	Large
4-5633	Extra Large
4-5634	Extra Extra Large



LEATHER DRIVER GLOVES

Model No.	Size
4-5660	Medium
4-5661	Large
4-5662	Extra Large



SPLIT BACK COWHIDE DRIVER GLOVES

Durable split back & full grain palm glove for landscaping, carpentry, & construction work.

Model No.	Size
4-5631	Medium
4-5632	Large
4-5633	Extra Large

Gold Select Work Gloves

SUEDE COWHIDE DRIVER GLOVES

Features adjustable strap to keep glove secure for landscaping, carpentry, & construction work.

Model No.	Size
4-5637	Medium
4-5638	Large
4-5639	Extra Large



LINED SUEDE COWHIDE DRIVER GLOVES

Suede split leather gloves with double fleece lining offers maximum warmth, durability, abrasion resistance & comfort. Ideal for carpentry, landscaping, & construction in cold weather conditions.

Model No.	Size
4-5641	Medium
4-5642	Large
4-5643	Extra Large



COWHIDE LEATHER FENCER GLOVES

Heavy weight split leather ideal for ranching, fencing, & construction. Kevlar® stitching in high stress areas, reinforced palm patch, wrap around thumb, & knuckle strap.

Model No.	Size
4-5651	Large
4-5652	Extra Large



8 OZ JERSEY GLOVES

Comfortable soft cotton/polyester jersey gloves feature a slip on cuff.

Model No.	Size
4-5705	Small/Medium
4-5706	Large/Extra Large
4-5710	6 Pack Large/Extra Large



LINED JERSEY GLOVES

Lined for warmth in cold weather. Comfortable soft cotton/polyester gloves feature a slip on cuff.

Model No.	Size
4-5725	Small/Medium
4-5726	Large/Extra Large



YELLOW COTTON FLEECE CHORE GLOVES

Model No. 4-5730

Extremely soft cotton glove with elastic knitted cuff to keep dirt and debris out. Great for farm and garden use. Size Large/Extra Large.



HOT MILL HEAT RESISTANT GLOVES

Quilted cotton palm with a jersey back and knuckle strap. Provides intermittent heat protection.

Model No.	Ounces	Size
4-5745	24	Extra Large
4-5748	30	Extra Large





Gold Select Work Gloves













COTTON CANVAS GLOVES

Good protection against abrasion, perfect for material handling & landscaping. Lightweight & comfortable with increased gripping ability.

Model No.	Size
4-5740	Large
4-5742	Extra Large

LATEX KNIT GLOVES

Ideal for automotive, assembly, & gardening with the latex coated texture palm & seamless knit cotton/polyester shell. High elasticity & grip. Superior dexterity & protection.

Model No.	Size
4-5802	Medium
4-5806	Large
4-5807	Extra Large

NITRILE KNIT GLOVES

Perfect for automotive, assembly, & gardening with the nitrile coated palms & seamless knit nylon shell. Conforms to the hand.

Model No.	Size
4-5812	Medium
4-5813	Large
4-5814	Extra Large

NITRILE COATED CHEMICAL GLOVES

Model No. 4-5816

Perfect for handling abrasive materials in general work, construction, or metal fabrication with the heavy duty nitrile coating. Size Large.

PREMIUM PVC CHEMICAL GLOVES

Premium PVC supported chemical-resistant. Protects against anhydrous ammonia & other agricultural chemicals. Double dipped texture for wet/dry grip. 12” cuff for additional protection.

Model No.	Size
4-5830	Large
4-5831	Extra Large

NITRILE CHEMICAL GLOVES


Model No. 4-5836

Perfect for steel bar handling, oil refining, and farming with the heavyweight nitrile coating. 12” cuff for additional protection. Size Large/Extra Large.

ABRASIVES & BRUSHES




QUALITY TOOLS FOR THE PROFESSIONAL
KT INDUSTRIES INC.
ABRASIVE & BRUSH CENTER






KT INDUSTRIES INC.
Flap Discs
Type 27
Type 29



Industrial Power Brushes

CARBON STEEL CRIMPED CUP BRUSHES

Made of high quality crimped carbon steel for light duty cleaning of large surfaces. Removes weld scale and corrosion. Works well for pre-paint prep and cleaning up welds.

Model No.	Dia.	Arbor	MAX RPM
5-3052	3”	5/8”-11	14,000
5-3054	4”	5/8”-11	9,000





CARBON STEEL KNOTTED CUP BRUSHES

Made of high quality twisted carbon steel for heavy duty cleaning of large surfaces. Removes weld scale and heavy corrosion. Works well for pre-paint prep and cleaning up welds. *Includes Support Ring

Model No.	Dia.	Arbor	MAX RPM
5-3062*	3”	5/8”-11	12,500
5-3064	3”	5/8”-11	12,500
5-3066*	4”	5/8”-11	8,500





CARBON STEEL DOUBLE KNOTTED CUP BRUSHES

Made of high quality twisted carbon steel for removing excess rubber from rubber to metal bonded parts. Works well for cleaning up welds and removing residues from adhesives, rust, and paint.

Model No.	Dia.	Arbor	MAX RPM
5-3068	4”	5/8”-11	8,500
5-3070	5”	5/8”-11	6,500





CARBON STEEL KNOTTED WHEEL BRUSHES

Made of high quality narrow twisted carbon steel. Works well for cleaning up weld corners. Works with portable angle grinders. *Includes Stringer

Model No.	Dia.	Face	Arbor	MAX RPM
5-3072*	4”	Narrow	5/8”-11	12,500
5-3074	4-1/2”	Medium	5/8”-11	12,500
5-3076*	6”	Narrow	1/2-5/8	9,000
5-3078*	6-1/2”	Narrow	5/8”-11	9,000





STAINLESS STEEL KNOTTED CUP BRUSH

Model No. 5-3082

3” Knotted cup brush is made of high quality twisted stainless steel for heavy duty cleaning of large surfaces. Removes rust and other contaminations. Works well on stainless and aluminum alloys. Arbor 5/8”-11. Max 12,500 RPM.





STAINLESS STEEL KNOTTED WHEEL BRUSHES

Made of high quality narrow twisted stainless steel. Works well for cleaning up weld corners. Works with portable angle grinders. *Includes Stringer

Model No.	Dia.	Face	Arbor	MAX RPM
5-3084*	4”	Narrow	5/8”-11	12,500
5-3086	4”	Medium	5/8”-11	12,500






Industrial End Brushes and Power Brushes



CRIMPED END BRUSHES

For cleaning corners and confined areas. Great for removing paint, rust, & scale.

Model	Dia.	Type	Shaft	Max RPM
5-3042	3/4”	Carbon	1/4” Shank	25,000
5-3080	3/4”	Stainless Steel	1/4” Shank	25,000





KNOTTED END BRUSH

Model No. 5-3046

For cleaning corners and confined areas. Great for removing paint, rust, & scale.

4” NARROW FACED KNOT WHEEL BRUSH

Model No. 5-3345

The narrow bead faced brush is the perfect brush for cleaning weld beads and other applications where a narrow bead (3/16”) is needed. Commonly used where piping, tubing and fittings are joined. 20,000 max RPM. 5/8-11 Arbor.





4” COARSE WIRE WHEEL BRUSH

Model No. 5-3340

The coarse bead faced brush is the perfect brush for fast cleaning of weld beads where speed is needed. Covers more area faster than narrow faced brushes. Commonly used where piping, tubing and fittings are joined. 15,000 max RPM. 5/8-11 Arbor.





MEDIUM FACED KNOT WHEEL BRUSHES

Perfect for fast cleaning of weld beads where speed is needed. Covers more area faster than narrow faced brushes. Commonly used where piping, tubing and fittings are joined.

Model No.	Dia.	Arbor	MAX RPM
5-3350	4”	5/8”-11	20,000
5-3351	4”	M10 x 1.25	12,500
5-3320	6”	5/8”-11	11,000
5-3321	6”	1/2”-5/8” (No Threads)	11,000





BENCH GRINDER WHEEL BRUSHES

Fits most bench grinders. All brushes have coarse wire.

Model No.	Diameter	Face	Arbor	MAX RPM
5-3325	6”	Medium	1/2-5/8”	6,500
5-3330	6”	Wide	1/2-5/8”	6,000
5-3335	8”	Medium	1/2-5/8”	4,500





2 PC. ARBOR ADAPTOR SET

Model No. 5-3450

Adapts 5/8-11 hubs to metric hub. A terrific inventory cost saver. Includes 5/8”-11 to M10 x 1.25 and 5/8”-11 to M10 x 1.5.

Power Brushes

CRIMPED CUP BRUSHES

Cup brushes are designed to reach into angles and corners, thoroughly cleaning irregular shapes and surfaces. Crimped wire cup brushes are used for lighter jobs and areas where greater brush flexibility is needed. Excellent for flat surface and edge cleaning.

Model No.	Diameter	Arbor	MAX RPM
5-3425	3”	M10 x 1.25	12,500
5-3426	3”	M10 x 1.50	8,500
5-3427	3”	1/2” x 13	12,500
5-3435	3”	5/8”-11	14,000
5-3145	4”	5/8”-11	8,500
5-3155	5”	5/8”-11	6,500
5-3166	6”	5/8”-11	6,500





KNOT CUP BRUSHES

Cup brushes are designed to reach into angles and corners, thoroughly cleaning irregular shapes and surfaces. Knot brushes can withstand more severe usage than crimped wire brushes. Knot brushes are useful for removing weld scale, rust, old paint and corrosion.

Model No.	Diameter	Arbor	MAX RPM
5-3410	2-3/4”	M10 x 1.25	12,500
5-3411	2-3/4”	M10 x 1.50	8,500
5-3412	2-3/4”	1/2” x 13	12,500
5-3413	2-3/4”	M14 x 2	12,500
5-3415	2-3/4”	5/8”-11	12,500
5-3245	4”	5/8”-11	8,500
5-3265	5”	5/8”-11	6,500
5-3266	6”	5/8”-11	6,500





4” DOUBLE ROW KNOT CUP BRUSH

Model No. 5-3246

For harsh cleaning conditions. Double blister package. 8,500 max RPM. 5/8”-11 Arbor.





End Brushes, 4 Pc. Clean Up Brush Set



























CRIMPED END BRUSHES

Great for hard to reach areas. Fine or coarse for varying degrees of cleaning.

Model	Dia.	Type	Shaft	Max RPM
5-3362	3/4”	Coarse	1/4” Shank	4,500
5-3363	3/4”	Fine	1/4” Shank	4,500
5-3364	1”	Coarse	1/4” Shank	4,500
5-3365	1”	Fine	1/4” Shank	4,500
5-3382	1”	Coarse	1/4” Hex	4,500
5-3383	1”	Fine	1/4” Hex	4,500

KNOT END BRUSHES

Great for cleaning hard to reach areas. Perfect for harsh cleaning conditions.

Model	Dia.	Type	Shaft	Max RPM
5-3366	3/4”	Coarse	1/4” Shank	4,500
5-3367	1”	Coarse	1/4” Shank	4,500

UTILITY CUP END BRUSHES

Great for the Do-It-Yourself person. 1/4” shank fits most drills. Max RPM 4,500.

Model	Dia.	Type	Shaft	Max RPM
5-3375	1-3/4”	Coarse	1/4” Shank	4,500
5-3377	2-3/4”	Fine	1/4” Shank	4,500
5-3378	2-3/4”	Coarse	1/4” Shank	4,500
5-3394	2”	Fine	1/4” Hex	4,500
5-3395	2”	Coarse	1/4” Hex	4,500
5-3396	3”	Coarse	1/4” Hex	4,500
5-3397	3”	Fine	1/4” Hex	4,500

UTILITY CIRCULAR END BRUSHES

Great for the Do-It-Yourself person.

Model	Dia.	Type	Shaft	Max RPM
5-3370	3”	Coarse	1/4” Shank	4,500
5-3371	3”	Fine	1/4” Shank	4,500
5-3372	1-1/2”	Coarse	1/4” Shank	4,500
5-3374	2”	Coarse	1/4” Shank	4,500
5-3386	2”	Coarse	1/4” Hex	4,500
5-3388	3”	Coarse	1/4” Hex	4,500
5-3389	3”	Fine	1/4” Hex	4,500
5-3390	4”	Coarse	1/4” Hex	4,500
5-3391	4”	Fine	1/4” Hex	4,500

4 Pc. END BRUSH CLEAN UP SET

Model No. 5-3005

Excellent for removing paint, rust or other unwanted material from areas that are difficult to reach. Mounted on 1/4” shanks to fit most drills or other tools with chucks. Includes the following: 3” Crimped Wire Wheel Brush, 3/4” Crimped End Brush, 2” Crimped Wire Cup Brush and 3” Flap Wheel.

Angle Grinder and Grinding Wheels

4-1/2" ANGLE GRINDER

Model No. 1-0025

Angle grinder features a paddle switch for control in tight spaces, a high-performance 10 amp motor for up to 11,000 RPM for fast material removal. The adjustable 2-position side handle, tool-free guard, and spindle lock enable fast on-the-job wheel changes, minimizing downtime. Works well for grinding, cutting, and shaping.



TYPE 27 METAL DEPRESSED CENTER GRINDING WHEELS

Made with resin bond and are fully reinforced with fiberglass for safety at high speeds. Wheels are two-ply fiberglass reinforced for maximum strength. K-T wheels have a balanced design for long life, efficiency and safety in grinding jobs.

Model No.	Size	Arbor	Type	Qty	RPM
5-4225	4-1/2 x 1/4	7/8"	27	5 Pack	13,300
5-4240	4 x 1/4	5/8"	27	5	15,200
5-4241	4 x 1/8	5/8"	27	5	15,200
5-4245	4-1/2 x 1/4	7/8"	27	5	13,300
5-4246	4-1/2 x 1/8	7/8"	27	5	13,300
5-4250	5 x 1/4	7/8"	27	5	12,200
5-4270	7 x 1/4	7/8"	27	1	8,600
5-4271	7 x 1/8	7/8"	27	1	8,600



TYPE 27 METAL GRINDING WHEELS WITH HUB

K-T type 27 depressed center wheels with 5/8"-11 hub. Resin bonded and are fully reinforced with two-ply fiberglass for safety and strength at high speeds. Balanced design for long life, efficiency and safety in grinding jobs.

Model No.	Size	Arbor	Type	Qty	RPM
5-4247	4-1/2 x 1/4	5/8"-11	27	1	13,300
5-4470	7 x 1/4	5/8"-11	27	1	8,600
5-4471	7 x 1/8	5/8"-11	27	1	8,600
5-4490	9 x 1/4	5/8"-11	27	1	6,600



TYPE 27 ALUMINUM GRINDING WHEEL

Designed to be used on aluminum.

Model No.	Size	Arbor	Type	Qty	RPM
5-4232	4-1/2 x 1/4	7/8"	27	5	13,300
5-4235	7 x 1/4	5/8"-11	27	1	8,500



TYPE 27 MASONRY GRINDING WHEELS

Made with silicone carbide with two fiberglass reinforcements for maximum strength and clean grinding. Designed not to load up. Available in different sizes.

Model No.	Size	Arbor	Qty	Max RPM
5-4230	4 x 1/4	5/8"	5	15,300
5-4231	4-1/2 x 1/4	7/8"	5	13,300



Cut Off Wheels, Mandrel, Cut Off Wheel Kit



MANDREL FOR SMALL CUTTING WHEELS

Model No. 5-5300

Fits both 1/4” and 3/8” arbored grinding wheels. Has 1/4” shank.

CUT OFF WHEEL KIT

Model No. 5-5400

Three 3” cut off wheels and drill adaptor mandrel included in this set. Wheels measure 1/16” x 1/4”, 1/32” x 1/4” and 1/8” x 1/4”.

TYPE 1 REINFORCED CUT OFF WHEELS

Resin bonded and reinforced with fiberglass to assure the highest quality and safety. These wheels are formulated for high performance cutting and grooving.

Model No.	Size	Qty	Max RPM
5-5227	3 x 1/32 x 1/4”	10	25,000
5-5228	3 x 1/16 x 1/4”	10	25,000
5-5229	3 x 1/8 x 1/4”	10	25,000
5-5230	3 x 1/16 x 3/8”	10	25,000
5-5231	3 x 1/8 x 3/8”	10	25,000
5-5233	3 x .040 x 3/8” Premium Metal & Stainless Steel	10	25,000
5-5237	4 x 1/32 x 3/8”	10	15,200
5-5238	4 x 1/16 x 3/8”	10	15,200
5-5239	4 x 1/8 x 3/8”	10	15,200
5-5240	4 x 1/16 x 5/8”	10	15,200
5-5241	4 x 1/8 x 5/8”	10	15,200
5-5243	4 x .040 x 5/8” Premium Metal & Stainless Steel	10	15,200
5-5245	4-1/2 x 1/16 x 7/8”	10	13,300
5-5246	4-1/2 x 1/8 x 7/8”	10	13,300
5-5247	4-1/2 x .040 x 7/8” Premium Metal & Stainless Steel	10	13,300
5-5250	5 x 1/16 x 7/8”	10	12,200
5-5252	4-1/2 x .090 x 7/8” Aluminum Cut Off Wheel	10	13,300
5-5260	6 x .040 x 7/8” Premium Metal & Stainless Steel	10	10,200

MASONRY REINFORCED CUT OFF WHEELS

K-T reinforced cut off wheels are resin bonded and reinforced with fiberglass to assure the highest quality and safety. Use for cutting masonry, concrete, block and brick.

Model No.	Size	Qty	RPM
5-5234	4 x 1/16 x 5/8”	10	15,200
5-5244	4-1/2 x 1/16 x 7/8”	10	13,300

Cut Off Wheels

TYPE 27 GRIT A60 REINFORCED CUT OFF WHEELS

Resin bonded and reinforced with fiberglass to assure the highest quality and safety. This wheel is formulated for premium metal & stainless steel, high performance cutting & grooving.

Model No.	Size	Arbor	Qty	Max RPM
5-5248	4-1/2 x .090"	7/8"	5	13,300
5-5249	4-1/2 x .045"	7/8"	10	13,300
5-5270	7 x 1/16"	7/8"	10	8,600




TYPE 27 REINFORCED CUT OFF WHEELS

K-T reinforced cut off wheels are resin bonded & reinforced with fiberglass to assure the highest quality and safety. This wheel is formulated for premium metal & stainless steel.

Model No.	Size	Qty	RPM
5-5253	4-1/2 x .045 x 5/8"-11	1	13,580
5-5263	6 x .045 x 5/8"-11	1	13,580





PORTABLE SAW REINFORCED CUT OFF WHEELS

K-T reinforced cut off wheels are resin bonded and reinforced with fiberglass to assure the highest quality and safety. These wheels are designed to be used on hand saws. 5/8" arbor with diamond knock-out.

Model No.	Size	Qty	Description	RPM
5-5670	7 x 1/8" x Dia.	5	Metal	8,600
5-5671	7 x 1/8" x Dia.	5	Masonry	8,600
5-5672	7 x 1/8" x Dia.	10	Metal & SS	8,600



METAL REINFORCED CUT OFF WHEELS

K-T reinforced cut off wheels are resin bonded and reinforced with fiberglass to assure the highest quality and safety. 7/64" wheels are designed to work on low horsepower saws. 1/8" wheels are double reinforced.
USE ON STATIONARY CUT OFF SAWS ONLY.

Model No.	Size	Qty	Description	RPM
5-5512	12 x 7/64 x 1"	5	Metal	5,100
5-5514	14 x 7/64 x 1"	5	Metal	4,400
5-5515	14 x 3/32 x 1"	5	Metal	4,400
5-5214	14 x 1/8 x 1"	5	Metal	4,400



METAL DOUBLE REINFORCED CUT OFF WHEELS

Use with high speed, gas powered saws. Expect maximum strength from these double strength fiberglass and 5/32" thickness. Use for cutting metal shapes and solids. Dual arbor 1" or 20mm.

Model No.	Description	Qty	RPM
5-5320	12 x 5/32 x 1" / 20mm	5	6,300
5-5330	14 x 5/32 x 1" / 20mm	5	5,500



Cut Off Wheels & Diamond Cutting Wheels





MASONRY REINFORCED CUT OFF WHEELS

These wheels are slightly wider than 1/8" to provide a steady cut. Double reinforced. Use for cutting masonry, concrete, block and brick. USE ON STATIONARY CUT OFF SAWS ONLY.

Model No.	Size	Qty	RPM
5-5220	12 x 1/8 x 1"	5	5,100
5-5221	14 x 1/8 x 1"	5	4,400

MASONRY DOUBLE REINFORCED CUT OFF WHEELS

Use with high speed, gas powered saws. K-T reinforced cut off wheels are resin bonded and reinforced with fiberglass to assure the highest quality and safety. Expect maximum strength from these double strength fiberglass and 5/32" thickness wheels. Use for cutting metal shapes and solids, masonry, concrete, block and brick.

Model No.	Description	Qty	RPM
5-5322	12 x 5/32 x 1"	5	6,300





CONTINUOUS RIM DIAMOND BLADES

Primarily used for cutting tile. Secondary uses may include masonry, stone, granite and marble. Smooth chip free cutting when used wet. 4" blade may be used wet or dry. 8" and 10" are designed for wet cutting. Wet cutting provides longer blade life. Features advanced high density bond, high center strength and high diamond concentration.

Model No.	Size	Height	ID/Bushings	Max RPM
5-5710	4" x .060"	5 mm	7/8"-20 mm-5/8"	14,700
5-5712	8" x .095"	5 mm	5/8"	6,800
5-5713	10" x .110"	7 mm	5/8"	6,100





TURBO RIM DIAMOND BLADES

Designed primarily for cutting granite, natural and artificial stone. Secondary uses include cutting brick, block, stone, masonry products, concrete tile. Fast and smooth cutting. All blades may be used for wet or dry cutting. Wet cutting provides longer blade life. Features advanced high density bond, high center strength and high diamond concentration.

Model No.	Size	Height	ID/Bushings	Max RPM
5-5720	4" x .080"	7 mm	7/8"-20 mm-5/8"	14,500
5-5721	4-1/2" x .080"	7 mm	7/8"-20 mm-5/8"	14,500



SEGMENTED RIM DIAMOND BLADES

Used for cutting masonry products, concrete, brick and block. Secondary uses include granite, marble cutting. Fast cutting and very efficient. All blades may be used for wet or dry cutting. Wet cutting provides longer blade life. Features advanced high density bond, high center strength and high diamond concentration.

Model No.	Size	Height	ID/Bushings	Max RPM
5-5740	4" x .070"	7 mm	7/8"-20 mm-5/8"	14,500
5-5741	4-1/2" x .080"	7 mm	7/8"-20 mm-5/8"	13,200
5-5743	7" x .090"	7 mm	7/8"-5/8"	8,400
5-5745	14" x .130"	7 mm	1"-20mm	5,400



DOUBLE ROW DIAMOND CUP WHEEL

Model No. 5-5705

4" Cup Wheel is used for block, concrete, stone and masonry applications. Offset double segmented diamond wheel for faster removal. Common 5/8"-11 arbor for use with 4" or 4-1/2" grinders. Factory safe RPM: 9,000; Maximum RPM: 15,000.

Type 27 Flap Discs, Type 29 Blue Zirconia Flap Discs, Surface Prep Discs

FLAP DISCS

Use where you would use a resin fibre disc or grinding wheel. Flap disc edges wear down gradually to give it an extra long life. Although the initial cost is higher, flap discs are more economical than resin fibre discs because of the long use life.

Model No.	Dia.	Arbor	Grit	Type	Abrasive Grain	RPM
5-6940	4”	5/8”	Z40	29	Blue Zirconia	15,200
5-6941	4”	5/8”	Z60	29	Blue Zirconia	15,200
5-6942	4”	5/8”	Z80	29	Blue Zirconia	15,200
5-6943	4-1/2”	7/8”	A40	29	Aluminum Oxide	13,300
5-6944	4-1/2”	7/8”	A60	29	Aluminum Oxide	13,300
5-6945	4-1/2”	7/8”	A80	29	Aluminum Oxide	13,300
5-6946	7”	5/8” - 11	Z40	29	Blue Zirconia	8,500
5-6947	7”	5/8” - 11	Z60	29	Blue Zirconia	8,500
5-6948	7”	5/8” - 11	Z80	29	Blue Zirconia	8,500
5-6962	4-1/2”	7/8”	Z40	29	Blue Zirconia	13,300
5-6963	4-1/2”	7/8”	Z60	29	Blue Zirconia	13,300
5-6964	4-1/2”	7/8”	Z80	29	Blue Zirconia	13,300
5-6965	4-1/2”	5/8” - 11	Z40	29	Blue Zirconia	13,300
5-6966	4-1/2”	5/8” - 11	Z60	29	Blue Zirconia	13,300
5-6967	4-1/2”	5/8” - 11	Z80	29	Blue Zirconia	13,300
5-6969	4-1/2”	5/8” - 11	Z120	29	Blue Zirconia	13,300
5-6970	4-1/2”	7/8”	Z40	29	Blue Zirconia (High Density)	13,300
5-6971	4-1/2”	7/8”	Z60	29	Blue Zirconia (High Density)	13,300
5-6972	4-1/2”	7/8”	Z80	29	Blue Zirconia (High Density)	13,300
5-6973	4-1/2”	5/8” - 11	Z40	29	Blue Zirconia (High Density)	13,300
5-6974	4-1/2”	5/8” - 11	Z60	29	Blue Zirconia (High Density)	13,300
5-6975	4-1/2”	5/8” - 11	Z80	29	Blue Zirconia (High Density)	13,300
5-6977	4-1/2”	7/8”	Z40	27	Blue Zirconia	13,300
5-6978	4-1/2”	7/8”	Z60	27	Blue Zirconia	13,300
5-6979	4-1/2”	7/8”	Z80	27	Blue Zirconia	13,300
5-6980	4-1/2”	7/8”	C40	29	Ceramic	13,300
5-6981	4-1/2”	7/8”	C60	29	Ceramic	13,300
5-6982	4-1/2”	7/8”	C80	29	Ceramic	13,300



EASY STRIP & CLEAN DISC

Model No. 5-6985

Used to remove rust, paint, and dirt while cleaning large surfaces. 4-1/2” x 7/8” Type 27. 11,000 max RPM.

WOOLEN FELT FLAP DISC

Model No. 5-6986

Used for polishing and buffing irregular or contoured surfaces. 4-1/2” x 7/8” Type 27. 13,300 max RPM.

SURFACE CONDITIONING FLAP DISC

Model No. 5-6989

Used for edge breaking, clean-up, & finishing. Used after traditional flap disc grinding. 320 Grit 4-1/2” x 7/8” Type 27. 13,300 max RPM.

Polishing Pad, Buffing Kit, Scouring Pads, & Backing Pads



6” SPIRAL SEW COTTON BUFFING WHEEL

Model No. 5-6875

55 Ply spiral sewn cotton buffing wheel for use on bench grinders, polishers, lathes, or buffing machines. Use with white buffing compound, blue rouge, or pink rouge buffing compound.





POLISHING PADS

Single sided with hook and loop back for quick change out. Use with polishing compound. 12,000 max RPM.

Model No.	Size	Material
5-6878	5”	Wool
5-6880	7”	Wool





3PC FOAM BUFFING PAD KITS

Kits includes three soft foam hook and loop buffing pads for compounding, polishing, and finishing. Great for use on painted surfaces, fiberglass, cars, boats, RVs, aluminum, plastic, glass, wood, and acrylic. Use with polishing compound.

Model No.	Size	Material
5-6879	5”	Foam
5-6881	7”	Foam






INDUSTRIAL SCOURING PADS

Used for abrasive prep work, blending, cleaning, and general purposes. Great alternative for wire brushes, sandpaper, steel wool, etc. Use on wood, plastic, ceramics, metal, porcelain, and grills.

Model No.	Size	Grit
5-6990	6” x 9” Green	Very Fine
5-6991	6” x 9” Brown	Fine





SANDING DISC BACKING PADS

All pads come with retainer nut. Designed for use with resin fiber discs.

Model No.	Description
5-6840	4 x M10 x 1.25” Backer Pad
5-6845	4-1/2 x 5/8”-11 Backer Pad
5-6850	5 x 5/8”-11 Backer Pad
5-6870	7 x 5/8”-11 Backer Pad





SPINDLE NUT FOR BACKING PADS

Model No. 5-6810

Replacement spindle nut for backing pads 5/8-11.

DISPOSABLE MOUNTING FLANGE

Model No. 5-6815

For use with K-T Cutting & Grinding Wheels. 5/8-11.

Sanding Discs, Adjustable Spanner Wrench, Shop Rolls, & Flap Wheels

SANDING DISCS

Made of aluminum oxide grain with a heavy duty fibre backing. Excellent for grinding, finishing, and blend welding purposes. Retail packs of 3.

Model No.	Size	Grit	RPM	Model No.	Size	Grit	RPM
5-6003	4”	24	16,000	**5-6111**	5”	24	12,200
5-6004	4”	36	16,000	**5-6112**	5”	36	12,200
5-6005	4”	50	16,000	**5-6113**	5”	50	12,200
5-6006	4”	80	16,000	**5-6114**	5”	80	12,200
5-6007	4”	120	16,000	**5-6115**	5”	120	12,200
5-6011	4-1/2”	24	13,300	**5-6210**	7”	16	8,500
5-6012	4-1/2”	36	13,300	**5-6211**	7”	24	8,500
5-6013	4-1/2”	50	13,300	**5-6212**	7”	36	8,500
5-6014	4-1/2”	80	13,300	**5-6213**	7”	50	8,500
5-6015	4-1/2”	120	13,300	**5-6214**	7”	80	8,500
5-6110	5”	16	12,200	**5-6215**	7”	120	8,500



ADJUSTABLE SPANNER WRENCH

Model No. 5-6805

This wrench was specially designed to fit many different grinders.





1” EMERY CLOTH SHOP ROLLS

Use to polish shafts or any other round item that is difficult to sand with regular sheets of sand paper. Available from very fine to coarse grits.

Model No.	Size	Grit	Model No.	Size	Grit
5-7420	1” x 10 yds	80	**5-7422**	1” x 10 yds	180
5-7421	1” x 10 yds	120	**5-7423**	1” x 10 yds	320







SAND SCREEN ROLLS

Used for polishing machined shafts and roughing plumbing pipe. All models are 9 foot rolls, 1-1/2” width. Packaged and sold individually.

Model No.	Grit	Model No.	Grit
5-7425	80	**5-7427**	180
5-7426	120	**5-7428**	320

MOUNTED FLAP WHEELS

Excellent for removing paint, rust or other unwanted material from areas that are difficult to reach with other abrasive products. Mounted on 1/4” stems to fit most drills or other tools with chucks. Available in many different sizes and grits for a wide variety of applications.



Model No.	Size	Grit	RPM	Model No.	Size	Grit	RPM
5-6950	1” x 1”	60	30,000	**5-6956**	2” x 1”	60	23,000
5-6951	1” x 1”	80	30,000	**5-6957**	2” x 1”	80	23,000
5-6952	1” x 1”	120	30,000	**5-6958**	2” x 1”	120	23,000
5-6953	1-1/2” x 1/2”	60	25,000	**5-6959**	3” x 1”	60	20,000
5-6954	1-1/2” x 1/2”	80	25,000	**5-6960**	3” x 1”	80	20,000
5-6955	1-1/2” x 1/2”	120	25,000	**5-6961**	3” x 1”	120	20,000

Mini Abrasives





BACKUP PADS FOR MINI ABRASIVES

Made for both K-T's quick change discs and quick change surface conditioning discs. Hub design keeps discs firmly in place. 1/4" Shank fits most drills and die grinders.

Model No.	Description	Maximum RPM
5-7802	2"	30,000
5-7803	3"	20,000





BLUE ZIRCONIA MINI SANDING DISCS

Essential items for any industrial, automotive or home shop that requires high speed sanding in concentrated areas.

Model No.	Description	Grit	RPM	Qty.
5-7810	2"	40	25,000	5
5-7812	2"	80	25,000	5
5-7815	3"	40	28,000	5
5-7817	3"	80	28,000	5













MINI SURFACE PREP DISCS

Quick change surface conditioning discs are perfect for gasket removal, metal preparation and maintenance. Made from aluminum oxide, non woven material and color coded for fast grit identification.

Model No.	Description	Grit	RPM	Qty.
5-7820	2"	Fine	25,000	5
5-7821	2"	Medium	25,000	5
5-7822	2"	Coarse	25,000	5
5-7825	3"	Fine	20,000	5
5-7826	3"	Medium	20,000	5
5-7827	3"	Coarse	20,000	5





MINI EASY STRIP DISCS

Easy strip discs are extra coarse for fast cutting. Ideal for removing rust and paint from beams, door jambs, drip moldings, pinch welds, and other hard to reach areas.

Model No.	Description	Grit	RPM
5-7833	2"	Extra coarse	12,000
5-7839	3"	Extra coarse	12,000





MINI FLAP DISCS

They are made with VSM-765 zirconium cloth and premium abrasive grain. Lasts 10-20 times longer. Grinds and finishes in one step.

Model No.	Description	Grit	RPM
5-7840	2"	A40	30,000
5-7842	2"	A80	30,000
5-7845	3"	A40	20,000
5-7847	3"	A80	20,000

Mini Abrasives and Bench Grinder Wheels

6 BIN MINI SURFACE PREP RETAIL DISPLAY

Model No. 5-7800

Model No.	Qty.	Model No.	Qty.
5-7820	10	5-7821	10
5-7822	10	5-7825	5
5-7826	5	5-7827	5



10 BIN MINI SURFACE PREP RETAIL DISPLAY

Model No. 5-7801

Model No.	Qty.	Model No.	Qty.
5-7802	2	5-7803	2
5-7810	5	5-7812	5
5-7815	5	5-7817	5
5-7840	5	5-7842	5
5-7845	5	5-7847	5
5-7833	5	5-7839	5



BENCH GRINDER WHEELS

Tough aluminum oxide grain for optimum performance at a reasonable cost. Now come with arbor adaptor to fit size 1/2" to 1-1/4" bench grinders.

Model No.	Size	Grit	Arbor	RPM
5-7136	6 x 3/4"	80 (Fine)	1/2" - 1-1/4"	4,100
5-7236	6 x 3/4"	60 (Medium)	1/2" - 1-1/4"	4,100
5-7336	6 x 3/4"	46 (Coarse)	1/2" - 1-1/4"	4,100
5-7106	6 x 1"	80 (Fine)	1/2" - 1-1/4"	4,100
5-7206	6 x 1"	60 (Medium)	1/2" - 1-1/4"	4,100
5-7306	6 x 1"	46 (Coarse)	1/2" - 1-1/4"	4,100
5-7207	7 x 1"	60 (Medium)	1/2" - 1-1/4"	3,500
5-7307	7 x 1"	46 (Coarse)	1/2" - 1-1/4"	3,500
5-7108	8 x 1"	80 (Fine)	1/2" - 1-1/4"	3,700
5-7208	8 x 1"	60 (Medium)	1/2" - 1-1/4"	3,700
5-7338	8 x 3/4"	46 (Coarse)	1/2" - 1-1/4"	3,700





GRINDING WHEEL DRESSER

Model No. 5-7100

Used for dressing, truing and shaping grinding wheels. Fulfills most general dressings quickly and efficiently. For use on wheels up to 10" diameter and 2" face.



REPLACEMENT CUTTERS FOR WHEEL DRESSER

Model No. 5-7105

Replacement cutter for 5-7100 grinding wheel dresser.

BENCH GRINDER WHEEL ARBOR ADAPTORS

Model No. 5-7400

Use on any 1" or 3/4" bench grinder wheels. Reduces arbors to 1" arbor to 1/2", 5/8", or 3/4". Includes two(2) 1" bushings.



Precision Drill Accessories



155 PIECE ROTARY TOOL ACCESSORY KIT
Model No. 5-7600
Includes an assortment of collets, sanding sleeves, felt wheels, sanding paper, rubber emery wheels, cloth wheels, cut off wheels, grinding wheels, wetstone, brushes, shanks, mandrels, & drill bits.





BURR 8 PIECE SET
Model No. 5-7614
Use on metal, wood, or plastic. 3/32" shank. Assorted shapes. Blister packed.

DIAMOND POINT 20 PIECE SET
Model No. 5-7615
Excellent for de-burring, etching, polishing and smoothing of glass, plastics, ceramics and metals. Assorted shapes and sizes in a display case. 1/8" shank.



MINI DRILL 20 PIECE SET
Model No. 5-7689
Set includes 20 drill bits ranging in size from 61 to 80 mm.



FELT BOB 3 PIECE SET
Model No. 5-7605
Use for precision polishing. To be used with polishing compounds. 3/32" shank. One each of ball, bullet, and cylinder shape.



8 PC. GRINDING & POLISHING KIT
Model No. 5-7610
8 pc. kit with assorted points, wheels and brushes. Great for polishing all metals.



MOUNTED POINT 3 PIECE SET
Model No. 5-7611
Use to grind and shape metal. 1/8" shank. One each of A-38, A-24 and A-15.



ROTARY FILE CUTTER 3 PIECE SET
Model No. 5-7612
For use on metal, wood or plastic. 1/8" shank. One each of flame, cone and ball shape.



ROTARY RASP SET
Model No. 5-7613
For use on metal, wood or plastic. 1/8" shank. One each of cylindrical flat top and cone shape rasp.



FELT WHEELS 3 PIECE SET
Model No. 5-7617
Use for polishing metal and plastic. Two 1" wheels and mandrel included in set.

Precision Drill Accessories

1" BUFFING WHEEL 3 PC SET
Model No. 5-7619
Use for polishing metal and plastic. Two 1" cloth buffing wheels and mandrel included.



1-1/2" BUFFING WHEEL 3 PC SET
Model No. 5-7621
Use for polishing metal and plastic. Two 1-1/2" cloth buffing wheels and mandrel included.



SATIN BUFFING PAD
Model No. 5-7625
Use for polishing metal and plastic. Fits most power drills. 3/32" shank.



3 PC. CHAINSAW SHARPENING KIT
Model No. 5-7630
Kit includes one each 5/32", 3/16", and 7/32 sharpening stones.



CHAINSAW SHARPENING STONE
2 pc. 1/8" shaft used for quick and easy sharpening of chainsaw blades.

Model No.	Stone Diameter
5-7631	5/32"
5-7632	3/16"
5-7633	7/32"


5-7631 5-7632 5-7633

JEWELER'S ROUGE
Model No. 5-7695
For use on buffing wheels, felt wheels and felt bobs to polish gold and silver.



WHITE BUFFING COMPOUND
Model No. 5-7696
For use on buffing wheels, felt wheels and felt bobs to polish all metals to a mirror like finish.






Precision Drill Accessories



















1/2” X 1/2” 5 PC. SANDING DRUM KIT
Model No. 5-7640
Use for sanding metal, wood, plastic and more. Expandable rubber drum on 1/8” shank and 4 sanding sleeves.

3/4” X 1/2” 4 PC. SANDING DRUM KIT
Model No. 5-7646
Use for sanding metal, wood, plastic and more. Expandable rubber drum on 1/8” shank and 3 sanding sleeves.

SANDING SLEEVES

Model No.	Size	Grit	Pieces
5-7641	1/2” x 1/2”	Fine	6
5-7642	1/2” x 1/2”	Medium	6
5-7643	1/2” x 1/2”	Coarse	6
5-7647	3/4” x 1/2”	Coarse	4
5-7648	3/4” x 1/2”	Medium	4
5-7649	3/4” x 1/2”	Fine	4

1-1/4” CUT OFF WHEELS
Model No. 5-7650
Use for cutting metal, wood, plastic and more. Set includes three 1-1/4” wheels and mandrel.

1-1/2” CUT OFF WHEELS
Model No. 5-7655
Use for cutting metal, wood, plastic and more. Set includes three 1-1/2” reinforced wheels and mandrel. 1/8” shank.

5 PC. MINI SAW SET
Model No. 5-7661
Use for wood, plastic and soft metal. Set includes 1/2” and 5/8” saw blades and mandrel. 1/8” shank.

1-3/4” DIAMOND WHEEL KIT WITH MANDREL
Model No. 5-7662
Includes one 1-3/4” diamond wheel for use with most stone and matching mandrel.

DIAMOND WHEEL SET WITH MANDREL
Model No. 5-7664
3 pc. set includes two 3/4” diamond wheels and one 1/8” mandrel used for cutting metal, glass, ceramics, and plastics.

1-3/16” DIAMOND CUTTING WHEEL KIT
Model No. 5-7673
Includes one 1-3/16” diamond wheel for use with most stone and matching mandrel.

Precision Drill Accessories

11 PC. SANDING DISCS SET
Model No. 5-7667
Set includes 10 medium grit sanding discs and one 5-7690 mandrel. 1/8" shank.





2" LARGE WOOD BLADE
Model No. 5-7668
Includes one 2" wood cutting blade and matching mandrel.

1-3/4" LARGE METAL BLADE
Model No. 5-7669
Includes one 1-3/4" metal cutting blade and matching mandrel.



BRASS BRUSH 2 PIECE SET
Model No. 5-7670
Use for polishing and removing rust. One 3/4" brass wire wheel and one 1" brass wire wheel included in set. 1/8" shank.



BRASS BRUSH 2 PIECE SET
Model No. 5-7672
Use for polishing and removing rust. Two cup brushes included in set. 1/8" shank.



WIRE BRUSH 3 PIECE SET
Model No. 5-7675
Use for polishing and removing rust. Three pieces included in set. 1/8" shank.



NYLON BRUSH 3 PIECE SET
Model No. 5-7682
Use for cleaning and polishing. Set includes three nylon brushes. 1/8" shank.



MOUNTED ROTARY RASPS AND FILES
Made from special analysis steel with hardened edges for longer life. Designed for faster, smoother operation. The files may be used on mild steel, bronze, fiberglass, plastic and other similar materials. The rasps are designed to be used on wood. A wide variety of sizes for different jobs. 1/4" shank. Maximum RPM is 5,000.

Model No.	Size
5-8450	Rasp Cylindrical Flat Top
5-8451	Rasp Cylindrical Radius Top
5-8453	Rasp Cone Shape
5-8454	File Cylindrical Radius Top
5-8455	File Pear Shaped
5-8458	File Cylindrical
5-8459	File Cone Shaped
5-8460	File Cylindrical Flat Top


5-8450 5-8451 5-8453 5-8454


5-8455 5-8458 5-8459 5-8460



Rotary Rasps and Carbide Burs


SA-1


SA-3


SA-5



SD-3


SF-1


SF-3


SG-1


SG-3


SF-5


SL-3

SA-43


SA-51


SE-51


SH-41





SOLID CARBIDE BURS

Solid carbide burs are the best value for the money. Although the initial purchase price is higher, carbide burs 50 times longer than special steel burs.

Model No.	Type	Description	Shank	Max RPM
5-8470	SA-1	1/4" Flat Top Cylindrical	1/4"	55,000
5-8471	SA-3	3/8" Flat Top Cylindrical	1/4"	40,000
5-8472	SA-5	1/2" Flat Top Cylindrical	1/4"	30,000
5-8473	SD-3	3/8" Ball	1/4"	40,000
5-8474	SF-1	1/4" Tree Radius Nose	1/4"	55,000
5-8475	SF-3	3/8" Tree Radius Nose	1/4"	40,000
5-8476	SG-1	1/4" Tree Pointed Nose	1/4"	55,000
5-8477	SG-3	3/8" Tree Pointed Nose	1/4"	40,000
5-8478	SF-5	1/2" Tree Radius Nose	1/4"	30,000
5-8479	SL-3	3/8" Taper Radius	1/4"	40,000
5-8480	SA-43	1/8" Flat Top Cylindrical	1/8"	80,000
5-8481	SA-51	1/4" Flat Top Cylindrical	1/8"	25,000
5-8482	SE-51	1/4" Pear	1/8"	25,000
5-8483	SH-41	1/8" Flame	1/8"	25,000





MOUNTED WHEELS

60 grit vitrified aluminum oxide with 1/4" shank. Can be used on most drills. Perfect for small jobs where a large wheel just will not work. A wide variety of sizes for different jobs. 1/4" shank. Maximum RPM is 3,450.

Model No.	Size	Model No.	Size
5-8401	1 x 1	**5-8404**	2 x 1/2
5-8402	1-1/2 x 1	**5-8406**	2-1/2 x 1/2
5-8403	2 x 1/4		





5-8202 5-8204 5-8205 5-8211 5-8212 5-8215



5-8223 5-8224 5-8225 5-8238 5-8320 5-8322

MOUNTED POINTS

Aluminum oxide grinding points are perfect for grinding, de-burring or polishing. 1/4" shank and high speed rating make them excellent for die grinders. Twelve of the most popular sizes. 1/4" shank.

Model No.	Type	MAX RPM	Model No.	Type	MAX RPM
5-8202	A-2	38,000	**5-8223**	A-23	31,000
5-8204	A-4	25,000	**5-8224**	A-24	76,000
5-8205	A-5	31,000	**5-8225**	A-25	25,000
5-8211	A-11	19,000	**5-8238**	A-38	25,000
5-8212	A-12	35,000	**5-8320**	W-218	25,000
5-8215	A-15	72,000	**5-8322**	W-220	25,000


AIR
ACCESSORIES


AIR ACCESSORIES
AIR ACCESSORIES
AIR HOSE REEL W/ 36" LEADER HOSE AND 50' 3/8" HOSE


AIR HOSES & ACCESSORIES
AIR HOSE REEL
AIR HOSE REEL
RETRACTABLE AIR HOSE REEL



Tru-Flate® Style Kits

Interchangeable with most Automotive Standard series couplers and plugs produced by other manufacturers.

TRU-FLATE® STYLE 1/4" BRASS COUPLER & NIPPLE SET

Model No. 6-5000

This handy kit contains one each of male zinc plated, steel nipple (6-5001) and female zinc coated brass coupler (6-5005).



TRU-FLATE® STYLE 1/4" FEMALE BRASS COUPLER 4 PC. CONTRACTOR PACK

Model No. 6-5030

Contains four zinc plated, solid brass couplers. All of the same high quality standards found in the individual pack in a money-saving contractors' package.



TRU-FLATE® STYLE 1/4" MALE STEEL NIPPLE 10 PC. CONTRACTOR PACK

Model No. 6-5031

Contains ten zinc plated, steel nipples. All of the same high quality standards found in the individual pack in a money-saving contractors' package.



TRU-FLATE® STYLE 1/4" FEMALE STEEL NIPPLE 10 PC. CONTRACTOR PACK

Model No. 6-5032

Contains ten zinc plated, steel nipples. All of the same high quality standards found in the individual pack in a money saving-contractors' package.



TRU-FLATE® STYLE STEEL NIPPLES

Zinc plated, steel nipples with hardened wear points. Precision machined bar stock construction provides resistance to the effects of mechanical shock in rugged applications.

Model No.	Coupler Size	Thread Size	Thread
6-5001	1/4"	1/4" NPT	Male
6-5002	1/4"	1/4" NPT	Female
6-5003	1/4"	1/4" Barb	
6-5018	1/4"	3/8" NPT	Male
6-5007	1/4"	3/8" NPT	Female
6-5010	3/8"	1/4" NPT	Male
6-5011	3/8"	3/8" NPT	Male
6-5012	3/8"	3/8" NPT	Female
6-5016	3/8"	1/4" NPT	Female





Tru-Flate® & ARO® Style Couplers & Nipples, Universal Couplers



TRU-FLATE® STYLE BRASS COUPLERS

Features zinc plated, solid brass bodies & sleeves with corrosion resistant stainless steel springs, hardened steel locking balls & valves, & Buna-N (Nitrile) seals. Precision machined bar stock construction provides resistance to the effects of mechanical shock in rugged applications.

Model No.	Coupler Size	Thread Size	Thread
6-5004	1/4"	1/4" NPT	Male
6-5005	1/4"	1/4" NPT	Female
6-5006	1/4"	1/4" Barb	
6-5008	1/4"	3/8" NPT	Female
6-5009	1/4"	3/8" NPT	Male
6-5013	3/8"	3/8" NPT	Female
6-5014	3/8"	3/8" NPT	Male
6-5015	3/8"	1/4" NPT	Female

Universal Couplers

Interchangeable with most Tru-Flate®, Industrial & ARO® series plugs produced by other manufacturers.



UNIVERSAL 1/4" BRASS COUPLER 1/4" MALE NPT

Model No. 6-5150

Features zinc plated, solid brass bodies & sleeves with corrosion resistant stainless steel springs, hardened steel locking balls & valves, & Buna-N (Nitrile) seals. Push to connect.

UNIVERSAL 1/4" BRASS COUPLER 1/4" FEMALE NPT

Model No. 6-5151

Features zinc plated, solid brass bodies & sleeves with corrosion resistant stainless steel springs, hardened steel locking balls & valves, & Buna-N (Nitrile) seals. Push to connect.

ARO® Style Couplers and Nipples

Interchangeable with most ARO® series couplers and plugs produced by other manufacturers.



2 PC. ARO® STYLE BRASS COUPLER & NIPPLE SET

Model No. 6-5130


This handy kit contains one each of male zinc plated, steel nipple (6-5131) & female zinc plated, brass coupler (6-5134).



ARO® STYLE BRASS COUPLERS

Features zinc plated, solid brass bodies and sleeves with corrosion resistant stainless steel springs, hardened steel locking balls and valves, and Buna-N (Nitrile) seals.

Model No.	Coupler Size	Thread Size	Thread
6-5133	1/4"	1/4" NPT	Male
6-5134	1/4"	1/4" NPT	Female



ARO® STYLE STEEL NIPPLES

Zinc plated, steel nipples with hardened wear points. Precision machined bar stock construction provides resistance to the effects of mechanical shock in rugged applications.

Model No.	Nipple Size	Thread Size	Thread
6-5131	1/4"	1/4" NPT	Male
6-5132	1/4"	1/4" NPT	Female

Lincoln® Style Couplers and Nipples, & I/M Style Kits

Lincoln® Style Couplers and Nipples

Interchangeable with most Lincoln® series couplers and plugs produced by other manufacturers.

LINCOLN® STYLE BRASS COUPLERS

Features zinc plated, solid brass bodies and sleeves with corrosion resistant stainless steel springs, hardened steel locking balls & valves, & Buna-N (Nitrile) seals.


Model No.	Coupler Size	Thread Size	Thread
6-5143	1/4"	1/4" NPT	Male
6-5144	1/4"	1/4" NPT	Female



LINCOLN® STYLE STEEL NIPPLES

Zinc plated, steel nipples with hardened wear points. Precision machined bar stock construction provides resistance to the effects of mechanical shock in rugged applications.

Model No.	Nipple Size	Thread Size	Thread
6-5141	1/4"	1/4" NPT	Male
6-5142	1/4"	1/4" NPT	Female



Industrial Style Couplers and Nipples

Interchangeable with most Industrial Standard series couplers and plugs produced by other manufacturers.

2 PC. INDUSTRIAL STYLE BRASS COUPLER & NIPPLE SET

Model No. 6-5100

This handy kit contains one each of male zinc plated, steel nipple (6-5101) and female zinc plated, brass coupler (6-5106).



18 PC. INDUSTRIAL STYLE AIR COMPRESSOR SET

Model No. 6-5118

This set contains most of the components needed for air compressors. 2 female couplers, 4 male nipples, 2 female nipples, blow gun with 5 tips, tire gauge, air chuck, male brass coupler and female brass coupler.



INDUSTRIAL STYLE 1/4" FEMALE BRASS COUPLER 4 PC. CONTRACTOR PACK

Model No. 6-5110

Contains four zinc plated, solid brass couplers. All of the same high quality standards found in the individual pack in a money-saving contractors' package.



INDUSTRIAL STYLE 1/4" STEEL NIPPLE 10 PC. CONTRACTOR PACK

Contains ten zinc plated, steel nipples. All of the same high quality standards found in the individual pack in a money-saving contractors' package. Heavy duty use.

Model No.	Type	Size
6-5111	Male	1/4"
6-5112	Female	1/4"



I/M Style Kits, Couplers & Nipples



5 PC. INDUSTRIAL STYLE BRASS COUPLER & NIPPLE SET

Model No. 6-5115

Set contains one 6-5106 1/4" national pipe thread 1/4" female coupler, two 6-5101 1/4" male national pipe thread 1/4" nipples & two 6-5102 1/4" female national pipe thread 1/4" nipple. All in a money saving contractors' package.





INDUSTRIAL STYLE 1/4" BRASS COUPLER PUSH TO CONNECT 1/4" FEMALE NPT

Model No. 6-5109

Features zinc plated, solid brass bodies & sleeves with corrosion resistant stainless steel springs, hardened steel locking balls & valves, & Buna-N (Nitrile) seals. Precision machined bar stock construction provides resistance to the effects of mechanical shock in rugged applications.







INDUSTRIAL STYLE BRASS COUPLERS

Features zinc plated, solid brass bodies & sleeves with corrosion resistant stainless steel springs, hardened steel locking balls & valves, & Buna-N (Nitrile) seals. Precision machined bar stock construction provides resistance to the effects of mechanical shock in rugged applications.

Model No.	Coupler Size	Thread Size	Thread
6-5105	1/4"	1/4" NPT	Male
6-5106	1/4"	1/4" NPT	Female
6-5107	1/4"	3/8" NPT	Female
6-5108	1/4"	1/4" Barb	
6-5122	3/8"	3/8" NPT	Male
6-5123	3/8"	3/8" NPT	Female
6-5128	1/2"	1/2" NPT	Male
6-5129	1/2"	1/2" NPT	Female



360° SWIVEL INDUSTRIAL STYLE PLUG 1/4" M NPT X 1/4"

Model No. 6-5114

Nickel plated steel 360 degree male swivel plug, features a ball structure inside to allow it to rotate 360 degrees, preventing hose kinks and increasing mobility. Reduces strain on wrist and air hose. Quickly and safely connect and disconnect, optimal sealing and high efficiency.











INDUSTRIAL STYLE STEEL NIPPLES

Zinc plated, steel with hardened wear points. Precision machined bar stock construction provides resistance to the effects of mechanical shock in rugged applications.

Model No.	Coupler Size	Thread Size	Thread
6-5101	1/4"	1/4" NPT	Male
6-5102	1/4"	1/4" NPT	Female
6-5103	1/4"	3/8" NPT	Male
6-5104	1/4"	1/4" Barb	
6-5120	3/8"	3/8" NPT	Male
6-5121	3/8"	3/8" NPT	Female
6-5124	3/8"	1/4" NPT	Male
6-5125	3/8"	1/4" NPT	Female
6-5126	1/2"	1/2" NPT	Male
6-5127	1/2"	1/2" NPT	Female

Brass Hose Ends, Couplers, & Adaptors

T BRASS HOSE BARB 1/4”

Model No. 6-5208
3 way brass hose splicer for 1/4 I.D. hose.




HOSE SPLICER

Model No.	Hose Size
6-5209	1/4”
6-5210	3/8”

MALE AIR HOSE END

Model No.	Hose Size	Thread Size
6-5211	3/8”	1/4” NPT
6-5215	1/4”	1/4” NPT



MALE AIR HOSE SWIVEL END

Model No.	Hose Size	Thread Size
6-5260	1/4”	1/4” NPT
6-5262	3/8”	3/8” NPT
6-5264	3/8”	1/4” NPT



FEMALE AIR HOSE END

Model No.	Hose Size	Thread Size
6-5213	1/4”	1/4” NPT
6-5212	3/8”	1/4” NPT
6-5228	3/8”	3/8” NPT



1/4” FEMALE AIR LINE SWIVEL

Model No.	Hose Size	Thread Size
6-5261	1/4”	1/4” NPT

AIR HOSE NPT ADAPTORS

Model No.	Type	Thread Size
6-5217	Coupler	1/4” M x 1/4” M
6-5221	Coupler	1/4” F x 1/4” F
6-5222	Reducer	1/4” M x 3/8” M
6-5216	Reducer	3/8” F x 1/4” M
6-5223	Bushing	1/8”F x 1/4”M
6-5224	Bushing	1/4”F x 3/8”M
6-5225	Bushing	3/8”F x 1/2”M




Male Coupler



Female Coupler



Male Coupler



Reducer



Bushing



Crosses, Manifolds





1/4” IN-LINE SWIVEL

Model No. 6-5265

1/4” female NPT to 1/4” male NPT. Sold 1 per package.





1/4” 90 DEGREE SWIVEL

Model No. 6-5267

1/4” female NPT to 1/4” male NPT. Sold 1 per package.





1/4” UNIVERSAL SWIVEL

Model No. 6-5268

1/4” female NPT to 1/4” male NPT. Sold 1 per package.





BRASS TEE

Three female NPT ends. Sold 1 per package.

Model No.	Size
6-5270	1/4” NPT
6-5271	3/8” NPT





1/4” BRASS CROSS

Four female NPT ends. Sold 1 per package.

Model No.	Size
6-5272	1/4” NPT
6-5273	3/8” NPT





FLAT 3 IN 1 BRASS MANIFOLD

Model No. 6-5277

1/4” NPT Input. Divides one air source into three 1/4” NPT female outlet ports. Ideal for applications where manifold must lay flat, preventing damage if stepped on. Machined from brass bar stock. Sold 1 per package.

TRIPOD 3 IN 1 MANIFOLD

1/4” NPT Input. Divides one air source into three 1/4” NPT female outlet ports. Sold 1 per package.

Model No.	Size
6-5275	1/4” NPT
6-5276	3/8” NPT





Air Hoses

K-T PRO BLUE FLEX HOSE

Extremely flexible and lightweight! This special braided air hose blends PVC and rubber making it ultra flexible, even in extreme cold weather. Super lightweight, elastic and extremely flexible. Great durability, smooth take-in and out, with no kinking or twisting. Features bend restrictors on each end. 300 PSI working pressure and 800 PSI maximum pressure. Fixed type brass fittings.

Model No.	Size
6-5316	3/8" X 25' 1/4" NPT
6-5317	3/8" x 50' 1/4" NPT
6-5319	1/2" x 50' 1/2" NPT





POLYURETHANE HOSE

Model No. 6-5315

1/4" reinforced polyurethane hose 50'. Perfect for roofers. Lightweight polyurethane hose features two fabric reinforcements for longer outdoor service. Resistant to heat, oil, weather and U/V light. Excellent temperature range keeps it flexible even at sub-zero temperatures. For use with air compressors and pneumatic tools. 1/4" NPT swivel with bend restrictions on each end. Working Pressure 300 PSI, Max Pressure 900 PSI.





RUBBER AIR HOSE

Made from top quality natural rubber compounds that are highly abrasion resistant. The fiber reinforced hose is resistant to the effects of oil, heat and U/V light. 1/4" brass fittings on all hoses. Working Pressure: 300 PSI. Maximum Pressure: 900 PSI.

Model No.	Size
6-5300	1/4" x 25'
6-5301	1/4" x 50'
6-5305	3/8" x 25'
6-5306	3/8" x 50'





PVC AIR HOSE

Made from a tough lightweight compound that is very resistant to oil, grease and U/V light. High abrasion resistance makes this hose ideal for use in most rugged applications. 1/4" brass fittings on all hoses. Working Pressure: 300 PSI. Maximum Pressure: 900 PSI.

Model No.	Size
6-5309	1/4" x 100'
6-5310	1/4" x 25'
6-5311	1/4" x 50'
6-5312	3/8" x 25'
6-5313	3/8" x 50'






RECOIL AIR HOSE

Easy to use lightweight air hose that retracts when not in use. Resists oil, grease and abrasion. 1/4" brass fittings on all hoses.

Model No.	Size
6-5320	1/4" x 12'
6-5321	1/4" x 25'
6-5325	3/8" x 25'





Air Hoses, Air Hose Reels





LEADER AIR HOSES WITH SWIVEL

Lead-in hose extends the life of your air hose by taking the brunt of the bending and flexing. Leader hoses feature a swivel fitting at both ends. Up to 300 PSI. For use with all air tools and equipment.

Model No.	Size
6-5330	1/4" x 24"
6-5331	1/4" x 60"





LEADER AIR HOSE WITH 360° SWIVEL

Model No. 6-5334

Pro Flex 3/8" x 48" leader hose features 1/4" NPT 360 degree swivel fitting for greater mobility in tight spaces. For use with all air hose reels, air tools, and equipment. Hose is oil, weather, and solvent resistant. 300 psi working pressure.



MANUAL AIR HOSE REEL

Model No. 6-5344

Spring tension reel keeps air hose neat and out of the way. Long lasting and rugged solid brass 1/4" NPT fittings. Hose reel may be mounted in any direction making it very versatile. Can hold up to 100' of 3/8" hose or 50' of 1/2" hose. Rugged all steel construction for years of reliability.



STEEL AUTO RETRACTABLE AIR HOSE REEL

Model No. 6-5340

Spring loaded professional grade auto retractable air hose reel with 3/8" x 50' premium hose. K-T Pro Blue Flex Hose is extremely flexible and lightweight! This special braided air hose blends PVC and rubber making it ultra flexible, even in extreme cold weather. Super lightweight, elastic and extremely flexible. Great durability, smooth take-in and out, with no kinking or twisting. Features bend restrictors on each end. 300 PSI working pressure and 800 PSI maximum pressure. Non warping rigid steel reel. Includes 40" lead in hose.



PLASTIC AUTO RETRACTABLE AIR HOSE REEL

Model No. 6-5341

Spring loaded plastic retractable air hose reel with 3/8" x 50' premium hose. K-T Pro Blue Flex Hose is extremely flexible and lightweight! This special braided air hose blends PVC and rubber making it ultra flexible, even in extreme cold weather. Super lightweight, elastic and extremely flexible. Great durability, smooth take-in and out, with no kinking or twisting. Features bend restrictors on each end. 300 PSI working pressure and 800 PSI maximum pressure.

Blow Guns

SYPHON BLOW GUN
Model No. 6-5350
Blow air and liquid mixtures (soap & detergent) to clean machinery, auto engines, floors, walls, etc. Standard series blow guns do not have a bypass or restrictions to limit output pressure. Standard series should be used with a maximum inlet pressure of 30 PSI.




SAFETY BLOW GUN
Model No. 6-5351
Safety blow gun complies with OSHA 1910.242b and 1910.95 which require compressed air to be limited to 30 PSI at the nozzle outlet.




ECONOMY BLOW GUN
Model No. 6-5352
An affordable and reliable safety blow gun complies with OSHA 1910.242b and 1910.95 which require compressed air to be limited to 30 PSI at the nozzle outlet.




ADJUSTABLE POCKET BLOW GUN
Quick and easy to use. Adjust from a whisper of air to full volume. Complete with pocket clip.

Model No.	Style
6-5353	Tru-Flate
6-5354	Industrial




STANDARD BLOW GUN WITH RUBBER TIP
Model No. 6-5355
Oil resistant, soft replaceable rubber tip. Standard series blow guns do not have a bypass or restrictions to limit output pressure. Standard series should be used with a maximum inlet pressure of 30 PSI.




DELUXE BLOW GUN KIT
Model No. 6-5357
6 piece deluxe blow gun with a complete nozzle kit. Standard series blow guns do not have a bypass or restrictions to limit output pressure. Standard series should be used with a maximum inlet pressure of 30 PSI.






Blow Guns, Blow Gun Accessories









REPLACEMENT BALL INFLATORS
Model No. 6-5358
5 replacement ball inflators for 6-5357 kit. Inlet 1/8"NPT.

SAFETY BLOW GUNS
Perfect for cleaning hard to reach areas in cars, tractors, combines and many other applications. Blow gun includes safety tip and rubber tip. Max pressure: 150 PSI. Max temp: 175°F. Zinc alloy body, aluminium extension, stainless spring, synthetic washer. Safety brass nozzle confirms to OSHA standard and the dead-ended pressure is less than 30 PSI. Flow 10.5SCFM @100 PSI for safety brass nozzle. Flow 11.6SCFM @100 PSI for non-safety rubber tip.

Model No.	Size
6-5359	6"
6-5360	2'
6-5361	44"





PISTOL GRIP BLOW GUN
Model No. 6-5370
Pistol grip blow gun is stylish and functional. It allows for reaching into tight spots with a forceful channeled stream of air. Used for cleaning debris from work space, drying wet surfaces and any creative job you put them up to. Non-slip pistol grip is easy to hold and use. 1/4" NPT female thread.





DUAL FOOT TIRE GAUGE
Model No. 6-5410
For use on dual wheels. 20-120 Lb. range in 2 Lb. units. Wide enough range to work on cars and trucks.





DUAL FOOT SERVICE GAUGE
Model No. 6-5414
Designed for the heavy duty use at the service level. Perfect for dual wheels and hard to reach valves on pick ups. 10-150 Lb. range in 2 Lb. units.



TRACTOR TIRE GAUGE
Model No. 6-5415
For air or liquid filled tires. For tractors, heavy equipment, farm and construction vehicles. 5-45 Lb. range in 1 Lb. units.





STRAIGHT HEAD TIRE GAUGE
Model No. 6-5416
Easy to reach valves on tires with wheel covers. 10-50 Lb. range in 1 Lb. units.

Tire Guages, Air Chucks

PENCIL TIRE GAUGES

Model No.	PSI	Units	Type
6-5411	5-50 Lb	1 Lb	Professional Auto
6-5412	1-20 Lb	1/4 Lb.	Low Pressure
6-5413	20-120 Lb.	2 Lb.	High Pressure
6-5417	10-50 Lb.	1 Lb.	Basic Auto
6-5418	20-120 Lb.	2 Lb.	Basic Truck





DELUXE INFLATING GAUGES

Easy to reach valves on tires with wheel covers.

Model No.	PSI	Units	Type
6-5419	20-120 Lb	2 Lb	Sliding Mechanical
6-5421	10-220 Lb	2 Lb.	Dial Gauge
6-5422	0-200 Lb.	0.1 Lb.	Digital Gauge
6-5423	2-150 Lb.	2 Lb.	Dial Gauge



DIAL PRESSURE GAUGE

Model No. 6-5420

Provide extreme accuracy and long life in rugged applications. 0-60 PSI. 1-1/2" metal body with acrylic lens.





ANGLED BALL CHUCK

Model No. 6-5450

Machined brass body for use in heavy duty applications. 1/4" NPT.





BALL CHUCK WITH CLIP

Model No. 6-5451

The clip locks the chuck onto a valve stem for hands free operation. Machined brass body for use in heavy duty applications. 1/4" NPT.





ANGLED BALL CHUCK WITH NIPPLE

Model No. 6-5453

Machined brass body for use in heavy duty applications. 1/4" nipple.







Pressure Gauges, Tank Valves, Drain Cocks





AIR HOSE REPAIR KIT

Model No. 6-5460

Includes one air chuck, one 1/4" hose splicer, one 1/4" Male NPT hose end and three hose clamps.





DUAL FOOT AIR CHUCK

Model No. 6-5454

For use on truck or tractor dual tires. 1/4" NPT.

DUAL FOOT AIR CHUCK

Model No. 6-5455

For use on truck or tractor dual tires. 1/4" NPT.





TANK VALVE

Model No. 6-5470

1/8" NPT. 200 PSI Maximum.





PRESSURE GAUGE

Model No.	Inlet	Size	PSI	Mount
6-5471	1/4" NPT	2"	160	Bottom
6-5472	1/8" NPT	1-1/2"	160	Rear
6-5473	1/4" NPT	1-1/2"	160	Back





250 PSI OIL FILLED PRESSURE GAUGE

Model No. 6-5474

Oil filled 250 PSI gauge smoothly registers exact air pressure. 1/4" NPT bottom mount. 2-1/2" size.





IN LINE FLOW REGULATOR

Model No. 6-5492

Used to control air flow from full flow to complete shutoff. 1/4" female NPT to 1/4" male NPT. 0-160 PSI pressure gauge, (1/8"-27 male NPT). Includes deluxe pressure gauge.





DRAIN COCK

Solid brass construction and an external seal. Ideal for a variety of draining and bleeding applications.

Model No.	Size
6-5465	1/8" NPT
6-5475	1/4" NPT





AIR TANK CONVERSION KIT

Model No. 6-5462

Includes everything you need to convert existing tank for pressurized air storage. Includes an easy to read 0-160 PSI pressure gauge, air tank manifold, pop-out air release valve, a 4' x 1/4" air hose, and a heavy duty air chuck.

Manifold, Tank & Check Valves

REPLACEMENT MANIFOLD

Model No. 6-5469

Replacement brass manifold with 150 PSI pop-off air valve for tanks. 1/2" NPT.





COMPRESSOR CHECK VALVE 1/2"

Model No. 6-5466

Check valves prevent backflow of air from the tank to the compressor head. 1/2" NPT x 1/2" compression. 1/8" NPT side port for connecting unloader line.





125 PSI TANK VALVE

Model No. 6-5467

125 PSI tank valve. All brass construction with plated wire spring. ASME approved. Inlet size is 1/4" NPT.





150 PSI TANK VALVE

Model No. 6-5468

150 PSI tank valve. All brass construction with plated wire spring. ASME approved. Inlet size is 1/4" NPT.






3/8" NPT BALL VALVE

Model No. 6-5282

Use with compressd air, water or oil to isolate segments of the system without disrupting service to the rest of the system.





INLINE OILER

Model No. 6-5490

A compact oiler that fastens directly to air tools. Sends the proper amount of oil to provide a long service life for air tools. 1/4" NPT.







4 Port Air Compressor Switches, Filter, Regulators, Lubricators





4 PORT AIR COMPRESSOR SWITCHES

The 4 Port air compressor pressure switch is a pressure actuated electric switch designed to maintain tank pressure between two preset values on an electrically driven air compressor. These models have an unloader valve to prevent the compressor from starting under pressure. A four port manifold style provides means for easy mounting of valves and gauges. 1/4" NPT.

Model No.	Type	PSI
6-5610	Push/Pull	95-125
6-5615	Bend/Lever	130-175







MINI FILTER

Model No. 6-5480

Air filters remove impurities from the air-stream which may cause wear on pneumatic components. Provides enough filtration for most small pneumatic applications. 1/4" NPT ports. Air flow of 27 SCFM at 100 PSI. 2 oz. polycarbonate bowl with manual drain 220 PSI maximum pressure and 140°F maximum working temperature.





MINI REGULATOR

Model No. 6-5481

Regulators maintain safe pressures in pneumatic equipment. This regulator has a solid piston and balanced poppet for excellent performance, accurate control and smooth uninterrupted operation. 1/4" NPT ports and 1/8" NPT gauge thread. Air flow of 20 SCFM at 100 PSI. 220 PSI pressure resistance and 140°F maximum working temperature.





MINI LUBRICATOR

Model No. 6-5482

Many pneumatic components and most tools require oil lubrication for proper operation and long service life. Lubricators provide a mist of oil to protect tools. Bowl capacity 3 oz., 28 SCFM flow at 100 PSI, 1/4" NPT.

Filters, Regulators, Lubricators

MINI FILTER AND REGULATOR COMBO

Model No. 6-5483

Combo air filters remove impurities from the air-stream and provides enough filtration for most low volume pneumatic applications. Regulators are specialized control valves that are used to reduce the upstream pressure while maintaining a specified down stream pressure. Equipment operated at higher or lower pressures than recommended by the manufacturer may cause damage, failure or even a safety hazard. Max inlet pressure 220 PSI, delivery pressure 0-125 PSI 20 SCFM at 100 PSI. 1/4" NPT





FILTER AND REGULATOR COMBO

Model No. 6-5484

Compressed air contains contaminants from ambient air, compressor and from pipes. These contaminants must be removed to protect the components being used on the air system. Regulators are specialized control valves that are used to reduce the upstream pressure while maintaining a specified down stream pressure. Equipment operated at higher or lower pressures than recommended by the manufacturer may cause damage, failure or even a safety hazard. Max inlet pressure 220 PSI, delivery pressure 0-125 PSI, 88 SCFM at 100 PSI. 3/8" NPT. Gauge is 1/8" NPT.





COMPRESSOR FILTER

Model No. 6-5485

Air filters remove impurities from the air-stream which may cause wear on pneumatic components. Provides enough filtration for most pneumatic applications. 3/8" NPT ports. Air flow of 53 SCFM at 100 PSI. 2.5 oz. polycarbonate bowl with manual drain 220 PSI maximum pressure and 140°F maximum working temperature.





COMPRESSOR REGULATOR

Model No. 6-5486

Regulators maintain safe pressures in pneumatic equipment. This regulator has a solid piston and balanced poppet for excellent performance, accurate control and smooth uninterrupted operation. 3/8" NPT ports and 1/8" NPT gauge thread. Air flow of 88 SCFM at 100 PSI. 220 PSI pressure resistance and 140°F maximum working temperature.





COMPRESSOR LUBRICATOR

Model No. 6-5487

Many pneumatic components and most tools require oil lubrication for proper operation and long service life. Lubricators provide a mist of oil to protect tools. Bowl capacity 6 oz., 60 SCFM flow at 100 PSI, 3/8" NPT.







Tire Accessories




TREAD DEPTH GAUGE
Model No. 6-5493
Check tread depth quickly and easily. 1/32" markings up to 1" tread depth.




VALVE INSERTION TOOL
Model No. 6-5494
For inserting snap in style tire valves for tubeless tires.




VALVE CORE TOOL
Model No. 6-5495
Use for removing or inserting valve cores. Tool fits both standard (.453) and large bore (.625) valve cores.




VALVE FINISHING TOOL
Model No. 6-5496
Aligns and seals valve stems through the rim hole. Deflator and core tool is built into the handle.




TWO WAY VALVE CORE REMOVER
Model No. 6-5497
A very handy tool used for deflating tires and also for inserting or removing valve cores.




FOUR WAY TIRE VALVE REPAIR TOOL
Model No. 6-5499
Repairs core and stem threads. Also has core screwdriver and broken core extractor.




TUBELESS TIRE VALVES
Rubber snap-in style for tubeless tires. Maximum cold temperature may not exceed 60 PSI. 2 per package.

Model No.	Type	Length
6-5506	.453"	1-1/4"
6-5508	.453"	2"
6-5509	.453"	2-1/2"
6-5507	.625"	1-1/4"
6-5511	.625"	2"

Tire Accessories

CLAMP IN TIRE VALVE

Model No. 6-5513

For hi-performance aluminum and mag wheels. Will fit .453" or .625" valve holes. 1 per package.





CHROME TUBELESS TIRE VALVES

Chrome sleeve and cap. Lightweight rubber valves will not affect balance. Snap-in .453" style for tubeless tires. Maximum cold temperature may not exceed 60 PSI. 2 per package.

Model No.	Length
6-5516	1-1/4"
6-5517	2"





TUBELESS TRUCK TIRE VALVES

Straight clamp in style for tubeless tires .625" size use for 5/8" side hole mounting. 2 per package.

Model No.	Length
6-5522	3-1/8"
6-5523	3-3/4"
6-5524	4-3/8"





TUBELESS TRACTOR VALVE

Model No. 6-5527

A large bore for fast filling of air and liquid. Can be used on tractor and road grader tires. 2 per package.





TUBELESS TRACTOR VALVE CORE

Model No. 6-5528

A large bore for fast filling of air and liquid. Replacement core for 6-5527 valve. 2 per package.





VALVE CORE

Model No. 6-5530

.2108-36 threads. Teflon seal. 0-200 PSI operating pressure range. 5 per package.





VALVE CORE

Model No. 6-5531

.302-32 threads. Teflon seal. 0-200 PSI operating pressure range. 5 per package.







Tire Accessories





VALVE CAPS

5 per package.

Model No.	Bore	Description
6-5540	Standard	Nickel Plate w/ Nut
6-5541	Standard	Hex Head
6-5543	Standard	Screwdriver Type
6-5544	Standard	Plastic Dome
6-5546	Large	Screwdriver Type





PLASTIC VALVE EXTENSIONS

Lightweight extensions will not affect balance. 4 per package.

Model No.	Length
6-5550	3/4”
6-5551	1-1/4”
6-5552	1-1/2”






METAL VALVE EXTENSIONS

2 per package.

Model No.	Length
6-5563	4”
6-5564	5”




PRESSURE
WASHER




QUALITY TOOLS FOR THE PROFESSIONAL
PRESSURE WASHER CENTER
RUBBER STEEL BRAIDED
SURFACE CLEANER


QUALITY TOOLS FOR THE PROFESSIONAL
PRESSURE WASHER CENTER


QUALITY TOOLS FOR THE PROFESSIONAL
PRESSURE WASHER
THE RIGHT ACCESSORIES FOR ANY JOB


PRESSURE WASHER
SPRAY GUN KIT
SMOOTH PVC COVER
HIGH PRESSURE WASHER HOSE
1/4" x 25'

SPRAY GUNS, SPRAY LANCES, SPRAY WANDS

SPRAY GUN, 7 GPM, 3/8" F-NPT INLET, 1/4" F-NPT OUTLET, 4,000 PSI

Model No. 6-7100

3/8" female national pipe thread x 1/4" female NPT output spray gun with forged brass housing. Industry standard and well suited for all pressure washing applications. Designed to be universally comfortable for even small hands. Specially designed heat and chemical resistant seals allow for optimum performance even in the harshest of environments. 300°F. 4,000 PSI.



MASTER SPRAY GUN KIT

Model No. 6-7110

Convenient kit includes spray gun, wand, and all necessary nozzles for everyday use. Features a safety trigger lock to prevent accidental spray. Spray gun features M22 male inlet for easy connecting to pressure washer hoses. For use with gas or electric pressure washers. 4,000 PSI.



REPLACEMENT SPRAY GUN

Model No. 6-7113

Replacement for K-T 6-7110. Features a safety trigger lock to prevent accidental spray. Spray gun features M22 male inlet for easy connecting to pressure washer hoses. For use with gas or electric pressure washers. 4,000 PSI.



STAINLESS STEEL MOLDED LANCE, 1/4"M-NPT INLET, 1/4" M-NPT OUTLET, 5,800 PSI

Molded lance with 1/4" male national pipe threads. Designed to conform to the curvature of the hand allowing for comfortable use during long hours. The grip is molded directly to the lance to provide protection and strength. The star shape design of the grip allows for grip cooling during hot water applications. 300°F. 5,800 PSI.

Model No.	Size	Pcs
6-7105	36"	1
6-7106	60"	2



REPLACEMENT SPRAY WAND

Model No. 6-7114

Replacement for K-T 6-7110. Features a quick connect fitting to easily connect nozzles for everyday use. Standard M22 male inlet is compatible with most pressure washer spray guns. For use with gas or electric pressure washers. 4,000 PSI.



SIDE HANDLE FOR LANCE

Model No. 6-7115

Lance side handle is used on any 1/4" pressure washer lance and can be adjusted to the perfect position needed by the user. The lance handle reduces user fatigue. Fits K-T 6-7105, 36" molded lance, or most other 1/4" lances.





GUTTER CLEANER ATTACHMENT

Model No. 6-7116

Made of seamless chrome plated steel and features a 30° bend with a 1/4" quick connect outlet for easy change out of tips. Extends the reach of pressure washer guns to easily clean out hard to reach areas such as gutters, downspouts, under vehicles, wheel wells, etc. Maximum pressure is 4,000 PSI and maximum temperature is 300°F. For use with gas or electric pressure washers.



HOSES, FOAM CANNONS, SOAP INJECTOR KIT





1/4" HIGH PRESSURE HOSES 3,000 PSI

High pressure hoses with M22 x M22 female quick screw couplings and bend protectors. Smooth rubber cover. Resistant to cleaning detergents. Perfect hose for medium duty pressure washers. 140°F. 3,000 PSI.

Model No.	Size
6-7120	1/4" X 25'
6-7125	1/4" x 50'





HIGH PRESSURE HOSE 4,000 PSI

Model No. 6-7130

High pressure hose with quick coupler on one end and quick coupler plug on the other end. Smooth rubber cover and bend protectors. Resistant to cleaning detergents. Perfect hose for medium duty pressure washers. 250°F. 4,000 PSI.

Model No.	Size
6-7130	3/8" X 50'
6-7135	3/8" x 100'





PRO FOAM CANNON SPRAYER

Model No. 6-7111

A versatile soap dispenser can wash cars, trucks, motorcycles, windows, siding, etc. It incudes a water adjustment knob for more or less water, a 1/4" quick connect plug, an adjustable spray pattern that has a range of 0-120°, and a 1 liter soap bottle. In addition to this, the pro version includes a 360° adjustable nozzle. Its maximum pressure 3500 PSI, and a maximum temperature of 140°F. Requires 2.0 GPM & 1000 PSI.



FOAM CANNON SPRAYER

Model No. 6-7117

A versatile soap dispenser can wash cars, trucks, motorcycles, windows, siding, etc. It incudes a water adjustment knob for more or less water, a 1/4" quick connect plug, an adjustable spray pattern that has a range of 0-120°, and a 1 liter soap bottle. Its maximum pressure 3500 PSI, and a maximum temperature of 140°F. Requires 2.0 GPM & 1000 PSI.



GARDEN HOSE FOAM CANNON SPRAYER

Model No. 6-7118

This garden hose foam cannon sprayer is great for washing cars, trucks, motorcycles, windows, sidings, and many more applications. It is very adaptable as it attaches to most garden hoses. This sprayer comes equipped with a 1-liter soap bottle and a 3/4" standard garden hose quick connect plug. It features an adjustable spray pattern of 0-120° and a 360° spray angle that can change between horizontal and vertical.





ADJUSTABLE CHEMICAL & SOAP INJECTOR KIT

Model No. 6-7170

Chemical and soap injection into the high pressure side of the pressure pump. Chemicals should be injected after the pump to increase the life of the pump. 5' long water hose and nickel plated brass strainer. Also includes black 4.0 soap nozzle. M22 fitting on both ends of adjustable mixer.

QUICK CONNECT SPRAY NOZZLES

16” SURFACE CLEANER

Model No. 6-7090

Cleans a 16” area with dual rotating nozzles. Has 1/4” quick connect coupler for easy connection to most common pressure washer equipment. Cold water use only. 3,600 PSI max.





5 PIECE SPRAY NOZZLE ASSORTMENT

Five piece orifice quick connect spray nozzle set. Includes 0°, 15°, 25°, 40°, and 65° nozzles. Designed for a 1/4” quick coupler and ideal for quick exchange of spray nozzle and spray guns. Connects to all of the most common pressure washer equipment in the industry. 300°F. 4,000 PSI.

***Includes Nozzle Holder & Pocket Clip**

Model No.	Size	Use	PSI
6-7031*	3.0	Electric	4,000
6-7033*	3.5	Electric	4,000
6-7036	3.5	Electric	4,000
6-7042	4.0	Electric-Gas	4,000
6-7050	4.5	Gas	4,000





BLACK SOAP SPRAY NOZZLE, 65°

Soap and chemical spray nozzle designed for a 1/4” quick coupler. Ideal for quick exchange of spray nozzle and spray guns. It delivers a wide spray angle that allows an even and broad application of the soap or chemicals. Connects to all of the most common pressure washer equipment in the industry. 300°F. 4,000 PSI.

Model No.	Size	Use	PSI
6-7037	3.5	Electric	4,000
6-7043	4.0	Electric-Gas	4,000






YELLOW CHISELING NOZZLE, 15°

Chiseling nozzle designed for a 1/4” quick coupler. Ideal for quick exchange of spray nozzles and spray guns. The spray should be directed at a 45° angle to the surface and be used like a scraper to remove paint, grease and dirt. Connects to all of the most common pressure washer equipment in the industry. 300°F. 4,000 PSI.

Model No.	Size	Use	PSI
6-7038	3.5	Electric	4,000
6-7044	4.0	Electric-Gas	4,000
6-7052	4.5	Gas	4,000
6-7056	5.5	Gas	4,000










QUICK CONNECT SPRAY NOZZLES








GREEN FLUSHING NOZZLE, 25°

Flushing nozzle designed for a 1/4" quick coupler. Ideal for quick exchange of spray nozzles and spray guns. This nozzle is best suited for flushing dirt, mud and grime. Connects to all of the most common pressure washer equipment in the industry. 300°F. 4,000 PSI.

Model No.	Size	Use	PSI
6-7039	3.5	Electric	4,000
6-7045	4.0	Electric-Gas	4,000
6-7053	4.5	Gas	4,000








WHITE WASH NOZZLE, 40°

Wash nozzle designed for a 1/4" quick coupler. Ideal for quick exchange of spray nozzles and spray guns. Its wide spray pattern disperses the water pressure over a large area and is recommended for rinsing and moderate washing. Connects to all of the most common pressure washer equipment in the industry. 300°F. 4,000 PSI.

Model No.	Size	Use	PSI
6-7040	3.5	Electric	4,000
6-7046	4.0	Electric-Gas	4,000
6-7054	4.5	Gas	4,000







RED BLASTING NOZZLE, 0°

Blasting nozzle designed for a 1/4" quick coupler. Ideal for quick exchange of spray nozzles and spray guns. It delivers a very concentrated stream of water. Connects to all of the most common pressure washer equipment in the industry. 300°F. 4,000 PSI. Care should be used to avoid gouging wood or damaging fragile surfaces.

Model No.	Size	Use	PSI
6-7041	3.5	Electric	4,000
6-7047	4.0	Electric-Gas	4,000
6-7055	4.5	Gas	4,000

Nozzle Selection Guide

Nozzle Size	Pounds Per Square Inch (PSI)								
	2,000	2,500	3,000	3,500	4,000	4,500	5,000	5,500	6,000
2	1.4 GPM	1.6	1.7	1.9	2	2.1	2.2	2.3	2.4
2.5	1.8	2	2.2	2.3	2.5	2.7	2.8	2.9	3.1
3	2.1	2.4	2.6	2.8	3	3.2	3.4	3.5	3.7
3.5	2.5	2.8	3.1	3.3	3.5	3.7	3.9	4.1	4.3
4	2.8	3.2	3.5	3.7	4	4.2	4.5	4.7	4.9
4.5	3.2	3.6	3.9	4.2	4.5	4.8	5	5.3	5.5
5	3.5	4	4.3	4.7	5	5.3	5.6	5.9	6.1

Nozzles and Quick Connect Kits

0° TO 80° MULTI-REGULATOR NOZZLE

Model No. 6-7057

1/4" female national pipe thread inlet. 3.5mm orifice multi regulator nozzle. Used when high and low pressures are needed. This nozzle easily switches between a solid or flat spray pattern without having to change nozzles. The low pressure mode is great for the introduction of downstream soaps. The spray pattern adjusts from a solid 0° to a flat 80° spray pattern with a twist of the nozzle head. 300°F. 3,200 PSI.



ROTATING TURBO NOZZLES

Increases cleaning efficiency by more than 200% over a 25° spray nozzle by using a 0° rotating tearing action. This nozzle is ideal for hard surface cleaning such as removing graffiti and caked on mud on equipment.

Model No.	Size	Use	PSI
6-7048	3.0	Electric-Gas	3,600
6-7058	4.5	Electric-Gas	3,600



FILTER FOR TURBO NOZZLES

Model No. 6-7059


Turbo nozzle filter with 4.5mm orifice and 1/4" male x 1/4" quick connect. Used in combination with KT 6-7058 Turbo Nozzles to protect the nozzles from damage by preventing debris from getting into the nozzle. 190°F. 5,800 PSI.



QUICK CONNECT KIT - SPRAY GUN TO HOSE

Model No. 6-7001

This 2 pc quick connect kit connects your pressure washer hose to your pressure washer gun.





QUICK CONNECT KIT - HOSE TO PUMP

Model No. 6-7002

This 2 pc quick connect kit connects your pressure washer to your hose.





QUICK CONNECT KIT - FOR 6-7130

Model No. 6-7003

This 2 pc quick connect kit connects your pressure washer gun to your hose and hose to your pressure washer.







Screw Couplings and Nipples





MALE HOSE CONNECTION, M22M X M22M

Model No. 6-7018

Male Screw Nipple, M22M x M22M. If you need more hose to reach your target area, use this to connect two M22 pressure washer hoses together. For use with K-T Model 6-7120 and 6-7125, as well as any other M22 style high pressure washing hose. 300° F and 5,800 PSI.





QUICK CONNECT GARDEN HOSE, 3/4”

Model No. 6-7077

Adds quick connect capabilities to standard 3/4” garden hose connections. For use with pressure washer pumps, spigots, sprinklers, spray nozzles, or connecting hoses for extended reach. Solid brass design is rust proof, durable, and will last for years. Spring loaded mechanism for quick release. 200 PSI





QUICK CONNECT GARDEN HOSE PLUG, 3/4”

Model No. 6-7078

3/4” quick coupler plug x M22F converter coupling. For use with pressure washer pumps, spigots, sprinklers, spray nozzles, or connecting hoses for extended reach. Solid brass design is rust proof, durable, and will last for years. Spring loaded mechanism for quick release. 5,800 PSI.





QUICK COUPLERS

Brass socket quick couplers. Used anywhere high pressure connections are frequently assembled and disassembled. Ideal for quick exchange of spray nozzles and spray guns. Knurling on the socket sleeve allows for easy use. The ball lock design ensures a solid connection every time. These quick couplers connect to all of the most common pressure washer equipment in the industry.

Model No.	Size	Type	PSI
6-7060	1/4”	Male NPT	5,500
6-7061	1/4”	Female NPT	5,500
6-7070	3/8”	Male NPT	4,200
6-7071	3/8”	Female NPT	4,200





QUICK COUPLER PLUGS

Plated steel quick connect plugs. Used in combination with quick couplers anywhere high pressure connections are frequently assembled and disassembled. Ideal for quick exchange of spray nozzles and spray guns. These quick connect plugs connect to all of the most common pressure washer equipment in the industry.

Model No.	Size	Type	PSI
6-7065	1/4”	Male NPT	5,500
6-7066	1/4”	Female NPT	5,500
6-7068	1/4” x M22F	Female NPT	5,800
6-7075	3/8”	Male NPT	4,200
6-7076	3/8”	Female NPT	4,200

Screw Fittings and Sewer Nozzles

SCREW COUPLINGS

Used anywhere high pressure connections are frequently assembled and disassembled. Easily hand tightened; ideal for connecting hoses together. Connects to all of the most common pressure washer equipment in the industry and converts M22 metric thread size to standard thread size. 300°F.

Model No.	Size	Type	PSI
6-7020	M22F x 1/4"F	Female NPT	5,800
6-7022	M22F x 3/8"F	Female NPT	5,800
6-7025	M22F x 1/4"M	Male NPT	5,800
6-7026	M22F x 3/8"M	Male NPT	5,800



SCREW NIPPLES

Used anywhere high pressure connections are frequently assembled and disassembled, in combination with screw couplers. Connects to all of the most common pressure washer equipment in the industry. Connects to male or female fittings and converts M22 metric thread size to standard thread size.

Model No.	Size	Type	PSI
6-7009	M22M x 1/4"F	Female NPT	5,800
6-7012	M22M x 3/8"F	Female NPT	5,800
6-7015	M22M x 1/4"M	Male NPT	5,800
6-7017	M22M x 3/8"M	Male NPT	5,800



SEWER NOZZLES

Slides easily into pipes and is great for flushing debris or clearing frozen pipes. Forward and backward orifices blast water into the clogged pipe, breaking up debris while pulling the hose through the pipe. 4,200 PSI.

Model No.	Size	PSI
6-7080	1/4" F NPT x 4.5mm	4,200
6-7081	1/8" F NPT x 4.5mm	4,200



ROTATING SEWER NOZZLE 1/4" FEMALE NPT X 5.5MM


Model No. 6-7085

1/4" Female NPT x 5.5mm orifice stainless steel sewer nozzle. Slides easily into pipes and is great for flushing debris or clearing frozen pipes. Forward and backward orifices blast water into the clogged pipe, breaking up debris while pulling the hose through the pipe. 3,000 PSI.



Filters, O-Rings, & Teflon Tape






PTFE THREAD TAPE, 1/2" X 520"

Model No. 6-7150

1/2" wide x 520" long Teflon tape used to wrap the threaded ends of pipe to provide a leak free connection. 2 Pack.





REPLACEMENT O-RINGS

Slides easily into pipes and is great for flushing debris or clearing frozen pipes. Forward and backward orifices blast water into the clogged pipe, breaking up debris while pulling the hose through the pipe. 4,200 PSI.

Model No.	Size	Style	Pcs
6-7160	1/4" QC	Buna® - Fits K-T 6-7060	10
6-7161	3/8" QC	Buna® - Fits K-T 6-7070 & 6-7071	10
6-7162	Screw Couplers	Viton® - Fits K-T 6-7020, 6-7022, 6-7025, & 6-7026	10
6-7163	1/4" & 3/8" QC	Viton® & Buna® - Fits K-T 6-7020, 6-7022, 6-7025, 6-7026, 6-7060 & 6-7161	15





5 PC. WATER INLET FILTERS

Model No. 6-7165

Protect your investment in your Pressure Washer. K-T Inlet Filters strain incoming water to catch dirt and debris before entering the pump to protect from damage.


CABLE
TIES

CABLE TIES









250 PC CABLE TIE CONTRACTORS PACK

Model No. 5-9402

Combination of our best selling black ties. Made from strong DuPont 6/6 Nylon material and packaged in resealable bags to preserve moisture & keeps ties organized. UL listed. U/V ties can be used outdoors & indoors.

Qty.	Length
50 Pc	11”
100 Pc	8”
100 Pc	4”



1200 PC ASSORTED CABLE TIES

Model No. 5-9404

Ties come in re-sealable canister that helps preserve moisture.

Length	Qty.	Color	Length	Qty.	Color
4”	100 Pc	Natural	5.7”	100 Pc	UV Black
4”	200 Pc	UV Black	8”	50 Pc	Natural
4”	100 Pc	UV Green	8”	50 Pc	UV Black
4”	100 Pc	UV Red	8”	50 Pc	UV Green
4”	100 Pc	UV Yellow	8”	50 Pc	UV Red
4”	100 Pc	UV Blue	11.8”	50 Pc	Natural
5.7”	100 Pc	Natural	11.8”	50 Pc	UV Black





200 PC CAMO CABLE TIE KIT

MODEL NO. 5-9430

Contains a mix of our most popular sizes, 4”, 8” and 11.8” ties. A combination of camo colors for many hobby uses. U/V ties can be used outdoors and indoors. Length is approximate.



1000 PC STANDARD DUTY CABLE TIES 11.8”

MODEL NO. 5-9495

Bulk pack of standard duty 11.8” black cable ties. Made from strong DuPont 6/6 Nylon material and packaged in resealable bags to preserve moisture & keeps ties organized. UL listed. U/V ties can be used outdoors & indoors.

CABLE TIES



24 PC ASSORTED BUNGEE CORDS

Model No. 5-9405

Bungee cords have coated, high tensile, steel hooks. Features woven polyester, UV protected jacket for indoor and outdoor use.

Length	Qty.	Color	Dia.	Type
9”	4 Pc	Black	4mm	Ball
10”	6 Pc	Black	4mm	Hook
18”	6 Pc	Blue	8mm	Hook
24”	4 Pc	Red	8mm	Hook
32”	2 Pc	Green	8mm	Hook
40”	2 Pc	Yellow	8mm	Hook



10 PC ASSORTED BUNGEE CORDS

Model No. 5-9407

Bungee cords have coated, high tensile, steel hooks. Features woven polyester, UV protected jacket for indoor and outdoor use.



6 PC STORAGE STRAPS

Model No. 5-9406

6 Pc strong polypropylene hook and loop straps with rust resistant metal grommets hold up to 60lbs and work in any weather conditions.

Size	Qty.	Length	Dia.
M	2 Pc	10”	3-9”
L	2 Pc	13”	6.5-10”
XL	2 Pc	17”	8-15”





50 PC HOOK & LOOP TIES

Model No. 5-9590

Made of strong polyamide 6.6 material. Ties wrap over themselves for secure hold. Great for bundling wires and cords.

Qty.	Color
10 Pc	Black
8 Pc	Red
8 Pc	Green
8 Pc	Blue
8 Pc	Yellow
8 Pc	White



1/4” DR. TENSION TOOL (STAINLESS STEEL TIES)

Model No. 5-9595

This handy tool may be used for both narrow and wide stainless steel cable ties. Use with any standard 1/4” drive nutdriver or ratchet. May be used on any brand of stainless cable ties.





PREMIUM NYLON TIE TENSIONER

Model No. 5-9596

Binding pressure is adjustable. Quick Twist Snaps Fastens and automatically snaps off excess length with a quick twist. Adjustable binding pressure up to 75 lbs. tensile strength.





PROFESSIONAL NYLON TIE TENSIONER

Model No. 5-9597

Binding pressure is adjustable. Quick Twist Snaps Fastens and automatically snaps off excess length with a quick twist. Adjustable binding pressure up to 75 lbs. tensile strength.



-40F 185F
-40C 85C

Indoor/Outdoor

Made of DUPONT™ Nylon 6/6

c UL us LISTED E243263 TYPE 21

ULTRA LIGHT DUTY CABLE TIES

Model No.	Color	Qty	Length	Bundle Diameter	U/V	Temp Range	Strength
5-9410	Natural	**100**	4”	13/16”	No	-40°F-185°F	18 Lbs.
5-9412	Black	**100**	4”	13/16”	Yes	-40°F-185°F	18 Lbs.
5-9414	Green	**100**	4”	13/16”	Yes	-40°F-185°F	18 Lbs.
5-9416	Red	**100**	4”	13/16”	Yes	-40°F-185°F	18 Lbs.
5-9418	Yellow	**100**	4”	13/16”	Yes	-40°F-185°F	18 Lbs.
5-9419	Blue	**100**	4”	13/16”	Yes	-40°F-185°F	18 Lbs.
5-9472	Black	**100**	8”	2”	Yes	-40°F-185°F	18 Lbs.



-40F 185F
-40C 85C

Indoor/Outdoor

Made of DUPONT™ Nylon 6/6

c UL us LISTED E243263 TYPE 21

LIGHT DUTY CABLE TIES

Model No.	Color	Qty	Length	Bundle Diameter	U/V	Temp Range	Strength
5-9422	Natural	**100**	5.7”	1-1/4”	No	-40°F-185°F	40 Lbs.
5-9424	Black	**100**	5.7”	1-1/4”	Yes	-40°F-185°F	40 Lbs.
5-9474	Natural	**100**	8.1”	2”	No	-40°F-185°F	40 Lbs.
5-9476	Black	**100**	8.1”	2”	Yes	-40°F-185°F	40 Lbs.



-40F 185F
-40C 85C

Indoor/Outdoor

Made of DUPONT Nylon 6/6

C UL US LISTED E243263 TYPE 21

STANDARD DUTY CABLE TIES

Model No.	Color	Qty	Length	Bundle Diameter	U/V	Temp Range	Strength
5-9452	Natural	**25**	8”	2”	No	-40°F-185°F	75 Lbs.
5-9454	Natural	**100**	8”	2”	No	-40°F-185°F	75 Lbs.
5-9456	Black	**25**	8”	2”	Yes	-40°F-185°F	75 Lbs.
5-9458	Black	**100**	8”	2”	Yes	-40°F-185°F	75 Lbs.
5-9459	Black	**1000**	8”	2”	Yes	-40°F-185°F	75 Lbs.
5-9460	Assorted	**100**	8”	2”	Yes	-40°F-185°F	50 Lbs.
5-9462	Blue	**100**	8”	2”	Yes	-40°F-185°F	50 Lbs.
5-9464	Green	**100**	8”	2”	Yes	-40°F-185°F	50 Lbs.
5-9466	Red	**100**	8”	2”	Yes	-40°F-185°F	50 Lbs.
5-9468	Yellow	**100**	8”	2”	Yes	-40°F-185°F	50 Lbs.
5-9470	Orange	**100**	8”	2”	Yes	-40°F-185°F	50 Lbs.
5-9488	Natural	**25**	11.8”	3”	No	-40°F-185°F	75 Lbs.
5-9490	Natural	**100**	11.8”	3”	No	-40°F-185°F	75 Lbs.
5-9492	Black	**25**	11.8”	3”	Yes	-40°F-185°F	75 Lbs.
5-9494	Black	**100**	11.8”	3”	Yes	-40°F-185°F	75 Lbs.
5-9496	Assorted	**100**	11.8”	3”	Yes	-40°F-185°F	50 Lbs.
5-9498	Blue	**100**	11.8”	3”	Yes	-40°F-185°F	50 Lbs.
5-9500	Green	**100**	11.8”	3”	Yes	-40°F-185°F	50 Lbs.
5-9502	Orange	**100**	11.8”	3”	Yes	-40°F-185°F	50 Lbs.
5-9504	Red	**100**	11.8”	3”	Yes	-40°F-185°F	50 Lbs.
5-9506	Yellow	**100**	11.8”	3”	Yes	-40°F-185°F	50 Lbs.
5-9512	Natural	**25**	14.6”	4”	No	-40°F-185°F	75 Lbs.
5-9514	Natural	**100**	14.6”	4”	No	-40°F-185°F	75 Lbs.
5-9516	Black	**25**	14.6”	4”	Yes	-40°F-185°F	75 Lbs.
5-9518	Black	**100**	14.6”	4”	Yes	-40°F-185°F	75 Lbs.
5-9520	Assorted	**100**	14.6”	4”	Yes	-40°F-185°F	50 Lbs.
5-9522	Blue	**100**	14.6”	4”	Yes	-40°F-185°F	50 Lbs.
5-9524	Green	**100**	14.6”	4”	Yes	-40°F-185°F	50 Lbs.
5-9526	Red	**100**	14.6”	4”	Yes	-40°F-185°F	50 Lbs.
5-9528	Yellow	**100**	14.6”	4”	Yes	-40°F-185°F	50 Lbs.



-40F 185F
-40C 85C

Indoor/Outdoor

Made of DUPONT Nylon 6/6

c UL us LISTED E243263 TYPE 21

HEAVY DUTY CABLE TIES

Model No.	Color	Qty	Length	Bundle Diameter	U/V	Temp Range	Strength
5-9434	Natural	**100**	7.9”	2”	No	-40°F-185°F	120 Lbs.
5-9436	Black	**100**	7.9”	2”	Yes	-40°F-185°F	120 Lbs.
5-9534	Natural	**100**	14.5”	4”	No	-40°F-185°F	120 Lbs.
5-9536	Black	**100**	14.5”	4”	Yes	-40°F-185°F	120 Lbs.
5-9542	Natural	**50**	18”	5”	No	-40°F-185°F	120 Lbs.
5-9544	Black	**50**	18”	5”	Yes	-40°F-185°F	120 Lbs.



-40F 185F
-40C 85C

Indoor/Outdoor

Made of DUPONT Nylon 6/6

c UL us LISTED E243263 TYPE 21

EXTRA HEAVY DUTY CABLE TIES

Model No.	Color	Qty	Length	Bundle Diameter	U/V	Temp Range	Strength
5-9538	Natural	**50**	17”	4.9”	No	-40°F-185°F	175 Lbs.
5-9540	Black	**50**	17”	4.9”	Yes	-40°F-185°F	175 Lbs.
5-9556	Natural	**25**	24.9”	7”	No	-40°F-185°F	175 Lbs.
5-9558	Black	**25**	24.9”	7”	Yes	-40°F-185°F	175 Lbs.
5-9560	Natural	**10**	36.5”	10.7”	No	-40°F-185°F	175 Lbs.
5-9562	Black	**10**	36.5”	10.7”	Yes	-40°F-185°F	175 Lbs.
5-9563	Natural	**10**	48”	15”	No	-40°F-185°F	175 Lbs.
5-9564	Black	**10**	48”	15”	Yes	-40°F-185°F	175 Lbs.



-40F 185F
-40C 85C

Indoor/Outdoor

Made of DUPONT Nylon 6/6

c UL us LISTED E243263 TYPE 21

SUPER HEAVY DUTY CABLE TIES

Model No.	Color	Qty	Length	Bundle Diameter	U/V	Temp Range	Strength
5-9552	Natural	**25**	22”	6”	No	-40°F-185°F	250 Lbs.
5-9554	Black	**25**	22”	6”	Yes	-40°F-185°F	250 Lbs.
5-9565	Natural	**10**	40”	12”	No	-40°F-185°F	250 Lbs.
5-9566	Black	**10**	40”	12”	Yes	-40°F-185°F	250 Lbs.





METAL DETECTABLE CABLE TIES

Designed for use in food, beverage, & pharmaceutical industries. Supports quality assurance in the production of food products.

Model No.	Color	Qty	Length	Bundle Diameter	U/V	Temp Range	Strength
5-9591	Blue	100	6”	1.3”	Yes	-40°F-185°F	40 Lbs.
5-9592	Blue	100	8”	1.9”	Yes	-40°F-185°F	40 Lbs.





ID CABLE TIES

Model No.	Color	Qty	Length	ID Direction	U/V	Temp Range	Strength
5-9420	Natural	100	4”	Horizontal	No	-40°F-185°F	18 Lbs.
5-9426	Natural	25	7”	Vertical	No	-40°F-185°F	18 Lbs.
5-9428	Natural	100	7”	Vertical	No	-40°F-185°F	18 Lbs.





PUSH MOUNT CABLE TIES

Designed to be used in a 3/16” to 1/4” hole. Can be used on sheet metal from .079 to .125” thick.

Model No.	Color	Qty	Length	Bundle Diameter	U/V	Temp Range	Strength
5-9440	Natural	100	7.9”	2”	No	-40°F-185°F	75 Lbs.
5-9442	Black	100	7.9”	2”	Yes	-40°F-185°F	75 Lbs.





SCREW MOUNT CABLE TIES

Use a number 8 or 10 screw to mount to a variety of surfaces, wood, sheet metal and concrete. Use around the home, vehicles, shop or work.

Model No.	Color	Qty	Length	Bundle Diameter	U/V	Temp Range	Strength
5-9478	Natural	100	8”	2”	No	-40°F-185°F	75 Lbs.
5-9480	Black	25	8”	2”	Yes	-40°F-185°F	75 Lbs.
5-9482	Black	100	8”	2”	Yes	-40°F-185°F	75 Lbs.
5-9530	Natural	100	15”	4”	No	-40°F-185°F	75 Lbs.
5-9532	Black	100	15”	4”	Yes	-40°F-185°F	75 Lbs.






FIR TREE MOUNT CABLE TIES

Designed to be used in a 1/4” hole. Can be used on sheet metal up to 1/4” thick.

Model No.	Color	Qty	Length	Bundle Diameter	U/V	Temp Range	Strength
5-9484	Black	25	8”	2”	Yes	-40°F-185°F	75 Lbs.
5-9486	Black	100	8	2”	Yes	-40°F-185°F	75 Lbs.



-40F 185F
-40C 85C

Made of DUPONT Nylon 6/6

c UL us LISTED E243263 TYPE 21

TIE MOUNT

Tie mounts can be screwed in place or use the handy adhesive pad provided. For indoor use.

Model No.	Color	Qty Per Package	U/V
5-9569	Natural	100	No



-40F 185F
-40C 85C

NARROW STAINLESS STEEL CABLE TIES

K-T stainless steel cable ties are designed to be used in harsh environments including high heat, corrosion and salt water applications. High heat environments that greatly surpass nylon cable ties include engine applications. Stainless steel 316 is a super metal that withstands chemical abuse such as salt water and acids. Narrow ties are 3/16" or 4.6 mm. Do not use in high pressure areas, narrow ties are rated up to 100 Lbs.

Model No.	Qty Per Package	Length
5-9448	5	7.9"
5-9508	5	14.2"
5-9548	5	20.4"



-40F 185F
-40C 85C

WIDE STAINLESS STEEL CABLE TIES

K-T stainless steel cable ties are designed to be used in harsh environments including high heat, corrosion and salt water applications. High heat environments that greatly surpass nylon cable ties include engine applications. Stainless steel 316 is a super metal that withstands chemical abuse such as salt water and acids. Wide ties are 5/16" or 7.9 mm. Do not use in high pressure areas, wide ties are rated up to 200 Lbs.

Model No.	Qty Per Package	Length
5-9450	5	7.9"
5-9510	5	14.2"
5-9550	5	20.4"



-40F 185F
-40C 85C

UV Indoor/Outdoor

Made of DUPONT Nylon 6/6


c UL us LISTED E243263 TYPE 21

TEAR AWAY LIGHT DUTY CABLE TIES

Light duty cable ties are made from 6/6 nylon material. This tie is designed to be easily removed with no tools. Length is approximate.

Model No.	Color	Qty Per Package	Length	Bundle Diameter	Strength
5-9582	Black	50	6"	1-1/4"	30 Lbs.
5-9584	Orange	50	6"	1-1/4"	30 Lbs.
5-9586	Red	50	6"	1-1/4"	30 Lbs.
5-9588	Yellow	50	6"	1-1/4"	30 Lbs.





-40F 185F
-40C 85C

Made of DUPONT Nylon 6/6

c UL us LISTED E243263 TYPE 21

29.5" YELLOW QUICK RELEASE CABLE TIES

Releasable cable ties offer a release feature in the head allowing for easy access to wire bundles when changes or temporary bundling are necessary. The head design guarantees high tensile strength even after repeated use. Additional design feature on the head allows excess strap to be tucked away after installation. Releasable Cable Tie, 29.6" Long, 200 lb Tensile Strength, Yellow

Model No.	Color	Qty	Length	Bundle Diameter	U/V	Temp Range	Strength
5-9577	Yellow	**5**	29.5"	8"	No	-40°F-185°F	200 Lbs.



-40F 185F
-40C 85C

UV Indoor/Outdoor

Made of DUPONT Nylon 6/6

c UL us LISTED E243263 TYPE 21

RELEASABLE CABLE TIES

With a quick press of the tie button this tie can be released.

Model No.	Color	Qty	Length	Bundle Diameter	U/V	Temp Range	Strength
5-9578	Black	**25**	8"	1.75"	Yes	-40°F-185°F	50 Lbs.
5-9580	Black	**25**	11"	3"	Yes	-40°F-185°F	50 Lbs.



-40F 185F
-40C 85C

UV Indoor/Outdoor

Made of DUPONT Nylon 6/6

c UL us LISTED E243263 TYPE 21

CLAMP CABLE TIES

Heat stabilized cable ties provide excellent resistance to high heat exposures. -40°F to +257°F (-40°C to +125°C) The 360 Degree compression ties were designed with underside clamping rails to allow for optimal surface contact and complete circumferential compression around the bundle. The bent tail design allows quick and simple installations by hand. U/L certified. Length is approximate.

Model No.	Color	Qty	Length	Bundle Diameter	U/V	Temp Range	Strength
5-9570	Black	**100**	8"	1.75"	Yes	-40°F-257°F	60 Lbs.
5-9572	Natural	**100**	8"	1.75"	No	-40°F-257°F	60 Lbs.
5-9573	Natural	**25**	8"	1.75"	No	-40°F-257°F	60 Lbs.



-40F 185F
-40C 85C

UV Indoor/Outdoor


Made of DUPONT Nylon 6/6

c UL us LISTED E243263 TYPE 21

CAMO CABLE TIES

A mix of camo colors for many hobby uses.

Model No.	Color	Qty	Length	Bundle Diameter	U/V	Temp Range	Strength
5-9431	Camo Mix	**100**	8"	2"	Yes	-40°F-185°F	50 Lbs.
5-9432	Camo Mix	**100**	11.8"	3"	Yes	-40°F-185°F	50 Lbs.


HOSE
CLAMPS


STAINLESS STEEL HOSE CLAMPS
201 Stainless Steel - Including Band, housing, and screw
Many Uses - Fuel Lines, Tubing, Heater Hoses, Radiator Hoses


STAINLESS STEEL HOSE CLAMPS
All Stainless Steel - Including band, housing, and screw


STAINLESS STEEL HOSE CLAMPS
201 Stainless Steel - Including Band, housing, and screw



20 PC STAINLESS STEEL HOSE CLAMP KIT

Model No. 5-9203

Made of 201 stainless steel, a very strong yet cost effective stainless steel. This clamp is ideal for a wide range of clamping applications. The band, housing and screw are all made of 201 stainless steel. Band width is 1/2". Hex head and slotted 8mm screw.

Contents		
Sz 10	1/2" or 13mm 9/16" - 1 1/16" or 14mm - 27mm	4 Pc
Sz 12	1/2" or 13mm 11/16" - 1 1/4" or 17mm - 32mm	2 Pc
Sz 20	1/2" or 13mm 13/16" - 1 3/4" or 21mm - 44mm	2 Pc
Sz 24	1/2" or 13mm 1 1/16" - 2" or 27mm - 51mm	4 Pc
Sz 32	1/2" or 13mm 1 9/16" - 2 1/2" or 40mm - 64mm	2 Pc
Sz 40	1/2" or 13mm 2 1/16" - 3" or 52mm - 76mm	2 Pc
Sz 48	1/2" or 13mm 2 9/16" - 3 1/2" or 65mm - 89mm	2 Pc
Sz 56	1/2" or 13mm 3 1/16" - 4" or 78mm - 102mm	2 Pc



40 PC STAINLESS STEEL HOSE CLAMP KIT

Model No. 5-9200

Made of 201 stainless steel, a very strong yet cost effective stainless steel. This clamp is ideal for a wide range of clamping applications. The band, housing and screw are all made of 201 stainless steel. Band width of 5/16" & 1/2". Hex head and slotted 6mm or 8mm screw.

Contents		
Sz 4	5/16" or 8 mm MINI 1/4" - 5/8" or 6 mm - 16mm	6 Pc
Sz 6	5/16" or 8 mm MINI 7/16" - 11/16" or 11 mm - 20mm	8 Pc
Sz 8	5/16" or 8 mm MINI 1/2" - 13/16" or 13 mm - 23mm	6 Pc
Sz 10	5/16" or 8 mm MINI 9/16" - 1 1/16" or 14 mm - 27mm	6 Pc
Sz 12	5/16" or 8 mm MINI 11/16" - 1 1/4" or 17 mm - 32mm	6 Pc
Sz 12	1/2" or 13 mm 11/16" - 1 1/4" or 17 mm - 32mm	4 Pc
Sz 16	1/2" or 13 mm 13/16" - 1 1/2" or 21 mm - 38mm	4 Pc



1/4” FLEXIBLE HOSE CLAMP DRIVER

Model No. 5-9670

This hose clamp driver easily tightens or loosens 1/4” (6mm) hose clamp bolts. Features a hex head for non-slip grip, flexible shaft for difficult angles and hard to reach areas, and Comfort Grip handle. Use with K-T Mini Hose Clamps.



5/16” FLEXIBLE HOSE CLAMP DRIVER

Model No. 5-9672

This hose clamp driver easily tightens or loosens 5/16” (8mm) hose clamp bolts. Features a hex head for non-slip grip, flexible shaft for difficult angles and hard to reach areas, and Comfort Grip handle. Use with K-T Standard, Heavy Duty, and Super Heavy Duty Hose Clamps.



MINI HOSE CLAMP

Made of 201 stainless steel, a very strong yet cost effective stainless steel. This clamp is ideal for small appications such as fuel lines and vacuum lines. The band, housing and screw are all made of 201 stainless steel. Hex head and slotted 6mm screw.
Must be purchased in box quantities, individual model numbers are referenced in the description only.

Individual Model No.	SAE Size	Band Width	Min Diameter	Max Diameter	Box Qty	Individual UPC
5-9604	4	5/16”	1/4”	5/8”	10	083905596045
5-9606	6	5/16”	7/16”	11/16”	10	083905596069
5-9608	8	5/16”	1/2”	13/16”	10	083905596083
5-9610	10	5/16”	9/16”	1-1/16”	10	083905596106
5-9612	12	5/16”	11/16”	1-1/4”	10	083905596120



MINI TURN KEY HOSE CLAMP

Made of 201 stainless steel, a very strong yet cost effective stainless steel. This clamp is ideal for small appications. Handy plasitc coated turn key makes the clamp easy and quick to use. The band, housing and screw are all made of 201 stainless steel.
Must be purchased in box quantities, individual model numbers are referenced in the description only.

Individual Model No.	SAE Size	Band Width	Min Diameter	Max Diameter	Box Qty	Individual UPC
5-9650	4	5/16”	1/4”	5/8”	10	083905596502
5-9651	6	5/16”	7/16”	11/16”	10	083905596519
5-9652	8	5/16”	1/2”	13/16”	10	083905596526
5-9653	10	5/16”	9/16”	1-1/16”	10	083905596533
5-9654	12	5/16”	11/16”	1-1/4”	10	083905596540



TURN KEY HOSE CLAMP

Made of 201 stainless steel, a very strong yet cost effective stainless steel. This clamp is ideal for a wide range of clamping applications. Handy turn key makes the clamp easy and quick to use. The band, housing and screw are all made of 201 stainless steel. ***Must be purchased in box quantities, individual model numbers are referenced in the description only.***

Individual Model No.	SAE Size	Band Width	Min Diameter	Max Diameter	Box Qty	Individual UPC
5-9660	**12**	1/2”	11/16”	1-1/4”	10	083905596601
5-9661	**24**	1/2”	1-1/16”	2”	10	083905596618
5-9662	**32**	1/2”	1-9/16”	2-1/2”	10	083905596625
5-9663	**40**	1/2”	2-1/16”	3”	4	083905596632
5-9664	**60**	1/2”	3-5/16”	4-1/4”	4	083905596649



STANDARD HOSE CLAMP

Made of 201 stainless steel, a very strong yet cost effective stainless steel. This clamp is ideal for a wide range of clamping applications. The band, housing and screw are all made of 201 stainless steel. Hex head and slotted 8mm screw. ***Must be purchased in box quantities, individual model numbers are referenced in the description only.***

Individual Model No.	SAE Size	Band Width	Min Diameter	Max Diameter	Box Qty	Individual UPC
5-9706	**6**	1/2”	7/16”	25/32”	6	083905597066
5-9708	**8**	1/2”	1/2”	29/32”	8	083905597080
5-9710	**10**	1/2”	9/16”	1-1/16”	10	083905597103
5-9712	**12**	1/2”	11/16”	1-1/4”	12	083905597127
5-9716	**16**	1/2”	13/16”	1-1/2”	16	083905597165
5-9720	**20**	1/2”	13/16”	1-3/4”	20	083905597202
5-9724	**24**	1/2”	1-1/16”	2”	24	083905597240
5-9728	**28**	1/2”	1-5/16”	2-1/4”	28	083905597288
5-9732	**32**	1/2”	1-9/16”	2-1/2”	32	083905597325
5-9736	**36**	1/2”	1-13/16”	2-3/4”	36	083905597363
5-9740	**40**	1/2”	2-1/16”	3”	40	083905597400
5-9744	**44**	1/2”	2-5/16”	3-1/4”	44	083905597448
5-9748	**48**	1/2”	2-9/16”	3-1/2”	48	083905597486
5-9752	**52**	1/2”	2-13/16”	3-3/4”	52	083905597523
5-9756	**56**	1/2”	3-1/16”	4”	56	083905597561
5-9764	**64**	1/2”	3-9/16”	4-1/2”	64	083905597646
5-9780	**80**	1/2”	4-5/8”	5-1/2”	80	083905597806
5-9788	**88**	1/2”	5-1/16”	6”	88	083905597882
5-9791	**104**	1/2”	6-3/16”	7”	104	083905597912
5-9793	**152**	1/2”	7-1/8”	10”	152	083905597936
5-9794	**188**	1/2”	9-3/8”	12-1/4”	188	083905597943

HOSE CLAMPS



HEAVY DUTY HOSE CLAMP

Made of 301 stainless steel, a very corrosive resistant stainless steel. This clamp is ideal for a wide range of clamping applications where strength and corrosion resistance is important. The band, housing and screw are all made of 301 stainless steel. Hex head and slotted 8mm screw.
Must be purchased in box quantities, individual model numbers are referenced in the description only.

Individual Model No.	SAE Size	Band Width	Min Diameter	Max Diameter	Box Qty	Individual UPC
5-9620	10	9/16”	9/16”	1-1/16”	10	083905596205
5-9621	12	9/16”	11/16”	1-1/4”	4	083905596212
5-9622	16	9/16”	13/16”	1-1/2”	10	083905596229
5-9623	20	9/16”	13/16”	1-3/4”	10	083905596236
5-9624	24	9/16”	1-1/16”	2”	4	083905596243
5-9625	28	9/16”	1-5/16”	2-1/4”	10	083905596250
5-9626	32	9/16”	1-9/16”	2-1/2”	4	083905596267
5-9627	36	9/16”	1-13/16	2-3/4”	10	083905596274
5-9629	44	9/16”	2-5/16”	3-1/4”	4	083905596298
5-9630	48	9/16”	2-9/16”	3-1/2”	10	083905596304



SUPER HEAVY DUTY HOSE CLAMP

Made of 301 stainless steel, a very corrosive resistant stainless steel. This clamp is ideal for a wide range of clamping applications where strength and corrosion resistance is important. The band, housing and screw are all made of 301 stainless steel. Hex head and slotted 8mm screw. ***Must be purchased in box quantities, individual model numbers are referenced in the description only.***

Individual Model No.	SAE Size	Band Width	Min Diameter	Max Diameter	SAE Size	Individual UPC
5-9640	28	5/8”	1-5/16”	2-1/4”	28	083905596403
5-9641	36	5/8”	1-13/16”	2-3/4”	36	083905596410
5-9642	48	5/8”	2-9/16”	3-1/2”	48	083905596427











T BOLT HOSE CLAMP

Designed to provide the highest clamping pressure. Made of 304 stainless steel, a very strong and corrosion resistant stainless steel. This clamp is ideal for a wide range of clamping applications. The band, housing and screw are all made of 304 stainless steel. Band width is 3/4". Hex head 10mm screw. ***T-Bolt Hose Clamps are sold by single individual clamps.***

Model No.	SAE Size	Band Width	Min Diameter	Max Diameter	Box Qty	UPC
5-9270		3/4"	1-5/8"	1-7/8"	10	083905592702
5-9271	**32**	3/4"	1-7/8"	2-3/16"	10	083905592719
5-9272	**40**	3/4"	2-1/8"	2-7/16"	10	083905592726
5-9274	**52**	3/4"	2-1/2"	2-13/16"	10	083905592740



TURN KEY DRYER HOSE CLAMP


Made of 304 stainless steel. Handy turn key makes the clamp easy and quick to use. The band, housing and screw are all made of 304 stainless steel. Band width is 1/2". 4-1/16" to 5-1/2". ***Dryer Hose Clamps are sold by the EA.***

Model No.	SAE Size	Band Width	Min Diameter	Max Diameter	Box Qty	Individual UPC
5-9269		1/2"	4-1/16"	5-1/2"	10	083905596694









Extension Springs

Model No.	Des.	O.D.	Length	Dia.	Qty/Pkg
5-9002	C-13	7/32”	1-1/2”	.023”	2
5-9005	C-25	5/16”	1-1/2”	.020”	2
5-9006	C-29	11/32”	1-1/2”	.028”	2
5-9007	C-31	7/16”	1-1/2”	.028”	2
5-9008	C-33	7/16”	1-1/2”	.047”	2
5-9015	C-77	11/32”	1-7/8”	.025”	2
5-9017	C-83	7/16”	1-7/8”	.047”	2
5-9023	C-119	1/4”	2-1/2”	.035”	2
5-9024	C-131	7/16”	2-1/2”	.028”	2
5-9025	C-133	7/16”	2-1/2”	.047”	2
5-9026	C-135	7/16”	2”	.062”	2
5-9028	C-141	5/8”	2-1/2”	.072”	2
5-9029	C-143	9/16”	3”	.054”	2
5-9030	C-155	5/16”	3”	.028”	2
5-9031	C-157	1/4”	3-1/4”	.025”	2
5-9032	C-161	7/16”	2-3/4”	.034”	2
5-9033	C-163	7/16”	3-1/2”	.047”	2
5-9035	C-171	3/4”	2”	.105”	2
5-9036	C-173	3/4”	2-1/4”	.105”	2
5-9038	C-177	3/4”	2-5/8”	.105”	2
5-9039	C-179	9/16”	2-7/8”	.072”	2
5-9040	C-181	5/8”	3-1/4”	.072”	2
5-9041	C-183	9/16”	4”	.047”	2
5-9044	C-189	3/4”	3-1/8”	.105”	2
5-9045	C-191	3/4”	3-3/4”	.105”	2

Model No.	Des.	O.D.	Length	Dia.	Qty/Pkg
5-9049	C-215	3/8”	3-3/4”	.041”	2
5-9050	C-219	15/32”	4-1/2”	.041”	2
5-9051	C-221	1/2”	4-12”	.062”	2
5-9054	C-231	9/16”	6”	.072”	2
5-9056	C-235	5/16”	6”	.028”	2
5-9058	C-243	5/8”	6-1/2”	.054”	2
5-9059	C-251	1-1/8”	16”	.105”	1
5-9061	C-257	13/16”	4-1/2”	.091”	2
5-9062	C-259	13/16”	4”	.120”	2
5-9063	C-261	1-1/16”	5-1/2”	.120”	1
5-9064	C-263	7/8”	6”	.091”	1
5-9065	C-265	1-1/16”	7”	.105”	1
5-9066	C-267	1-1/4”	6-1/2”	.162”	1
5-9067	C-269	1”	7”	.135”	1
5-9069	C-273	1-1/8”	8-1/2”	.148”	1
5-9070	C-275	1-1/8”	7-1/2”	.091”	1
5-9071	C-277	3/4”	6-1/2”	.091”	1
5-9080	C-311	7/16”	10-1/4”	.041”	1
5-9081	C-313	1/2”	8-1/2”	.047”	1
5-9085	C-321	5/8”	8-1/2”	.062”	1
5-9087	C-325	7/8”	8-1/2”	.062”	1
5-9088	C-329	7/8”	8-1/2”	.875”	1
5-9090	C-337	1”	8-1/2”	.120”	1
5-9091	C-339	1-1/4”	10”	.0148”	1

Compression Springs

Model No.	Des.	O.D.	Length	Dia.	Qty/Pkg
5-9114	C-614	5/16”	1-1/4”	.041”	4
5-9119	C-660	5/16”	1-3/4”	.016”	4
5-9123	C-676	7/16”	2-1/8”	.032”	4
5-9124	C-680	5/16”	2”	.047”	4
5-9128	C-702	9/16”	1”	.054”	2
5-9129	C-704	1/2”	1-1/2”	.041”	2
5-9136	C-736	1/2”	2-3/4”	.072”	2
5-9138	C-742	5/8”	2-3/4”	.054”	2
5-9141	C-756	23/32”	3-1/2”	.041”	2
5-9142	C-766	9/16”	3”	.054”	2
5-9143	C-782	5/8”	3”	.080”	2
5-9144	C-792	7/8”	3”	.105”	2
5-9152	C-832	1”	3”	.120”	2
5-9154	C-836	7/8”	4”	.080”	2
5-9157	C-875	3/4”	6”	.091”	2
5-9160	C-874	1-3/8”	6”	.120”	1





- Hand Tools
- Drill Bits
- Welding Machines
- Arc/Mig Welding
- Oxy-Acetylene
- Safety Accessories
- Abrasive/Brushes
- Air/Tire Accessories
- Pressure Washer
- Cable Ties
- Hose Clamps
- Springs

KT INDUSTRIES INC.®

KT Industries, Inc
3112 Northwest Blvd
Sheldon, IA 51201

customerservice@ktindustries.net
Toll Free: (866) 588-5202
Fax #: (712) 324-2930
www.ktindustries.net

Printed in China
Version 25.10